ERRATA

Tamás Koltai, Viktor Galsán and Pál Tétényi: Effect of pretreatment on HDS activity of supported NiW and NiMo catalysts

Vol. 67, 391-396 (1999).

Tables 1 and 2 should correctly read as follows:

Table 1

Chemical composition and physical data of the catalysts

Sample	Ni atoms ($10^{17}/\text{mg}$)	W(Mo) atoms ($10^{17}/\text{mg}$)	BET area ($10^{17} \text{ nm}^2/\text{mg}$)	NiO+W(Mo)O _x area ^a	$\frac{\text{H}}{\text{Ni+W(Mo)}}$
NiW/ASA	1.52	4.31	3.13	0.79	0.88
NiW/ALA	1.43	4.18	3.61	0.73	1.37
NiMo/ALA	1.60	4.77	2.87	0.85	0.63

^aSum of area of O²⁻ ions calculated from chemical composition considering the H/(Ni+(W)Mo) values. See Refs [21] and [22]

Table 2

Irreversible S-uptake (10^{17} S/mg) in different pretreatment procedures

Catalyst	Procedure								Circulation
	2	3/A	3/B	3/C	4/A	4/B	4/C	5	
NiW/ASA	0.63	1.12	1.01	0.83	5.37	8.93	8.40	9.98	10.00
NiW/ALA	0.59	1.20	0.86	0.99	6.88	9.31	7.22	10.53	11.43
NiMo/ALA	1.26	1.69	1.90	1.97	9.78	9.96	13.10	10.52	11.59

The last sentence on page 393 should read: 'The total uptake, determined by circulation method was accepted as the extent of sulfur uptake during procedure 6.'