Erratum to: Thermal Expansion Studies of Selected High-Temperature Thermoelectric Materials

VILUPANUR RAVI,^{1,2,5} SAMAD FIRDOSY,¹ THIERRY CAILLAT,¹
 ERIK BRANDON,¹ KEITH VAN DER WALDE,³ LINA MARICIC,³
 and ALI SAYIR⁴

1.—Jet Propulsion Laboratory, California Institute of Technology, 4800 Oak Grove Drive, Pasadena, CA 91109, USA. 2.—California State Polytechnic University, 3801, W. Temple Avenue, Pomona, CA 91768, USA. 3.—ATA Engineering, Inc., 11995 El Camino Real, San Diego, CA 92130, USA. 4.—NASA Glenn Research Center, 21000 Brookpark Road, Cleveland, OH 44135, USA. 5.—e-mail: varavi@jpl.nasa.gov

Erratum to: Journal of ELECTRONIC MATERIALS Vol. 38, No. 7, pp. 1433–1442 DOI 10.1007/s11664-009-0734-2

1. The corrected thermal linear expansions in Table 1 are as follows:

p-nanostructured SiGe

$$-1.2933 \times 10^{-10}T^3 + 3.3420 \times 10^{-7}T^2 + 1.8858 \times 10^{-4}T - 0.0817 \quad (323 \leq T \leq 1273 \text{ K})$$

n-nanostructured SiGe

$$-2.0436 \times 10^{-10}T^3 + 4.6723 \times 10^{-7}T^2 + 1.0680 \times 10^{-4}T - 0.0650 \quad (323 \leq T \leq 1273 \text{ K})$$

n-mechanically alloyed SiGe

$$-2.2241 \times 10^{-10}T^3 + 5.2298 \times 10^{-7}T^2 + 2.1958 \times 10^{-4}T - 0.1125 \quad (323 \leq T \leq 1273 \text{ K})$$

p-Yb₁₄MnSb₁₁

$$2.5676 \times 10^{-11}T^3 + 4.3797 \times 10^{-8}T^2 + 1.5388 \times 10^{-3}T - 0.4735 \quad (323 \leq T \leq 1273 \text{ K})$$

n-CoSb₃

$$7.9039 \times 10^{-12}T^4 - 2.1872 \times 10^{-8}T^3 + 2.2211 \times 10^{-5}T^2 - 8.5866 \times 10^{-3}T + 1.2422 \quad (338 \leq T \leq 974 \text{ K})$$

p-CeFe₃RuSb₁₂

$$1.4296 \times 10^{-11}T^4 - 3.6799 \times 10^{-8}T^3 + 3.4942 \times 10^{-5}T^2 - 1.3065 \times 10^{-2}T + 1.9636 \quad (338 \leq T \leq 974 \text{ K})$$

2. On page 1435 (left column, toward the bottom), the same correction for the $\Delta L/L_0(\%)$ expansion for *p*-CeFe₃RuSb₁₂ needs to be applied:

$$\Delta L/L_0 = 1.4296 \times 10^{-11}T^4 - 3.6799 \times 10^{-8}T^3 + 3.4942 \times 10^{-5}T^2 - 1.3065 \times 10^{-2}T + 1.9636$$

The online version of the original article can be found under doi:
[10.1007/s11664-009-0734-2](https://doi.org/10.1007/s11664-009-0734-2).

Published online November 14, 2010