Erratum to: Easy Formation and Dye-Sensitized Solar Cell Application of Highly-Ordered 3D Titania Arrays Using Photodynamic Polymer

PilHo Huh and Seong-Cheol Kim

DOI: 10.1007/s13391-012-1090-6

On page 133, Figure 2,

: Figure 2B, Figure 2C should be eliminated and Figure 2A should be changed as following Figure.

Also Capital A in Figure 2A should be eliminated and the Caption of Figure 2 should be changed as: Fig. 2. EDAX spectrum of TiO₂ nanostructures formed on an FTO glass substrate.

On page 132, middle paragraph, on the right,

: Middle paragraph should be replaced with following text

The EDAX spectrum of nanostructured TiO₂ arrays is shown in Figure 2. The presence of Ti in the nanostructures after heat-treatment was confirmed by the presence of the Ti K_{α1} and Ti K_{β1} peaks at 4.51 keV and 4.92 keV. A very weak C K_α (0.282 keV) line is observed in comparison to that of the non-heat-treated sample. The finding indicates that TiO₂ nanostructures were created with the removal of the polymeric SRG templates. Furthermore, anatase phase of TiO₂ nanoparticles was confirmed by the XRD pattern of $2\theta = 25.2^\circ$ with d-spacing of 3.53 Å and Raman peaks observed at 402, 518, and 640 cm⁻¹.