



CORRECTION

Correction to: Effect of electrolyte components, salt concentration, and electrolyte additive, on electrolyte distribution over a charging LiMO_2 electrode

Cheolsoo Jung¹

Published online: 23 May 2022

© Springer-Verlag GmbH Germany, part of Springer Nature 2022

Correction to: Journal of Solid State Electrochemistry
<https://doi.org/10.1007/s10008-022-05178-y>

The original article contained a mistake.

In the article title, “LiMO2” should be presented as “ LiMO_2 ” and is now correctly shown above.

In Table 1 caption, it should be presented as “ Li^+-O ” and in rows 4 and 5, it should be presented as “ $\text{Li}^+(\text{EC})_3 + \text{EC} \rightarrow \text{Li}^+(\text{EC})_4$ ” and “ $\text{Li}^+(\text{EC})_4 + \text{EC} \rightarrow \text{Li}^+(\text{EC})_5$ ”, respectively.

The correct Table 1 is now shown below:

Table 1 Li^+-O distances, average binding energies, heat of reaction, and Gibbs free energies of reaction at 298.2 K, calculated by B3PW91/6-31G(d) [21]

reactions	r^a	ΔE^b	ΔH_r^c	ΔG_r
$\text{Li}^+ + \text{EC} \rightarrow \text{Li}^+(\text{EC})$	1.764	49.2	-50.6	-45.0
$\text{Li}^+(\text{EC}) + \text{EC} \rightarrow \text{Li}^+(\text{EC})_2$	1.814	43.5	-38.5	-30.8
$\text{Li}^+(\text{EC})_2 + \text{EC} \rightarrow \text{Li}^+(\text{EC})_3$	1.893	36.9	-24.2	-12.7
$\text{Li}^+(\text{EC})_3 + \text{EC} \rightarrow \text{Li}^+(\text{EC})_4$	1.965	31.0	-13.9	-5.9
$\text{Li}^+(\text{EC})_4 + \text{EC} \rightarrow \text{Li}^+(\text{EC})_5$	2.088	26.8	-5.8	9.2

^a Average bond lengths from Li^+ to the carbonyl oxygen of EC. ^b $\Delta E = -\{E[\text{Li}^+(\text{EC})_n] - nE[\text{EC}] - E(\text{Li}^+)\}/n$. ^c $\Delta H_r = H[\text{Li}^+(\text{EC})_n] - H[\text{Li}^+(\text{EC})_{n-1}] - H(\text{EC})$, the same definition for ΔG_r .

The original article has been corrected.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s10008-022-05178-y>.

✉ Cheolsoo Jung
csjung@uos.ac.kr

¹ Department of Chemical Engineering, University of Seoul,
163 Shiripdae-ro, Dongdaemun-gu, Seoul 02504,
Republic of Korea