

Erratum to: Chédiak-Higashi syndrome: brain MRI and MR spectroscopy manifestations

Valentina Lolli¹ · Gustavo Soto Ares¹ · Jean-Pierre Pruvost¹ · Wadih Abou Chahla² ·
Patrice Jissendi-Tchofo³

Published online: 30 April 2015
© Springer-Verlag Berlin Heidelberg 2015

Erratum to: Pediatr Radiol
DOI 10.1007/s00247-014-3256-x

The original version of this article, unfortunately, contained errors. The observed values in the following paragraph, which appeared in the published version of the paper, were incorrect.

“Laboratory investigations revealed leukopenia [white blood cells: 3,500 to 10,500/mm³ (normal values: 3,500 to 10,500/mm³), polymorphonucleates: 1,500 cells/mm³ (normal values: ≥ 1,500 cells/mm³)], anemia [hemoglobin: 13.5 to 17.5 g/dL], and a relative decrease of thrombocytes [platelets: 169,000/mm³ (normal values: between 150 and 400/mm³). Polymerase-chain-reaction tests failed to reveal evidence of herpes simplex virus, enterovirus, cytomegalovirus, varicella-zoster virus, Epstein-Barr virus or adenovirus. Cerebrospinal fluid analysis showed 24 nucleated cells consisting with lymphocytes [normal values: ($\times 10^{-6}/\text{L}$): ≤ 5]. Protein and glucose concentrations were 1.12 g/l

and 0.57 g/l (normal values are 0.16–0.31 g/L and 0.50 to 0.8 g/L, respectively).”

The correct values are given in this succeeding paragraph.

“Laboratory investigations revealed leukopenia [white blood cells: 2,400/mm³ (normal values: 3,500–10,500/mm³), polymorphonucleates: 700/mm³ (normal values: ≥ 1,500 cells/mm³)], anemia [hemoglobin: 11 g/dL (normal values: 13.5–17.5 g/dL)], and a relative decrease of thrombocytes [platelets: 169,000/mm³ (normal values: 150,000–400,000/mm³). Polymerase-chain-reaction tests failed to reveal evidence of herpes simplex virus, enterovirus, cytomegalovirus, varicella-zoster virus, Epstein-Barr virus, and adenovirus. Cerebrospinal fluid analysis showed 24 nucleated cells consisting with lymphocytes (normal values: ≤ 5 × 10⁻⁶/L). Protein and glucose concentrations were 1.12 g/l (normal values: 0.16–0.31 g/L) and 0.57 g/L (normal values: 0.50–0.80 g/L).”

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00247-014-3256-x>.

✉ Valentina Lolli
valentinololli@hotmail.com

¹ Neuroradiology Department, Roger Salengro Hospital, CHRU, Avenue du Pr Emile Laine, 59037 Lille Cedex, France

² Pediatric Hematology and Oncology Department, Jeanne de Flandre Hospital, Avenue Eugène Avinec, 59037 Lille Cedex, France

³ Radiology Department – Pediatric Neuroradiology Section, University Hospital Saint-Pierre, 322 rue Haute, 1000 Brussels, Belgium