

Sender-Equivocable Encryption Schemes Secure against Chosen-Ciphertext Attacks Revisited*

Zhengan Huang¹, Shengli Liu¹, and Baodong Qin^{1,2}

¹ Department of Computer Science and Engineering, Shanghai Jiao Tong University, Shanghai 200240, China

² College of Computer Science and Technology, Southwest University of Science and Technology, Mianyang 621000, China

zhahuang.sjtu@gmail.com, {slliu,qinbaodong}@sjtu.edu.cn

Abstract. In Eurocrypt 2010, Fehr et al. proposed the first sender-equivocable encryption scheme secure against chosen-ciphertext attacks (NC-CCA) and proved that NC-CCA security implies security against selective opening chosen-ciphertext attacks (SO-CCA). The NC-CCA security proof of the scheme relies on security against substitution attacks of a new primitive, “cross-authentication code”. However, the security of cross-authentication code can not be guaranteed when all the keys used in the code are exposed. Our key observation is that in the NC-CCA security game, the randomness used in the generation of the challenge ciphertext is exposed to the adversary. This random information can be used to recover all the keys involved in the cross-authentication code, and forge a ciphertext (like a substitution attack of cross-authentication code) that is different from but related to the challenge ciphertext. And the response of the decryption oracle, with respect to the forged ciphertext, leaks information. This leaked information can be employed by an adversary to spoil the NC-CCA security proof of Fehr et al.’s scheme encrypting multi-bit plaintexts. We also show that Fehr et al.’s scheme encrypting single-bit plaintexts can be refined to achieve NC-CCA security, free of any cross-authentication code.

Keywords: sender-equivocable encryption, chosen-ciphertext attack, cross-authentication code.

1 Introduction

The notion of sender equivocability for a public-key encryption (PKE) scheme was formalized by Fehr et al. [7] in Eurocrypt 2010. It is an important tool to construct PKE schemes secure against chosen-plaintext/ciphertext selective opening attacks (SO-CPA/CCA). Sender equivocability focuses on the ability

* Funded by NSFC (Nos. 61170229, 61133014), Innovation Project (No.12ZZ021) of Shanghai Municipal Education Commission, and Specialized Research Fund (No. 20110073110016) for the Doctoral Program of Higher Education.

of a PKE scheme to generate some “equivocable” ciphertexts which can be efficiently opened arbitrarily. More specifically, a PKE scheme is called sender-equivocable, if there is a simulator which can generate non-committing ciphertexts and later open them to any requested plaintexts by releasing some randomness, such that the simulation and real encryption are indistinguishable. This notion is similar to non-committing encryption [5]. In fact, Fehr et al. [7] have pointed out that sender-equivocable encryption secure under chosen-plaintext attacks (CPA) is a variant of non-committing encryption defined in [5]. Following the notations in [7], security of a sender-equivocable encryption scheme against chosen-plaintext/ciphertext attacks is denoted by *NC-CPA/CCA security*.

As proved in [7], NC-CPA/CCA security implies simulation-based selective opening security against chosen-plaintext/ciphertext attacks (SIM-SO-CPA/CCA security). This fact suggests an alternative way of constructing PKE secure against selective opening attacks, besides the construction from lossy encryption proposed in [3].

Discussion and Related Work. In Eurocrypt 2009, Bellare et al. [3] formalized the notion of security against selective opening attacks (SOA security) for sender corruptions. This security notion captures a situation that n senders encrypt their own messages and send the ciphertexts to a single receiver. Some subset of the senders can be corrupted by an adversary, exposing their messages and randomness to the adversary. SOA security requires that the unopened ciphertexts remain secure.

In [3], Bellare et al. proposed two kinds of SOA security: simulation-based selective opening (SIM-SO) security and indistinguishability-based selective opening (IND-SO) security. The relations between the two notions are figured out by Böhl et al. [2]. Bellare et al. [1] showed that the standard security of PKE does not imply SIM-SO security. Bellare et al. [3] proposed that IND-SO-CPA security and SIM-SO-CPA security can be achieved through a special class of encryption named lossy encryption, and lossy encryption can be constructed from lossy trapdoor functions [13]. Hemenway et al. [10] showed more constructions of lossy encryption, which achieved IND-SO-CCA security with a-priori bounded number of challenge ciphertexts. In Eurocrypt 2012, Hofheinz [9] proposed a new primitive called all-but-many lossy trapdoor functions, which were employed to construct IND-SO-CCA secure and SIM-SO-CCA secure PKE with unbounded number of challenge ciphertexts. In [4], Bellare et al. extended SOA security from PKE to IBE.

In [7], Fehr et al. presented a totally different way of achieving SIM-SO-CCA security, also with unbounded number of challenge ciphertexts. They formalized the security notion of sender equivocability under chosen-plaintext/ciphertext attacks (NC-CPA/CCA security), and proved that NC-CPA (resp. NC-CCA) security implies SIM-SO-CPA (resp. SIM-SO-CCA) security. In [7], two PKE schemes were proposed. The first one, constructed from trapdoor one-way permutations, is NC-CPA secure, so it is SIM-SO-CPA secure. The second one (denoted by the FHKW scheme) is constructed from an extended hash proof

system [6] and a new primitive, “cross-authentication code”. They proved that the FHKW scheme is NC-CCA secure.

With help of similar techniques as those in the FHKW scheme, Gao et al. [8] presented a deniable encryption scheme in 2012. The CCA security of their scheme was guaranteed mainly by an extended hash proof system of [6] and a cross-authentication code of [7].

In this paper, we will analyze the security proof of the FHKW scheme and show that its NC-CCA security can not be guaranteed by their proof. The GXW scheme suffers from the similar security problem. We also offer a refined version of the FHKW scheme for single bit with NC-CCA security.

Our Contribution. In this paper, we focus on NC-CCA security.

- We provide an analysis of the security proof of the FHKW scheme in [7], and show the proof of NC-CCA security in [7] is flawed by showing an attack. The key observation is: In the definition of NC-CCA security, the randomness used in the generation of the challenge ciphertext C^* is offered to the adversary. The adversary is able to use the randomness to forge a ciphertext and obtain useful information by querying the forged ciphertext to the decryption oracle. Assume that the plaintext consists of L bits. We present a PPT adversary who can always distinguish the real experiment and the simulated experiment for $L > 1$. We also show that the security requirement of “ L -cross-authentication codes” is not enough in the proof of NC-CCA security in [7] for any positive integer L .
- We refine the FHKW scheme encrypting one bit. Although we showed that “ L -cross-authentication codes” are generally not sufficient to prove NC-CCA security, some specific instances of “1-cross-authentication codes” are helpful to finish the proof of NC-CCA security of the FHKW scheme [7], but limited to encryption of a single bit. We provide a simpler encryption scheme for single-bit plaintexts, free of any cross-authentication code.

Organization. We start by notations and definitions in Section 2. We recall the FHKW scheme in Section 3, and then provide a security analysis of it in Section 4. We present a refined version of the FHKW scheme for single-bit plaintexts in Section 5 and leave the proof in the Appendix. Finally, we give a summary of our work in Section 6.

2 Preliminaries

2.1 Notations

Let \mathbb{N} denote the set of natural numbers. We use $k \in \mathbb{N}$ as the security parameter throughout the paper. For $n \in \mathbb{N}$, let $[n]$ denote the set $\{1, 2, \dots, n\}$ and $\{0, 1\}^n$ the set of bitstrings of length n . For a finite set S , let $s \leftarrow S$ denote the process of sampling s uniformly at random from S . If A is a probabilistic algorithm,

we denote by \mathcal{R}_A the randomness set of A . Let $y \leftarrow A(x_1, x_2, \dots, x_t)$ denote the process of running A on inputs $\{x_1, x_2, \dots, x_t\}$ and inner randomness $R \leftarrow \mathcal{R}_A$, and outputting y . If the running time of probabilistic algorithm A is polynomial in k , then A is a probabilistic polynomial time (PPT) algorithm.

2.2 Sender-Equivocable Encryption Schemes

The notion of Sender Equivocability was formalized by Fehr et al. [7] in 2010. For a public-key encryption scheme $\Pi = (\text{Gen}, \text{Enc}, \text{Dec})$, let $A = (A_1, A_2)$ denote a stateful adversary, $S = (S_1, S_2)$ denote a stateful simulator, and M denote a plaintext. Let *state* denote some state information output by A_1 and then is passed to A_2 . Sender equivocability under adaptive chosen-ciphertext attacks is defined through the following two experiments.

<p>Experiment $\text{Exp}_{\Pi, A}^{\text{NC-CCA-Real}}(k)$:</p> <p>$(pk, sk) \leftarrow \text{Gen}(1^k)$</p> <p>$(M, \text{state}) \leftarrow A_1^{\text{Dec}_{sk}(\cdot)}(pk)$</p> <p>$R \leftarrow \mathcal{R}_{\text{Enc}}$</p> <p>$C \leftarrow \text{Enc}_{pk}(M; R)$</p> <p>return $A_2^{\text{Dec}_{sk}(\cdot)}(M, C, R, \text{state})$</p>	<p>Experiment $\text{Exp}_{\Pi, A}^{\text{NC-CCA-Sim}}(k)$:</p> <p>$(pk, sk) \leftarrow \text{Gen}(1^k)$</p> <p>$(M, \text{state}) \leftarrow A_1^{\text{Dec}_{sk}(\cdot)}(pk)$</p> <p>$C \leftarrow S_1(pk, 1^{ M })$</p> <p>$R \leftarrow S_2(M)$</p> <p>return $A_2^{\text{Dec}_{sk}(\cdot)}(M, C, R, \text{state})$</p>
--	--

In both experiments, $A = (A_1, A_2)$ is allowed to access to a decryption oracle $\text{Dec}_{sk}(\cdot)$ with constraint that A_2 is not allowed to query C .

The advantage of adversary A is defined as follows.

$$\text{Adv}_{\Pi, A, S}^{\text{NC-CCA}}(k) := \left| \Pr \left[\text{Exp}_{\Pi, A}^{\text{NC-CCA-Real}}(k) = 1 \right] - \Pr \left[\text{Exp}_{\Pi, A}^{\text{NC-CCA-Sim}}(k) = 1 \right] \right|.$$

Definition 1 (NC-CCA security). A public-key encryption scheme $\Pi = (\text{Gen}, \text{Enc}, \text{Dec})$ is sender-equivocable under adaptive chosen-ciphertext attacks (NC-CCA secure), if there is a stateful PPT algorithm S (the simulator), such that for any PPT algorithm A (the adversary), the advantage $\text{Adv}_{\Pi, A, S}^{\text{NC-CCA}}(k)$ is negligible.

2.3 Building Blocks of the FHKW Scheme

In [7], Fehr et al. presented a construction of PKE with NC-CCA security. We will call their scheme the FHKW scheme. The FHKW scheme was built from the following cryptographic primitives: a collision-resistant hash function (informally, a function is collision-resistant if any PPT adversary cannot find two distinct inputs hashing to the same output except with negligible probability), a subset membership problem, an extended version of hash proof system [6], and a cross-authentication code [7].

Definition 2 (Subset membership problem). A subset membership problem consists of the following PPT algorithms.

- $\text{SmpGen}(1^k)$: On input 1^k , algorithm SmpGen outputs a parameter Λ , which specifies a set \mathcal{X}_Λ and its subset $\mathcal{L}_\Lambda \subseteq \mathcal{X}_\Lambda$. Set \mathcal{X}_Λ is required to be easily recognizable with Λ .
- $\text{SampleL}(\mathcal{L}_\Lambda; W)$: Algorithm SampleL samples $X \in \mathcal{L}_\Lambda$ using randomness $W \in \mathcal{R}_{\text{SampleL}}$.

A subset membership problem SMP is hard, if for any PPT distinguisher D , D 's advantage

$$\text{Adv}_{\text{SMP}, D}(k) := \left| \Pr[\Lambda \leftarrow \text{SmpGen}(1^k), X \leftarrow \mathcal{L}_\Lambda : D(X) = 1] - \Pr[\Lambda \leftarrow \text{SmpGen}(1^k), X \leftarrow \mathcal{X}_\Lambda : D(X) = 1] \right|$$

is negligible.

Definition 3 (Subset sparseness). A subset membership problem SMP has the property of subset sparseness, if the probability $\Pr[\Lambda \leftarrow \text{SmpGen}(1^k), X \leftarrow \mathcal{X}_\Lambda : X \in \mathcal{L}_\Lambda]$ is negligible.

Definition 4 (Hash Proof System and Extended Hash Proof System). A hash proof system HPS for a subset membership problem SMP associates each $\Lambda \leftarrow \text{SmpGen}(1^k)$ with an efficiently recognizable key space \mathcal{K}_Λ and the following PPT algorithms:

- $\text{HashGen}(\Lambda)$: On input Λ , HashGen outputs a public key hpk and a secret key hsk , both containing the parameter Λ .
- $\text{SecEvl}(hsk, X)$: It is a deterministic algorithm. On input a secret key hsk and an element $X \in \mathcal{X}_\Lambda$, SecEvl outputs a key $K \in \mathcal{K}_\Lambda$.
- $\text{PubEvl}(hpk, X, W)$: It is a deterministic algorithm. On input a public key hpk , an element $X \in \mathcal{X}_\Lambda$ and a witness W for $X \in \mathcal{L}_\Lambda$, PubEvl outputs a key $K \in \mathcal{K}_\Lambda$. The correctness requires that $\text{PubEvl}(hpk, X, W) = \text{SecEvl}(hsk, X)$ for all $\Lambda \leftarrow \text{SmpGen}(1^k)$, $(hpk, hsk) \leftarrow \text{HashGen}(\Lambda)$ and $X \leftarrow \text{SampleL}(\mathcal{L}_\Lambda; W)$.

An extended hash proof system EHPS is a variation of a hash proof system HPS , extending the sets \mathcal{X}_Λ and \mathcal{L}_Λ by taking the Cartesian product of these sets with an efficiently recognizable tag space \mathcal{T}_Λ . Hence, the tuple of the three algorithms $(\text{HashGen}, \text{SecEvl}, \text{PubEvl})$ of EHPS is changed to $(hpk, hsk) \leftarrow \text{HashGen}(\Lambda)$, $K \leftarrow \text{SecEvl}(hsk, X, t)$ and $K \leftarrow \text{PubEvl}(hpk, X, W, t)$, with $t \in \mathcal{T}_\Lambda$.

The public key hpk in a hash proof system HPS uniquely determines the action of algorithm SecEvl for all $X \in \mathcal{L}_\Lambda$. However, the action of SecEvl for $X \in \mathcal{X}_\Lambda \setminus \mathcal{L}_\Lambda$ is still undetermined by hpk . This is defined by a perfectly 2-universal property.

Definition 5 (perfectly 2-universal). A hash proof system HPS for SMP is perfectly 2-universal if for any $\Lambda \leftarrow \text{SmpGen}(1^k)$, any hpk from $\text{HashGen}(\Lambda)$, any distinct $X_1, X_2 \in \mathcal{X}_\Lambda \setminus \mathcal{L}_\Lambda$, and any $K_1, K_2 \in \mathcal{K}_\Lambda$,

$$\Pr[\text{SecEvl}(hsk, X_2) = K_2 \mid \text{SecEvl}(hsk, X_1) = K_1] = \frac{1}{|\mathcal{K}_\Lambda|},$$

where the probability is taken over all possible hsk with $(hpk, hsk) \leftarrow \text{HashGen}(\Lambda)$.

Definition 6 (Efficiently samplable and explainable domain). A domain \mathcal{D} is efficiently samplable and explainable, if there exists two PPT algorithms:

- $\text{Sample}(\mathcal{D}; R)$: On input a random coin $R \leftarrow \mathcal{R}_{\text{Sample}}$ and a domain \mathcal{D} , it outputs an element uniformly distributed over \mathcal{D} .
- $\text{Explain}(\mathcal{D}, x)$: On input \mathcal{D} and $x \in \mathcal{D}$, this algorithm outputs R that is uniformly distributed over the set $\{R \in \mathcal{R}_{\text{Sample}} \mid \text{Sample}(\mathcal{D}; R) = x\}$.

Definition 7 (L-Cross-Authentication Code [7]). For any $L \in \mathbb{N}$, an L -cross-authentication code XAC, associated with a key space \mathcal{XK} and a tag space \mathcal{XT} , consists of three PPT algorithms (XGen , XAuth , XVer). Algorithm $\text{XGen}(1^k)$ generates a uniformly random key $K \in \mathcal{XK}$, $\text{XAuth}(K_1, \dots, K_L)$ produces a tag $T \in \mathcal{XT}$, and $\text{XVer}(K, i, T)$ outputs $b \in \{0, 1\}$. The following properties are required:

Correctness. The function

$$\text{fail}_{\text{XAC}}^{\text{correct}}(k) := \max_{i \in [L]} \Pr[\text{XVer}(K_i, i, \text{XAuth}(K_1, \dots, K_L)) \neq 1]$$

is negligible in k , where the max is over all $i \in [L]$ and the probability is taken over all possible $K_1, \dots, K_L \leftarrow \text{XGen}(1^k)$.

Security against impersonation and substitution attacks. The advantages $\text{Adv}_{\text{XAC}}^{\text{imp}}(k)$ and $\text{Adv}_{\text{XAC}}^{\text{sub}}(k)$, defined as follows, are both negligible.

$$\text{Adv}_{\text{XAC}}^{\text{imp}}(k) := \max_{i, T'} \Pr[K \leftarrow \text{XGen}(1^k) : \text{XVer}(K, i, T') = 1]$$

where the max is over all $i \in [L]$ and $T' \in \mathcal{XT}$.

$$\text{Adv}_{\text{XAC}}^{\text{sub}}(k) := \max_{i, K_{\neq i}, \text{Func}} \Pr \left[\begin{array}{l} K_i \leftarrow \text{XGen}(1^k) \\ T \leftarrow \text{XAuth}(K_1, \dots, K_L) : T' \neq T \wedge \\ T' \leftarrow \text{Func}(T) \end{array} \right]$$

where the max is over all $i \in [L]$, all $K_{\neq i} := (K_j)_{j \neq i} \in \mathcal{XK}^{L-1}$ and all possibly randomized functions $\text{Func} : \mathcal{XT} \rightarrow \mathcal{XT}$.

3 Review on the FHKW Scheme in [7]

With the above cryptographic primitives, we now present the FHKW scheme [7].

Let SMP be a hard subset membership problem that has the property of subset sparseness. Let \mathcal{X}_A , with $A \leftarrow \text{SmpGen}(1^k)$, be efficiently samplable and explainable. Let EHPS be a perfectly 2-universal extended hash proof system for SMP with tag space \mathcal{T}_A and key space (range) \mathcal{K}_A , which is efficiently samplable and explainable as well. Let $\mathcal{H} : (\mathcal{X}_A)^L \rightarrow \mathcal{T}_A$ be a family of collision-resistant hash

functions, and XAC be an L -cross-authentication code with key space $\mathcal{XK} = \mathcal{K}_A$ and tag space \mathcal{XT} .

The FHKW Scheme

Gen(1^k): On input 1^k , algorithm Gen runs $A \leftarrow \text{SmpGen}(1^k)$, $(hpk, hsk) \leftarrow \text{HashGen}(A)$, $H \leftarrow \mathcal{H}$, and outputs (pk, sk) , where $pk = (hpk, H)$ and $sk = (hsk, H)$.

Enc($pk, M; R$): To encrypt a plaintext $M = (M_1, \dots, M_L) \in \{0, 1\}^L$ under a public key $pk = (hpk, H)$ with randomness $R = (W_i, R_i^{\mathcal{X}_A}, R_i^{\mathcal{K}_A})_{i \in [L]} \in (\mathcal{R}_{\text{SampleL}} \times \mathcal{R}_{\text{Sample}} \times \mathcal{R}_{\text{Sample}})^L$, algorithm Enc runs as follows:
 For $i \in [L]$, set

$$X_i := \begin{cases} \text{Sample}(\mathcal{X}_A; R_i^{\mathcal{X}_A}) & \text{if } M_i = 0 \\ \text{SampleL}(\mathcal{L}_A; W_i) & \text{if } M_i = 1 \end{cases}$$

and $t := H(X_1, \dots, X_L)$. Then for $i \in [L]$, set the keys

$$K_i := \begin{cases} \text{Sample}(\mathcal{K}_A; R_i^{\mathcal{K}_A}) & \text{if } M_i = 0 \\ \text{PubEvl}(hpk, X_i, W_i, t) & \text{if } M_i = 1 \end{cases}$$

and the tag $T := \text{XAuth}(K_1, \dots, K_L)$. Finally, return $C = (X_1, \dots, X_L, T)$ as the ciphertext.

Dec(sk, C): To decrypt a ciphertext $C = (X_1, \dots, X_L, T) \in \mathcal{X}_A^L \times \mathcal{XT}$ under a secret key $sk = (hsk, H)$, algorithm Dec computes $t = H(X_1, \dots, X_L)$, for $i \in [L]$ sets $\overline{K}_i := \text{SecEvl}(hsk, X_i, t)$ and $M_i = \text{XVer}(\overline{K}_i, i, T)$, and returns $M = (M_1, \dots, M_L)$ as the plaintext.

The correctness of the FHKW scheme is proved by [7], which we omit here.

4 Security Analysis of the FHKW Scheme

According to the definition of NC-CCA security, the FHKW scheme is NC-CCA secure, if and only if there exists a simulator S such that for any PPT algorithm A , the two experiments $\text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Real}}(k)$ and $\text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Sim}}(k)$, defined in Section 2, are indistinguishable.

In order to prove NC-CCA security of the FHKW scheme, Fehr et al. [7] constructed the following simulator $S = (S_1, S_2)$.

Simulator S :

- $S_1(pk, 1^{|M|})$: Parse $pk = (hpk, H)$. For $i \in [L]$, choose $\widetilde{W}_i \leftarrow \mathcal{R}_{\text{SampleL}}$ and set $X_i := \text{SampleL}(\mathcal{L}_A; \widetilde{W}_i)$. Compute $t := H(X_1, \dots, X_L)$. For $i \in [L]$, set $K_i := \text{PubEvl}(hpk, X_i, \widetilde{W}_i, t)$. Set $T \leftarrow \text{XAuth}(K_1, \dots, K_L)$. Return the ciphertext $C = (X_1, \dots, X_L, T)$.

- $S_2(M)$: Parse $M = (M_1, \dots, M_L)$. For $i \in [L]$, if $M_i = 1$, set $W_i := \widetilde{W}_i$, and choose $R_i^{\mathcal{X}_A} \leftarrow \mathcal{R}_{\text{Sample}}$, $R_i^{\mathcal{K}_A} \leftarrow \mathcal{R}_{\text{Sample}}$; else, choose $W_i \leftarrow \mathcal{R}_{\text{SampleL}}$, and set $R_i^{\mathcal{X}_A} \leftarrow \text{Explain}(\mathcal{X}_A, X_i)$, $R_i^{\mathcal{K}_A} \leftarrow \text{Explain}(\mathcal{K}_A, K_i)$. Return the randomness $R = (W_i, R_i^{\mathcal{X}_A}, R_i^{\mathcal{K}_A})_{i \in [L]}$.

With simulator S , Fehr et al. [7] proved that the FHKW scheme is NC-CCA secure. However, we will show that this specific simulator S does not guarantee NC-CCA security of the FHKW scheme for any positive integer L .

4.1 The Problem of Security Proof in [7]

To prove NC-CCA security, it is essential to show that the decryption oracle will not leak any useful information to any PPT adversary. As to the FHKW scheme, given a challenge ciphertext $C = (X_1, \dots, X_L, T)$, an adversary A comes up with a decryption query $C' = (X_1, \dots, X_L, T')$ where $T' \neq T$. NC-CCA security expects the decryption of C' by the oracle will not help the adversary to distinguish the two experiments $\text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Real}}(k)$ and $\text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Sim}}(k)$ (see the proof of [7, Lemma 5]). This strongly relies on the security against substitution attacks of cross-authentication code, which requires that “given T and $K_{\neq i}$, it is difficult to output a $T' \neq T$ such that $\text{XVer}(K_i, i, T') = 1$, where K_i is uniformly distributed”. However, in the NC-CCA game, adversary A KNOWS K_i for any $i \in [L]$! The reason is as follows. Upon returning a plaintext M , adversary A receives not only a challenge ciphertext C , but also some related random coins R which are supposed to have been consumed in the challenge ciphertext generation. With R and M , adversary A can recover K_i for any $i \in [L]$. Then, it is possible for A to output a $T' \neq T$ such that $\text{XVer}(K_i, i, T') = 1$. Hence, the XAC’s security against substitution attacks is not sufficient to guarantee the aforementioned property. That is why the security proof of [7] fails (more precisely, the proof of [7, Lemma 5] fails).

In fact, this kind of adversary, which can output a $T' \neq T$ such that $\text{XVer}(K_i, i, T') = 1$ given T and K_i for any $i \in [L]$, does exist. In Section 4.2, we will present such an adversary A to destroy the security proof of the FHKW scheme for $L > 1$.

Gao et al.’s Deniable Scheme in [8]. In [8], Gao et al. utilized exactly the same technique as that in the FHKW scheme to construct a deniable encryption scheme and “proved” the CCA security. The similar problem we pointed out above also exists in their security proof (more specifically, the proof of [8, Claim 1]). As a result, our following attack in Section 4.2 applies to their scheme and ruins their proof, too.

4.2 Security Analysis of the FHKW Scheme - $L > 1$

Before going into a formal statement and its proof, we briefly give a high-level description of our security analysis for $L > 1$.

With the aforementioned simulator S , for any $L > 1$, our aim is to construct an adversary $A = (A_1, A_2)$ to distinguish the two experiments $\text{Exp}_{\text{FHKW},A}^{\text{NC-CCA-Real}}(k)$ and $\text{Exp}_{\text{FHKW},A}^{\text{NC-CCA-Sim}}(k)$. The construction of adversary A is as follows.

In an experiment environment (either $\text{Exp}_{\text{FHKW},A}^{\text{NC-CCA-Real}}(k)$ or $\text{Exp}_{\text{FHKW},A}^{\text{NC-CCA-Sim}}(k)$), upon receiving pk , A_1 returns $M = (0, \dots, 0)$. Then, upon receiving a ciphertext $C = (X_1, \dots, X_L, T)$ and randomness R , A_2 returns $C' = (X_1, \dots, X_L, T')$ as his decryption query, where $T' \leftarrow \text{XAuth}(K'_1, K_2, \dots, K_L)$, K'_1 is uniformly random chosen from \mathcal{K}_A and K_2, \dots, K_L are all recovered from R . Finally, if the decryption oracle returns $M' = (0, \dots, 0)$, A_2 will output $b = 1$, and otherwise, A_2 will output $b = 0$.

Now, we consider the probabilities that A outputs 1 in the two experiments, respectively. In $\text{Exp}_{\text{FHKW},A}^{\text{NC-CCA-Real}}(k)$, for $i \in [L]$, X_i (resp. K_i) is chosen uniformly random from \mathcal{X}_A (resp. \mathcal{K}_A), so the subset sparseness of SMP and the perfect 2-universality of HPS guarantee that for $i \in [L]$, $\overline{K}'_i = \text{SecEvl}(hsk, X_i, t)$ is uniformly random in \mathcal{K}_A from A 's point of view. Due to the security of XAC, the decryption oracle returns $M' = (0, 0, \dots, 0)$ for the queried ciphertext C' . Consequently, A outputs $b = 1$ with overwhelming probability in $\text{Exp}_{\text{FHKW},A}^{\text{NC-CCA-Real}}(k)$. On the other hand, in $\text{Exp}_{\text{FHKW},A}^{\text{NC-CCA-Sim}}(k)$, for $i \in [L]$, X_i is chosen uniformly random from \mathcal{L}_A and $K_i = \text{PubEvl}(hpk, X_i, W_i, t)$, so the property of HPS guarantees that for $i \in [L]$, $\overline{K}'_i = \text{SecEvl}(hsk, X_i, t) = K_i$. Due to the correctness of XAC and the facts that $T' \leftarrow \text{XAuth}(K'_1, K_2, \dots, K_L)$ and $M'_i = \text{XVer}(\overline{K}'_i, i, T') = 1$ for $i \in \{2, 3, \dots, L\}$, the decryption oracle returns $M' = (0, 1, \dots, 1)$ with overwhelming probability. As a result, A outputs $b = 1$ with negligible probability in $\text{Exp}_{\text{FHKW},A}^{\text{NC-CCA-Sim}}(k)$. The two experiments $\text{Exp}_{\text{FHKW},A}^{\text{NC-CCA-Real}}(k)$ and $\text{Exp}_{\text{FHKW},A}^{\text{NC-CCA-Sim}}(k)$ have been distinguished by A with overwhelming advantage.

A formal statement of the result and its corresponding proof are as follows.

Theorem 1. *With the aforementioned simulator S , the FHKW scheme cannot be proved to be NC-CCA secure for any $L > 1$. More specifically, there exists an adversary A distinguishing the real and the simulated NC-CCA experiments, with advantage*

$$\text{Adv}_{\text{FHKW},A,S}^{\text{NC-CCA}}(k) \geq 1 - 2\text{Adv}_{\text{XAC}}^{\text{imp}}(k) - \text{fail}_{\text{XAC}}^{\text{correct}}(k).$$

Proof. For simplicity, we consider the case of $L = 2$. We note that this attack is applicable to any $L > 1$.

Our aim is to construct a specific adversary $A = (A_1, A_2)$ to distinguish the two experiments $\text{Exp}_{\text{FHKW},A}^{\text{NC-CCA-Real}}(k)$ and $\text{Exp}_{\text{FHKW},A}^{\text{NC-CCA-Sim}}(k)$ with non-negligible advantage.

Specifically, given an experiment environment (either $\text{Exp}_{\text{FHKW},A}^{\text{NC-CCA-Real}}(k)$ or $\text{Exp}_{\text{FHKW},A}^{\text{NC-CCA-Sim}}(k)$), the adversary $A = (A_1, A_2)$ behaves as follows.

- Upon receiving $pk = (hpk, H)$, A_1 returns $M = (0, 0)$, i.e. $M_1 = M_2 = 0$.
- Upon receiving a ciphertext $C = (X_1, X_2, T)$ and randomness $R = ((W_1, R_1^{\mathcal{X}_A}, R_1^{\mathcal{K}_A}), (W_2, R_2^{\mathcal{X}_A}, R_2^{\mathcal{K}_A}))$, A_2 creates a new ciphertext C' according to C .

- Set $X'_1 := X_1, X'_2 := X_2$.
- Set $K'_1 \leftarrow \mathcal{K}_A, K'_2 \leftarrow \text{Sample}(\mathcal{K}_A; R_2^{\mathcal{K}_A})$.
- Compute $T' \leftarrow \text{XAuth}(K'_1, K'_2)$.
- Check that $T' \neq T$. If $T' = T$, choose another random value for K'_1 and repeat the above steps, until $T' \neq T$.
- Set $C' := (X'_1, X'_2, T')$.

Then A_2 submits C' to the decryption oracle.

- Let $M' \leftarrow \text{Dec}(sk, C')$. A_2 outputs b , where

$$b = \begin{cases} 1 & \text{if } M' = (0, 0); \\ 0 & \text{if } M' \neq (0, 0). \end{cases}$$

Now we analyze the probabilities that A_2 outputs $b = 1$ in the real experiment and the simulated experiment, respectively.

In both experiments, A_2 receives a ciphertext $C = (X_1, X_2, T)$ and randomness $R = ((W_1, R_1^{\mathcal{X}_A}, R_1^{\mathcal{K}_A}), (W_2, R_2^{\mathcal{X}_A}, R_2^{\mathcal{K}_A}))$. The ciphertext created and submitted to the decryption oracle by A_2 is $C' = (X'_1, X'_2, T') = (X_1, X_2, T')$, where $T' = \text{XAuth}(K'_1, K'_2) = \text{XAuth}(K'_1, K_2)$ (due to $K'_2 = K_2$) and $T' \neq T$.

The Real Experiment. The challenge ciphertext $C = (X_1, X_2, T)$ satisfies $X_1 \leftarrow \text{Sample}(\mathcal{X}_A; R_1^{\mathcal{X}_A}), X_2 \leftarrow \text{Sample}(\mathcal{X}_A; R_2^{\mathcal{X}_A})$, and $T = \text{XAuth}(K_1, K_2)$, where $K_1 \leftarrow \text{Sample}(\mathcal{K}_A; R_1^{\mathcal{K}_A})$ and $K_2 \leftarrow \text{Sample}(\mathcal{K}_A; R_2^{\mathcal{K}_A})$.

The decryption of C' by the decryption oracle $\text{Dec}(sk, \cdot)$ involves the computation of $t' := \text{H}(X'_1, X'_2) = \text{H}(X_1, X_2) = t$ and $\overline{K'_i} := \text{SecEvl}(hsk, X'_i, t') = \text{SecEvl}(hsk, X_i, t)$, for $i \in \{1, 2\}$.

Due to the perfect 2-universality of EHPS, $\overline{K'_i}$ is uniformly random distributed in \mathcal{K}_A . Hence, for $i \in \{1, 2\}$,

$$\Pr \left[\text{XVer}(\overline{K'_i}, i, T') = 1 \mid \text{in Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Real}}(k) \right] \leq \text{Adv}_{\text{XAC}}^{\text{imp}}(k).$$

Let $M' = (M'_1, M'_2)$ denote the decryption result of C' by the decryption oracle $\text{Dec}(sk, \cdot)$. Then for $i \in \{1, 2\}$,

$$\begin{aligned} & \Pr \left[M'_i = 1 \mid \text{in Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Real}}(k) \right] \\ &= \Pr \left[\text{XVer}(\overline{K'_i}, i, T') = 1 \mid \text{in Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Real}}(k) \right] \\ &\leq \text{Adv}_{\text{XAC}}^{\text{imp}}(k). \end{aligned}$$

The probability that A_2 outputs $b = 1$ in the real experiment is given by

$$\begin{aligned} & \Pr \left[\text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Real}}(k) = 1 \right] \\ &= \Pr \left[M' = (0, 0) \mid \text{in Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Real}}(k) \right] \\ &= 1 - \Pr \left[M' \neq (0, 0) \mid \text{in Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Real}}(k) \right] \\ &= 1 - \Pr \left[M'_1 = 1 \vee M'_2 = 1 \mid \text{in Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Real}}(k) \right] \\ &\geq 1 - 2\text{Adv}_{\text{XAC}}^{\text{imp}}(k). \end{aligned}$$

The Simulated Experiment. The ciphertext $C = (X_1, X_2, T)$ satisfies $X_1 \leftarrow \text{SampleL}(\mathcal{L}_A; \widetilde{W}_1)$, $X_2 \leftarrow \text{SampleL}(\mathcal{L}_A; \widetilde{W}_2)$, and $T = \text{XAuth}(K_1, K_2)$, where for $i \in \{1, 2\}$, $\widetilde{W}_i \leftarrow \mathcal{R}_{\text{SampleL}}$ and $K_i = \text{PubEvl}(hpk, X_i, \widetilde{W}_i, t)$ with $t = \text{H}(X_1, X_2)$.

The decryption of C' by the decryption oracle $\text{Dec}(sk, \cdot)$ involves the computation of $t' = \text{H}(X'_1, X'_2) = \text{H}(X_1, X_2) = t$ and $\overline{K}'_i = \text{SecEvl}(hsk, X'_i, t') = \text{SecEvl}(hsk, X_i, t)$, for $i \in \{1, 2\}$. On the other hand, we know that $K'_2 = K_2$ and $K_2 = \text{PubEvl}(hpk, X_2, W_2, t)$. Since $X_2 \in \mathcal{L}_A$, the property of EHPS guarantees that $\text{SecEvl}(hsk, X_2, t) = \text{PubEvl}(hpk, X_2, W_2, t)$, which means that $\overline{K}'_2 = K_2 = K'_2$. Note that $M'_2 = \text{XVer}(\overline{K}'_2, 2, T')$. Hence, we have

$$\begin{aligned} & \Pr \left[M'_2 = 1 \mid \text{in } \text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Sim}}(k) \right] \\ &= \Pr \left[\text{XVer}(\overline{K}'_2, 2, T') = 1 \mid \text{in } \text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Sim}}(k) \right] \\ &= \Pr \left[\text{XVer}(K'_2, 2, T') = 1 \mid \text{in } \text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Sim}}(k) \right] \\ &\geq 1 - \text{fail}_{\text{XAC}}^{\text{correct}}(k). \end{aligned}$$

The probability that A_2 outputs $b = 1$ in the simulated experiment is given by

$$\begin{aligned} & \Pr \left[\text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Sim}}(k) = 1 \right] \\ &= \Pr \left[M' = (0, 0) \mid \text{in } \text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Sim}}(k) \right] \\ &= 1 - \Pr \left[M' \neq (0, 0) \mid \text{in } \text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Sim}}(k) \right] \\ &\leq 1 - \Pr \left[M'_2 = 1 \mid \text{in } \text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Sim}}(k) \right] \\ &\leq \text{fail}_{\text{XAC}}^{\text{correct}}(k). \end{aligned}$$

The advantage of adversary A is given by

$$\begin{aligned} \text{Adv}_{\text{FHKW}, A, S}^{\text{NC-CCA}}(k) &= \left| \Pr \left[\text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Real}}(k) = 1 \right] - \Pr \left[\text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Sim}}(k) = 1 \right] \right| \\ &\geq 1 - 2\text{Adv}_{\text{XAC}}^{\text{imp}}(k) - \text{fail}_{\text{XAC}}^{\text{correct}}(k). \end{aligned}$$

Note that both $\text{Adv}_{\text{XAC}}^{\text{imp}}(k)$ and $\text{fail}_{\text{XAC}}^{\text{correct}}(k)$ are negligible. So A 's advantage $\text{Adv}_{\text{FHKW}, A, S}^{\text{NC-CCA}}(k)$ is non-negligible (in fact, it is overwhelming), i.e., the security proof of the FHKW scheme in [7] is incorrect. \square

4.3 Security Analysis of the FHKW Scheme - $L = 1$

Note that our attack in the previous section does not apply to the case $L = 1$. In the previous section, upon receiving the ciphertext C and randomness R , the adversary A recovers K and switches the first element of K with a random one. If $L = 1$, A will get a new $K' = K'_1$ and then $T' = \text{XAuth}(K'_1)$. Afterwards, A

will return $C' = (X_1, T')$ as his decryption query. Then, A will receive $M' = 0$ with overwhelming probability in both $\text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Real}}(k)$ and $\text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Sim}}(k)$. Hence, the two experiments are still indistinguishable for A .

As we have pointed out earlier, the security of L -cross-authentication code against substitution attacks is not sufficient for the security proof of the FHKW scheme for any value of L . But our above attack only works for $L > 1$. Therefore, the remaining problem is whether it is possible for the FHKW scheme to achieve NC-CCA security for $L = 1$, still with the aforementioned simulator S .

Before solving the problem, we claim that algorithm XAuth of XAC in the FHKW scheme is deterministic (this is not explicitly expressed in [7]). That's because $R = (W_i, R_i^{\mathcal{X}_A}, R_i^{\mathcal{K}_A})_{i \in [L]}$ is the only randomness used in the encryption process. In other words, if XAuth is probabilistic, the inner random number used by XAuth should be contained in the randomness R (and then passed to the adversary, according to the definition of NC-CCA security). On the other hand, if algorithm XAuth of XAC in the FHKW scheme is probabilistic, with the aforementioned simulator S , the FHKW scheme *cannot* be proved secure in the sense of NC-CCA for any positive integer L . (See Appendix A for the proof.)

In fact, the security proof of the FHKW scheme expected such a property from L -cross-authentication code: "given (K_1, K_2, \dots, K_L) and $T = \text{XAuth}(K_1, \dots, K_L)$, it is difficult to output a $T' \neq T$ such that $\text{XVer}(K_i, i, T') = 1$ for some $i \in [L]$ ". This property generally does not hold for L -cross-authentication code. However, it is true for some special 1-cross-authentication code, for example, the instance of L -cross-authentication code given by Fehr et al. [7] when constricted to $L = 1$. For that special instance, when $L = 1$, given $K = K_1$ and $T = \text{XAuth}(K_1)$ (note that XAuth is deterministic), it is *impossible* to find a $T' \neq T$ such that $\text{XVer}(K_1, 1, T') = 1$, since only $T = \text{XAuth}(K_1)$ itself could pass the verification. Therefore, with the special 1-cross-authentication code instance (or other instance with similar property) as ingredient, the FHKW scheme is NC-CCA secure for $L = 1$.

5 Sender-Equivocable Encryption Scheme for Single Bit

In this section, we will refine the FHKW scheme for $L = 1$. Specifically, we will present a PKE scheme with NC-CCA security for $L = 1$ without any L -cross-authentication code.

Our scheme can be seen as a simplified version of the FHKW scheme instantiated with a special 1-cross-authentication code. As we pointed earlier, the special property of 1-cross-authentication code requires that each K determines a unique tag T satisfying $\text{XVer}(K, T) = 1$. In our scheme, the encryption algorithm replaces the tag T by the key K directly. In the decryption, whether the plaintext is 1 or 0 depends on the equality of K in the ciphertext and \overline{K} computed by $\text{SecEvl}(hsk, X)$, while in the FHKW scheme the plaintext bit is determined by whether $\text{XVer}(K, T') = 1$ or not.

Below describes our scheme $\mathcal{E} = (\text{Gen}_{\mathcal{E}}, \text{Enc}_{\mathcal{E}}, \text{Dec}_{\mathcal{E}})$. The scheme consists of a hard subset membership problem SMP , with subset sparseness, and its corresponding perfectly 2-universal hash proof system HPS . We require that for

any $\Lambda \leftarrow \text{SmpGen}(1^k)$, both \mathcal{X}_Λ (with respect to SMP) and \mathcal{K}_Λ (with respect to HPS) are efficiently explainable. As suggested in [7], the requirement of efficient samplability and explainability on \mathcal{K}_Λ imposes no real restriction, and it has shown in [6] that both the above ingredients can be constructed based on some standard number-theoretic assumptions, such as the DDH, DCR and QR assumptions.

Scheme $\mathcal{E} = (\text{Gen}_\mathcal{E}, \text{Enc}_\mathcal{E}, \text{Dec}_\mathcal{E})$

$\text{Gen}_\mathcal{E}(1^k)$: On input 1^k , algorithm $\text{Gen}_\mathcal{E}$ runs $\Lambda \leftarrow \text{SmpGen}(1^k)$, $(hpk, hsk) \leftarrow \text{HashGen}(\Lambda)$, and outputs (pk, sk) , where $pk = hpk$ and $sk = hsk$.

$\text{Enc}_\mathcal{E}(pk, M; R)$: To encrypt a plaintext $M \in \{0, 1\}$ under a public key $pk = hpk$ with randomness $R = (W, R^{\mathcal{X}_\Lambda}, R^{\mathcal{K}_\Lambda}) \in \mathcal{R}_{\text{SampleL}} \times \mathcal{R}_{\text{Sample}} \times \mathcal{R}_{\text{Sample}}$, algorithm $\text{Enc}_\mathcal{E}$ sets

$$X := \begin{cases} \text{Sample}(\mathcal{X}_\Lambda; R^{\mathcal{X}_\Lambda}) & \text{if } M = 0 \\ \text{SampleL}(\mathcal{L}_\Lambda; W) & \text{if } M = 1 \end{cases}$$

and

$$K := \begin{cases} \text{Sample}(\mathcal{K}_\Lambda; R^{\mathcal{K}_\Lambda}) & \text{if } M = 0 \\ \text{PubEvl}(hpk, X, W) & \text{if } M = 1 \end{cases}$$

then returns ciphertext $C = (X, K)$.

$\text{Dec}_\mathcal{E}(sk, C)$: To decrypt a ciphertext $C = (X, K) \in \mathcal{X}_\Lambda \times \mathcal{K}_\Lambda$ under a secret key $sk = hsk$, algorithm $\text{Dec}_\mathcal{E}$ sets $\overline{K} := \text{SecEvl}(hsk, X)$. If $\overline{K} = K$, return $M = 1$; else, return $M = 0$.

Correctness: On one hand, if $C = (X, K)$ is a ciphertext of $M = 1$, then $\overline{K} = \text{SecEvl}(hsk, X) = \text{PubEvl}(hpk, X, W) = K$ due to the property of HPS. So $\text{Dec}_\mathcal{E}(sk, C)$ returns $M = 1$. On the other hand, if $C = (X, K)$ is a ciphertext of $M = 0$, then $X \leftarrow \mathcal{X}_\Lambda$, $K \leftarrow \mathcal{K}_\Lambda$ and $\overline{K} = \text{SecEvl}(hsk, X)$. So $\Pr[\overline{K} = K] = \frac{1}{|\mathcal{K}_\Lambda|}$. Hence, with probability $1 - \frac{1}{|\mathcal{K}_\Lambda|}$, $\text{Dec}_\mathcal{E}(sk, C)$ returns $M = 0$.

Security: As for the security of scheme \mathcal{E} , we have the following Theorem 2. The proof is similar to that of the FHKW scheme in [7]. But the key observation is: given $C = (X, K)$, it is impossible to create $C' = (X, K')$, $K \neq K'$, such that $K' = \overline{K}'$. Note that the security proof of our scheme doesn't involve any cross-authentication code. Details of the proof are in Appendix B.

Theorem 2. *Scheme $\mathcal{E} = (\text{Gen}_\mathcal{E}, \text{Enc}_\mathcal{E}, \text{Dec}_\mathcal{E})$ is NC-CCA secure.*

6 Conclusion

We provided a security analysis of the FHKW scheme in [7] and showed that the original simulator constructed in [7] is not sufficient to prove NC-CCA security. However, some specific instances of 1-cross-authentication codes help the FHKW scheme to obtain NC-CCA security for encryption of single-bit plaintexts. We

provided a refined version of the FHKW scheme for single bit and proved its NC-CCA security. Our scheme does not involve any cross-authentication code, avoiding the security problem that annoys the FHKW scheme.

Open Questions. (1) The failure of the simulator proposed in [7] does not rule out the existence of other simulators working properly for the NC-CCA security proof of the FHKW scheme. Therefore, it is still open whether the FHKW scheme is NC-CCA secure or not. (2) Even if the FHKW scheme is not NC-CCA secure, it might still possess SIM-SO-CCA security. Hence, another question is whether it is SIM-SO-CCA secure or not. (3) Now that an NC-CCA secure PKE encrypting single bits is available in this paper, it may be interesting to construct an NC-CCA secure PKE encrypting multiple bits from an NC-CCA secure PKE encrypting single bits. This question in the relaxed setting of IND-CCA2 has been answered by Myers and Shelat [12]. But the selective opening scenario is much more complicated and we believe that the problem is much harder. (4) The last open question is how to construct a public-key encryption scheme that is NC-CCA secure for multi-bit plaintexts directly. We believe that with some extra property, the underlying cross-authentication code might be sufficient for the NC-CCA security proof of the FHKW scheme. We are working on this question. See [11] for details.

References

1. Bellare, M., Dowsley, R., Waters, B., Yilek, S.: Standard Security Does Not Imply Security against Selective-Opening. In: Pointcheval, D., Johansson, T. (eds.) EUROCRYPT 2012. LNCS, vol. 7237, pp. 645–662. Springer, Heidelberg (2012)
2. Böhl, F., Hofheinz, D., Kraschewski, D.: On Definitions of Selective Opening Security. In: Fischlin, M., Buchmann, J., Manulis, M. (eds.) PKC 2012. LNCS, vol. 7293, pp. 522–539. Springer, Heidelberg (2012)
3. Bellare, M., Hofheinz, D., Yilek, S.: Possibility and Impossibility Results for Encryption and Commitment Secure under Selective Opening. In: Joux, A. (ed.) EUROCRYPT 2009. LNCS, vol. 5479, pp. 1–35. Springer, Heidelberg (2009)
4. Bellare, M., Waters, B., Yilek, S.: Identity-Based Encryption Secure against Selective Opening Attack. In: Ishai, Y. (ed.) TCC 2011. LNCS, vol. 6597, pp. 235–252. Springer, Heidelberg (2011)
5. Canetti, R., Friege, U., Goldreich, O., Naor, M.: Adaptively secure multi-party computation. In: 28th ACM STOC, pp. 639–648. ACM Press, New York (1996)
6. Cramer, R., Shoup, V.: Universal Hash Proofs and a Paradigm for Adaptive Chosen Ciphertext Secure Public-Key Encryption. In: Knudsen, L.R. (ed.) EUROCRYPT 2002. LNCS, vol. 2332, pp. 45–64. Springer, Heidelberg (2002)
7. Fehr, S., Hofheinz, D., Kiltz, E., Wee, H.: Encryption Schemes Secure against Chosen-Ciphertext Selective Opening Attacks. In: Gilbert, H. (ed.) EUROCRYPT 2010. LNCS, vol. 6110, pp. 381–402. Springer, Heidelberg (2010)
8. Gao, C.-Z., Xie, D., Wei, B.: Deniable Encryptions Secure against Adaptive Chosen Ciphertext Attack. In: Ryan, M.D., Smyth, B., Wang, G. (eds.) ISPEC 2012. LNCS, vol. 7232, pp. 46–62. Springer, Heidelberg (2012)
9. Hofheinz, D.: All-But-Many Lossy Trapdoor Functions. In: Pointcheval, D., Johansson, T. (eds.) EUROCRYPT 2012. LNCS, vol. 7237, pp. 209–227. Springer, Heidelberg (2012)

10. Hemenway, B., Libert, B., Ostrovsky, R., Vergnaud, D.: Lossy Encryption: Constructions from General Assumptions and Efficient Selective Opening Chosen Ciphertext Security. In: Lee, D.H., Wang, X. (eds.) ASIACRYPT 2011. LNCS, vol. 7073, pp. 70–88. Springer, Heidelberg (2011)
11. Huang, Z., Liu, S., Qin, B.: Sender equivocable encryption schemes secure against chosen-ciphertext attacks revisited. Cryptology ePrint Archive, Report 2012/473 (2012)
12. Myers, S., Shelat, A.: Bit encryption is complete. In: FOCS 2009, pp. 607–616. IEEE Computer Society Press (2009)
13. Peikert, C., Waters, B.: Lossy trapdoor functions and their applications. In: STOC 2008, pp. 187–196. ACM, New York (2008)

A In Case Algorithm XAuth Is Probabilistic

In Section 4.3, we have claimed that if algorithm XAuth of XAC in the FHKW scheme is probabilistic, with the aforementioned simulator S in Section 4, the FHKW scheme can not be proved NC-CCA secure for any positive integer L . Now we show the reason.

Firstly, a slight modification to XAuth is needed. Because XAuth is probabilistic, there exists an inner random number R^{XAuth} used by XAuth during the encryption process (i.e., $T \leftarrow \text{XAuth}(K_1, \dots, K_L; R^{\text{XAuth}})$). Note that the aforementioned simulator S should output randomness $R = ((W_i, R_i^{\text{X}^A}, R_i^{\text{K}^A})_{i \in [L]}, R^{\text{XAuth}})$ according to the ciphertext C and its related plaintext M . In the mean time, the original simulator S can recover $(W_i, R_i^{\text{X}^A}, R_i^{\text{K}^A})_{i \in [L]}$. Therefore, S should generate R^{XAuth} according to T and (K_1, \dots, K_L) , which can be recovered from $R = (W_i, R_i^{\text{X}^A}, R_i^{\text{K}^A})_{i \in [L]}$. Now we make a modification to XAuth: we require that XAuth is efficiently “explainable”, which means that there is an efficient algorithm $\text{Explain}_{\text{XAuth}}$ such that $R^{\text{XAuth}} \leftarrow \text{Explain}_{\text{XAuth}}((K_1, \dots, K_L), T)$. For simplicity, we still use the original notations S and XAuth after this modification.

Secondly, with the above modification, consider our main conclusion of this Appendix. As the proof of Theorem 1, our aim is to construct an adversary $A = (A_1, A_2)$ to distinguish the two experiments $\text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Real}}(k)$ and $\text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Sim}}(k)$. The adversary A is the same as the one in the proof of Theorem 1, except that in the decryption query stage, instead of choosing a random K'_1 , the adversary A uses the original K_1 , which can be recovered from randomness $R = ((W_i, R_i^{\text{X}^A}, R_i^{\text{K}^A})_{i \in [L]}, R^{\text{XAuth}})$. More specifically, in the first stage, A_1 returns $M = (0, \dots, 0)$ to the challenger, and in the second stage, upon receiving the ciphertext $C = (X_1, \dots, X_L, T)$ and randomness R , A_2 recovers (K_1, \dots, K_L) from R , computes $T' \leftarrow \text{XAuth}(K_1, \dots, K_L; \tilde{R}^{\text{XAuth}})$, where \tilde{R}^{XAuth} is uniformly random chosen from $\mathcal{R}_{\text{XAuth}}$, and returns $C' = (X_1, \dots, X_L, T')$ as his decryption query. Because XAuth is probabilistic, it is very easy for A to get a $T' \neq T$ with the above method. As a result, with overwhelming probability, A_2 will receive $M' = (0, \dots, 0)$ as the decryption result of C' in $\text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Real}}(k)$, and receive $M' = (1, \dots, 1)$ in $\text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Sim}}(k)$. Hence, A can distinguish $\text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Real}}(k)$ and $\text{Exp}_{\text{FHKW}, A}^{\text{NC-CCA-Sim}}(k)$.

B Proof of Theorem 2

Proof. First, we construct a simulator $S_{\mathcal{E}}$ for scheme $\mathcal{E} = (\text{Gen}_{\mathcal{E}}, \text{Enc}_{\mathcal{E}}, \text{Dec}_{\mathcal{E}})$.

Simulator $S_{\mathcal{E}}$:

- $S_{\mathcal{E}1}(pk, 1)$: With $pk = hpk$, choose $\widetilde{W} \leftarrow \mathcal{R}_{\text{SampleL}}$ and set $X := \text{SampleL}(\mathcal{L}_A; \widetilde{W})$. Then set $K := \text{PubEvl}(hpk, X, \widetilde{W})$. Return the ciphertext $C = (X, K)$.
- $S_{\mathcal{E}2}(M)$: If $M = 1$, set $W := \widetilde{W}$ and choose $R^{\mathcal{X}_A} \leftarrow \mathcal{R}_{\text{Sample}}, R^{\mathcal{K}_A} \leftarrow \mathcal{R}_{\text{Sample}}$; otherwise choose $W \leftarrow \mathcal{R}_{\text{SampleL}}$, and set $R^{\mathcal{X}_A} \leftarrow \text{Explain}(\mathcal{X}_A, X), R^{\mathcal{K}_A} \leftarrow \text{Explain}(\mathcal{K}_A, K)$. Return the randomness $R = (W, R^{\mathcal{X}_A}, R^{\mathcal{K}_A})$.

With simulator $S_{\mathcal{E}}$, we will show that for any PPT adversary A , the two experiments $\text{Exp}_{\mathcal{E}, A}^{\text{NC-CCA-Real}}(k)$ and $\text{Exp}_{\mathcal{E}, A}^{\text{NC-CCA-Sim}}(k)$ are computationally indistinguishable through a series of indistinguishable games. Technically, we denote the challenge ciphertext and its corresponding plaintext by C^* and M^* , and write $C^* := (X^*, K^*)$. Without loss of generality, we assume that A always makes q decryption queries, where $q = \text{poly}(k)$. For $j \in [q]$, denote A 's j -th decryption query by $C^j := (X^j, K^j)$ and let its corresponding plaintext be M^j . At the same time, we define $\overline{K^*} := \text{SecEvl}(hsk, X^*), \overline{K^j} := \text{SecEvl}(hsk, X^j)$ for $j \in [q]$, and denote the final output of A in Game i by $\text{output}_{A,i}$.

Game 0: Game 0 is the real experiment $\text{Exp}_{\mathcal{E}, A}^{\text{NC-CCA-Real}}(k)$. By our above notations,

$$\Pr[\text{output}_{A,0} = 1] = \Pr[\text{Exp}_{\mathcal{E}, A}^{\text{NC-CCA-Real}}(k) = 1].$$

Game 1: Game 1 is the same as Game 0, except for the decryption oracle. In Game 1, for any decryption query $C^j = (X^j, K^j)$ made by A , if $X^j \notin \mathcal{L}_A$, the challenger will return $M^j = 0$ directly, and if $X^j \in \mathcal{L}_A$, the challenger will answer the query as in Game 0: compute $\overline{K^j} = \text{SecEvl}(hsk, X^j)$, and if $\overline{K^j} = K^j$, return $M^j = 1$, else return $M^j = 0$. Note that the decryption oracle in Game 1 is inefficient and it doesn't leak any information on hsk beyond hpk . Let bad_i denote the event that in Game i , A makes some decryption query $C^j = (X^j, K^j)$ such that $X^j \notin \mathcal{L}_A$ and $K^j = \overline{K^j}$. Note that $\Pr[\text{bad}_1] = \Pr[\text{bad}_0]$ and that Game 1 and Game 0 are identical unless events bad_1 or bad_0 occurs. By the perfect 2-universality of HPS and a union bound, $\Pr[\text{bad}_1] = \Pr[\text{bad}_0] \leq \frac{q}{|\mathcal{K}_A|}$. So we have

$$|\Pr[\text{output}_{A,1} = 1] - \Pr[\text{output}_{A,0} = 1]| \leq \Pr[\text{bad}_1] = \frac{q}{|\mathcal{K}_A|}.$$

Game 2: Game 2 is the same as Game 1, except that in the challenge ciphertext generation, set $K^* = \text{SecEvl}(hsk, X^*)$ for $M^* = 0$ and then the randomness of K^* is opened as $\text{Explain}(\mathcal{K}_A, K^*)$. In Game 1 if $M^* = 0$, K^* also can be seen as being opened by $\text{Explain}(\mathcal{K}_A, K^*)$. In Game 2, since the only information on hsk beyond hpk is released in the computation of K^* , the perfect 2-universality of HPS implies that if $X^* \notin \mathcal{L}_A$, K^* is uniformly

distributed in \mathcal{K}_A . Let sub_i denote the event that in Game i when $M^* = 0$, $X^* \in \mathcal{L}_A$. Note that $\Pr[\text{sub}_2] = \Pr[\text{sub}_1]$ and that Game 2 and Game 1 are the same unless events sub_2 or sub_1 occurs. So we have

$$|\Pr[\text{output}_{A,2} = 1] - \Pr[\text{output}_{A,1} = 1]| \leq \Pr[\text{sub}_2] = \frac{|\mathcal{L}_A|}{|\mathcal{X}_A|}.$$

Game 3: Game 3 is the same as Game 2, except that the decryption oracle works with the original decryption rule. In Game 3, for any decryption query $C^j = (X^j, K^j)$, the challenger sets $\overline{K^j} = \text{SecEvl}(hsk, X^j)$, then returns $M^j = 1$ if $\overline{K^j} = K^j$, or returns $M^j = 0$ if $\overline{K^j} \neq K^j$. Note that the decryption oracle in Game 3 is efficient. Similarly, bad_i denotes the event that in Game i , A makes some decryption query $C^j = (X^j, K^j)$ such that $X^j \notin \mathcal{L}_A$ and $K^j = \overline{K^j}$. Note that $\Pr[\text{bad}_3] = \Pr[\text{bad}_2]$ and that Game 3 and Game 2 are identical unless events bad_3 or bad_2 occurs. Since the only information on hsk beyond hpk is released in the computation of K^* , by the perfect 2-universality of HPS and a union bound, $\Pr[\text{bad}_3] = \Pr[\text{bad}_2] = \frac{q}{|\mathcal{K}_A|}$. So

$$|\Pr[\text{output}_{A,3} = 1] - \Pr[\text{output}_{A,2} = 1]| \leq \Pr[\text{bad}_3] = \frac{q}{|\mathcal{K}_A|}.$$

Game 4: Game 4 is the same as Game 3, except that in the challenge ciphertext generation, the challenger chooses $X^* \leftarrow \mathcal{L}_A$ if $M^* = 0$. That is to say, choose $X^* \leftarrow \mathcal{L}_A$ no matter whether M^* is 0 or 1, and X^* is opened as $\text{Explain}(\mathcal{X}_A, X^*)$ if $M^* = 0$. Since SMP is hard,

$$|\Pr[\text{output}_{A,4} = 1] - \Pr[\text{output}_{A,3} = 1]| \leq \mathbf{Adv}_{\text{SMP},A}(k).$$

Combining all the above results, we have

$$|\Pr[\text{output}_{A,0} = 1] - \Pr[\text{output}_{A,4} = 1]| \leq \frac{2q}{|\mathcal{K}_A|} + \frac{|\mathcal{L}_A|}{|\mathcal{X}_A|} + \mathbf{Adv}_{\text{SMP},A}(k).$$

Note that Game 4 is just the experiment $\text{Exp}_{\mathcal{E},A}^{\text{NC-CCA-Sim}}(k)$. So we have

$$\begin{aligned} \mathbf{Adv}_{\mathcal{E},A,S}^{\text{NC-CCA}}(k) &= |\Pr[\text{Exp}_{\mathcal{E},A}^{\text{NC-CCA-Real}}(k) = 1] - \Pr[\text{Exp}_{\mathcal{E},A}^{\text{NC-CCA-Sim}}(k) = 1]| \\ &\leq \frac{2q}{|\mathcal{K}_A|} + \frac{|\mathcal{L}_A|}{|\mathcal{X}_A|} + \mathbf{Adv}_{\text{SMP},A}(k). \end{aligned}$$

□