

RECEIVED: February 10, 2021

ACCEPTED: February 14, 2021

PUBLISHED: March 19, 2021

Erratum: Revised constraints and Belle II sensitivity for visible and invisible axion-like particles

Matthew J. Dolan,^a Torben Ferber,^b Christopher Hearty,^{b,c} Felix Kahlhoefer^{d,e}
and Kai Schmidt-Hoberg^d

^aARC Centre of Excellence for Particle Physics at the Terascale,
School of Physics, University of Melbourne,
3010, Australia

^bDepartment of Physics and Astronomy, University of British Columbia,
Vancouver, British Columbia, V6T 1Z1 Canada

^cInstitute of Particle Physics,
Vancouver, British Columbia, V6T 1Z1 Canada

^dDESY,
Notkestrasse 85, D-22607 Hamburg, Germany

^eInstitute for Theoretical Particle Physics and Cosmology (TTK), RWTH Aachen University,
D-52056 Aachen, Germany

E-mail: dolan@unimelb.edu.au, ferber@physics.ubc.ca,
hearty@physics.ubc.ca, felix.kahlhoefer@desy.de,
kai.schmidt.hoberg@desy.de

ERRATUM TO: [JHEP12\(2017\)094](#)

ARXIV EPRINT: [1709.00009](#)

A mistake has been found in the numerical code used to reproduce the bounds from proton beam dump experiments from ref. [1] in figures 2 and 7 of ref. [2]. Correcting this mistake leads to slightly stronger bounds as shown below. We note that this correction does not include recent improvements in the analysis of proton beam dump experiments [3]. Additional recent bounds on GeV-scale ALPs can be found in refs. [4–8].

Acknowledgments

We thank Alon Hershenhorn for bringing the mistake to our attention.




Figure 1. Corrected constraints on ALPs with photon coupling (left) and hypercharge coupling (right). This figure supersedes figure 2 of ref. [2].




Figure 2. Projected Belle II sensitivity (90 % CL) compared to existing constraints on ALPs with photon coupling (left) and hypercharge coupling (right). This figure supersedes figure 7 of ref. [2].

Open Access. This article is distributed under the terms of the Creative Commons Attribution License ([CC-BY 4.0](#)), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.

References

- [1] B. Döbrich, J. Jaeckel, F. Kahlhoefer, A. Ringwald and K. Schmidt-Hoberg, *ALPtraum: ALP production in proton beam dump experiments*, *JHEP* **02** (2016) 018 [[arXiv:1512.03069](#) [INSPIRE]].

- [2] M.J. Dolan, T. Ferber, C. Hearty, F. Kahlhoefer and K. Schmidt-Hoberg, *Revised constraints and Belle II sensitivity for visible and invisible axion-like particles*, *JHEP* **12** (2017) 094 [[arXiv:1709.00009](#)] [[INSPIRE](#)].
- [3] B. Döbrich, J. Jaeckel and T. Spadaro, *Light in the beam dump — ALP production from decay photons in proton beam-dumps*, *JHEP* **05** (2019) 213 [Erratum *ibid.* **10** (2020) 046] [[arXiv:1904.02091](#)] [[INSPIRE](#)].
- [4] S. Knapen, T. Lin, H.K. Lou and T. Melia, *Searching for Axionlike Particles with Ultraperipheral Heavy-Ion Collisions*, *Phys. Rev. Lett.* **118** (2017) 171801 [[arXiv:1607.06083](#)] [[INSPIRE](#)].
- [5] CMS collaboration, *Evidence for light-by-light scattering and searches for axion-like particles in ultraperipheral PbPb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$* , *Phys. Lett. B* **797** (2019) 134826 [[arXiv:1810.0460](#)].
- [6] D. Aloni, C. Fanelli, Y. Soreq and M. Williams, *Photoproduction of Axionlike Particles*, *Phys. Rev. Lett.* **123** (2019) 071801 [[arXiv:1903.03586](#)] [[INSPIRE](#)].
- [7] NA64 collaboration, *Search for Axionlike and Scalar Particles with the NA64 Experiment*, *Phys. Rev. Lett.* **125** (2020) 081801 [[arXiv:2005.02710](#)] [[INSPIRE](#)].
- [8] BELLE-II collaboration, *Search for Axion-Like Particles produced in e^+e^- collisions at Belle II*, *Phys. Rev. Lett.* **125** (2020) 161806 [[arXiv:2007.13071](#)] [[INSPIRE](#)].