Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s} = 7\,\text{TeV}$ with the ATLAS detector

The ATLAS collaboration

E-mail: atlas.publications@cern.ch

ABSTRACT: An inclusive search for anomalous production of two prompt, isolated leptons with the same electric charge is presented. The search is performed in a data sample corresponding to 4.7 fb^{-1} of integrated luminosity collected in 2011 at $\sqrt{s} = 7\,\text{TeV}$ with the ATLAS detector at the LHC. Pairs of leptons ($e^{\pm}e^{\pm}$, $e^{\pm}\mu^{\pm}$, and $\mu^{\pm}\mu^{\pm}$) with large transverse momentum are selected, and the dilepton invariant mass distribution is examined for any deviation from the Standard Model expectation. No excess is found, and upper limits on the production cross section of like-sign lepton pairs from physics processes beyond the Standard Model are placed as a function of the dilepton invariant mass within a fiducial region close to the experimental selection criteria. The 95% confidence level upper limits on the cross section of anomalous $e^{\pm}e^{\pm}$, $e^{\pm}\mu^{\pm}$, or $\mu^{\pm}\mu^{\pm}$ production range between 1.7 fb and 64 fb depending on the dilepton mass and flavour combination.

Contents

1 Introduction

Events containing two prompt leptons with large transverse momentum (p_{T}) and equal electric charge are rarely produced in the Standard Model (SM) but occur with an enhanced rate in many models of new physics. For instance, left-right symmetric models [1–4], Higgs triplet models [5–7], the little Higgs model [8], fourth-family quarks [9], supersymmetry [10], universal extra dimensions [11], and the neutrino mass model of refs. [12–14] may produce final states with two like-sign leptons. In the analysis described here, pairs of isolated, high-p_{T} leptons are selected, and the invariant mass of the dilepton system ($e^{\pm}e^{\pm}$, $e^{\pm}\mu^{\pm}$, $\mu^{\pm}\mu^{\pm}$) is examined for the inclusive final state and separately for positively- and negatively-charged pairs.

The ATLAS Collaboration has previously reported inclusive searches for new physics in the like-sign dilepton final state in a data sample corresponding to an integrated luminosity of 34 pb^{-1} [15] and in like-sign muon pairs with 1.6 fb^{-1} [16]. No significant deviation from SM expectations was observed, and fiducial production cross-section limits as well as limits on several specific models of physics beyond SM were derived. The CDF Collaboration has

performed similar inclusive searches [17, 18] without observing any evidence for new physics. Furthermore, the ATLAS and CMS Collaborations have performed several searches for like-sign leptons produced in association with jets or missing transverse momentum where no evidence of non-SM physics was observed [19–26].

This article is organised as follows. A brief description of the ATLAS detector is given in section 2. The data and simulation samples, the event selection, and the background determination are explained in sections 3, 4, and 5, respectively. The systematic uncertainties on the background estimate (including theoretical uncertainties on the production cross sections) and signal acceptances are summarised in section 6. In section 7 the number of observed lepton pairs in data is compared to the background estimate, and in section 8 these results are used to derive upper limits on the fiducial cross section for like-sign dilepton production in a kinematic region closely related to the experimental event selection.

2 The ATLAS detector

The ATLAS detector [27] consists of an inner tracking system, calorimeters, and a muon spectrometer. The inner detector (ID), directly surrounding the interaction point, is composed of a silicon pixel detector, a silicon microstrip detector, and a transition radiation tracker, all immersed in a 2 T axial magnetic field. It covers the pseudorapidity[1] range $|\eta| < 2.5$ and is enclosed by a calorimeter system consisting of electromagnetic and hadronic sections. The electromagnetic part is a lead/liquid-argon sampling calorimeter, divided into a barrel ($|\eta| < 1.475$) and two end-cap sections ($1.375 < |\eta| < 3.2$). The barrel ($|\eta| < 0.8$) and extended barrel ($0.8 < |\eta| < 1.7$) hadronic calorimeter sections consist of iron and scintillator tiles, while the end-cap ($1.5 < |\eta| < 3.2$) and forward ($3.1 < |\eta| < 4.9$) calorimeters are composed of copper or tungsten, and liquid-argon.

The calorimeter system is surrounded by a large muon spectrometer (MS) built with air-core toroids. This spectrometer is equipped with precision tracking chambers (composed of monitored drift tubes and cathode strip chambers) to provide precise position measurements in the bending plane in the range $|\eta| < 2.7$. In addition, resistive plate chambers and thin gap chambers with a fast response time are used primarily to trigger muons in the rapidity ranges $|\eta| \leq 1.05$ and $1.05 < |\eta| < 2.4$, respectively. The resistive plate chambers and thin gap chambers also provide position measurements in the non-bending plane, which are used for the pattern recognition and the track reconstruction.

The ATLAS trigger system has a hardware-based Level-1 trigger followed by a software-based high-level trigger [28]. The Level-1 muon trigger searches for hit coincidences between different muon trigger detector layers inside geometrical windows that define the muon transverse momentum and provide a rough estimate of its position. It selects high-p_{T} muons in the pseudorapidity range $|\eta| < 2.4$. The Level-1 electron trigger selects local

---

[1]ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z-axis along the beam line. The x-axis points from the IP to the centre of the LHC ring, and the y-axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse (x, y) plane, ϕ being the azimuthal angle around the beam line. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$.

energy clusters of cells in the electromagnetic section of the calorimeter. For low-energy electron clusters, low activity in the hadronic calorimeter nearby in the η-ϕ plane is required. The high-level trigger selection is based on similar reconstruction algorithms as those used offline.

3 Data sample and Monte Carlo simulation

This analysis is carried out using a data sample corresponding to an integrated luminosity of 4.7 ± 0.2 fb^{-1} of pp collisions, recorded in 2011 at a centre-of-mass energy of 7 TeV. In this dataset, the average number of interactions per beam crossing ranges from about six in the first half of the year to about fifteen at the end of 2011.

The data were selected using single-muon and single-electron triggers with p_T thresholds of 10 GeV and 16 GeV at Level-1, respectively. In the high-level trigger, a muon with $p_T > 18$ GeV is required, while for electrons, the p_T threshold is 20 GeV in the early 2011 data and 22 GeV in the later part of the year. To ensure no efficiency loss for electrons with very high-p_T, a trigger with a p_T threshold of 45 GeV is also used which has no requirement on the hadronic calorimeter energy deposits near the electron in the η-ϕ plane at Level-1.

Monte Carlo (MC) simulation is used to estimate some of the background contributions and to determine the selection efficiency and acceptance for possible new physics signals. The dominant SM processes that contribute to prompt like-sign dilepton production are WZ and ZZ, with smaller contributions from like-sign W pair production ($W^{\pm}W^{\pm}$) and production of a W or Z boson in association with a top quark pair ($t\bar{t}W$, and $t\bar{t}Z$). These are all estimated using MC simulation. For processes with a Z boson, the contribution from $\gamma^* \to \ell^+\ell^-$ due to internal or external bremsstrahlung of final-state quarks or leptons is also simulated for $m(\ell^+\ell^-) > 0.1$ GeV. SHERPA [29] is used to generate WZ and ZZ events, while $W^{\pm}W^{\pm}$, $t\bar{t}W$, and $t\bar{t}Z$ production is modelled using MADGRAPH [30] for the matrix element and PYTHIA [31] for the parton shower and fragmentation. The $W^{\pm}W^{\pm}$ sample includes the $W^{\pm}W^{\mp}W^{\pm}$ process.

The normalisation of the WZ and ZZ MC samples is based on cross sections determined at next-to-leading order (NLO) with MCFM [32]. The cross sections times branching ratios for $W^{\pm}Z \to \ell^{\pm}\nu\ell^{\pm}\ell^{\mp}$ and $ZZ \to \ell^{\pm}\ell^{\mp}\ell^{\pm}\ell^{\mp}$ after requiring two charged leptons (electrons, muons, or taus) with the same electric charge and with $p_T > 20$ GeV and $|\eta| < 2.5$, are 372 fb and 91 fb, respectively.

For $t\bar{t}W$ and $t\bar{t}Z$ production, the higher-order corrections are calculated in ref. [33] and refs. [34–36], respectively. The full higher-order corrections for $W^{\pm}W^{\pm}$ production have not been calculated. However, for parts of the process, the NLO QCD corrections have been shown to be small [37, 38]. Based on this, no correction is applied to the LO cross section.

Opposite-sign dilepton events due to Z/γ^*, $t\bar{t}$, and $W^{\pm}W^{\mp}$ production constitute a background if the charge of one of the leptons is misidentified. The Z/γ^* process is generated with PYTHIA, and the cross section is calculated at next-to-next-to-leading order (NNLO) using PHOZPR [39]. The ratio of this cross section to the leading-order cross section is used to determine a mass dependent QCD K-factor which is applied to the result

of the leading-order simulation [40]. Higher-order electroweak corrections (beyond the photon radiation included in the simulation) are calculated using HORACE [41, 42], yielding an electroweak K-factor due to virtual heavy gauge-boson loops. The production of $t\bar{t}$ is modelled using MC@NLO [43], with HERWIG [44] used for parton showering and hadronisation. The normalisation is obtained from approximate NNLO QCD calculations using HATHOR [45]. The production of $W^\pm W^\mp$ is generated using HERWIG, and the cross section is normalised to the NLO value calculated with MCFM. The production of $Z\gamma \to \ell\ell\gamma$ and $W\gamma \to \ell\nu\gamma$ constitutes a background if the photon converts to an e^+e^- pair. ALPGEN [46] is used to generate $W\gamma$ production, and the cross section is normalised to be consistent with the ATLAS $W\gamma$ cross-section measurement for $p_T(\gamma) > 15\,\text{GeV}$ [47]. The $Z\gamma$ process is implicitly accounted for in simulation of the Z/γ^* process.

In addition, a variety of new physics signals are simulated in order to study the efficiency and acceptance of the selection criteria. Pair production of doubly-charged Higgs bosons ($pp \to H^{\pm\pm}H^{\mp\mp}$) via a virtual Z/γ^* exchange is generated using PYTHIA for $H^{\pm\pm}$ mass values between $50\,\text{GeV}$ and $1000\,\text{GeV}$ [48]. Production of a right-handed W boson (W_R) decaying to a charged lepton and a right-handed neutrino (N_R) [49, 50] and pair production of heavy down-type fourth generation quarks (d_4) decaying to tW are generated using PYTHIA. Like-sign top-quark pair production can occur in models with flavour-changing neutral currents, e.g. via a t-channel exchange of a Z' boson with utZ' coupling. Since the left-handed coupling is highly constrained by $B_d^0 - \bar{B}_d^0$ mixing [51], only right-handed top quarks (t_R) are considered. A sample is generated with the PROTOS [52] generator, based on an effective four-fermion operator $uu \to tt$ corresponding to Z' masses $\gg 1\,\text{TeV}$ [53]. The parton shower and hadronisation are performed with PYTHIA.

Parton distribution functions (PDFs) taken from CTEQ6L1 [54] are used for the MAD-GRAPH and ALPGEN samples, and the MRST2007 LO** [55] PDF set is used for the PYTHIA and HERWIG samples. For the $t\bar{t}$ MC@NLO sample, CTEQ6.6 [56] PDFs are used, while for the generation of diboson samples with SHERPA the CTEQ10 [57] parameterisation is used. Uncertainties on the quoted cross sections are discussed in section 6.

The detector response to the generated events is simulated with the ATLAS simulation framework [58] using GEANT4 [59], and the events are reconstructed with the same software used to process the data. Simulated minimum bias interactions generated with PYTHIA are overlaid on the hard scatter events to closely emulate the multiple pp interactions present in the current and in adjacent bunch crossings (pileup) present in the data. The simulated response is corrected for the small differences in efficiencies, momentum scales, and momentum resolutions observed between data and simulation.

4 Event selection

Events are selected if they contain at least two leptons (ee, $e\mu$, $\mu\mu$) of the same electric charge with $p_T > 20\,\text{GeV}$. If the higher-p_T lepton is an electron, it is required to have $p_T > 25\,\text{GeV}$. At least one muon with $p_T > 20\,\text{GeV}$ or one electron with $p_T > 25\,\text{GeV}$ is required to match an object that passed the relevant high-level trigger. These p_T thresholds are chosen such that they are on the plateau of the trigger efficiency. In addition to the

lepton selection, events must have a primary vertex reconstructed with at least three tracks with $p_T > 0.4\,\mathrm{GeV}$. If more than one interaction vertex is reconstructed in an event, the one with the highest $\sum p_T^2$, summed over the tracks associated with the vertex, is chosen as the primary vertex. For Z bosons decaying to electrons or muons, the efficiency of the primary vertex requirements is close to 100%.

Electrons are identified as compact showers in the electromagnetic sections of the calorimeters that are matched to a reconstructed track in the ID using the *tight* criteria described in ref. [60]. These criteria include requirements on the transverse shower shapes, the geometrical match between the track and shower, the number and type of hits in the ID, and they reject electrons associated with reconstructed photon conversion vertices. Electrons must have $|\eta| < 2.47$, excluding the transition region between the barrel and end-cap calorimeters $(1.37 < |\eta| < 1.52)$. The electron tracks are refitted with the Gaussian Sum Filter algorithm to account for radiative energy losses (bremsstrahlung) in the detector material [61].

Muon candidates are formed from tracks reconstructed in the ID combined with tracks reconstructed in the MS [62]. To reduce the charge mismeasurement rate the independent charge measurements from these two detectors are required to agree. Muons must have $|\eta| < 2.5$.

The ID tracks of electron and muon candidates are required to be consistent with originating from the primary interaction vertex. The requirements are $|d_0| < 1.0$ mm, $|z_0 \sin\theta| < 1.0$ mm, and $|d_0/\sigma(d_0)| < 3$, where d_0 (z_0) is the transverse (longitudinal) distance between the primary vertex and the point of closest approach of the track and $\sigma(d_0)$ is the estimated uncertainty on the d_0 measurement, typically 15 μm. To ensure precise impact-parameter measurements, a hit in the innermost pixel detector layer is required if the track traverses an active detector component. This requirement also reduces background due to electrons from photon conversions.

Both electrons and muons are required to be isolated from other activity in the event. The isolation energy, $E_T^{\mathrm{cone}\Delta R_{\mathrm{iso}}}$, is the sum of transverse energies[2] in calorimeter cells (including electromagnetic and hadronic sections) in a cone $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} < \Delta R_{\mathrm{iso}}$ around the lepton direction. This quantity is corrected for the energy of the electron object as well as energy deposits from pileup interactions. The track isolation, $p_T^{\mathrm{cone}\Delta R_{\mathrm{iso}}}$, is analogously defined as the scalar sum of the transverse momentum of tracks with $p_T > 1\,\mathrm{GeV}$ in a cone of $\Delta R < \Delta R_{\mathrm{iso}}$ around the lepton direction, excluding the lepton track. For muons, $p_T^{\mathrm{cone}0.4}/p_T(\mu) < 0.06$ and $p_T^{\mathrm{cone}0.4} < 4\,\mathrm{GeV} + 0.02 \times p_T(\mu)$ are required. For electrons, the requirements are $p_T^{\mathrm{cone}0.3}/p_T(e) < 0.1$ and $E_T^{\mathrm{cone}0.2} < 3\,\mathrm{GeV} + (p_T(e) - 20\,\mathrm{GeV}) \times 0.037$. These requirements are chosen to maintain good efficiency for prompt leptons over a large p_T range while rejecting a large fraction of non-prompt leptons, particularly at low p_T.

In addition to the isolation criteria, selected leptons are required to be well separated from jets to suppress leptons from hadronic decays. For this purpose, jet candidates are reconstructed from topological clusters in the calorimeter [63] using the anti-k_t algo-

---

[2]Transverse energy is the projection of an energy deposition in the calorimeter in the transverse plane, where the direction is given by the line joining the energy deposition and the nominal interaction point.

rithm [64] with a radius parameter of 0.4. Their energies are corrected for calorimeter non-compensation, energy loss in upstream material, and other instrumental effects. Furthermore, quality criteria are applied to remove reconstructed jets not arising from hard-scattering interactions [65]. Jets are required to have $p_T > 25\,\text{GeV}$, $|\eta| < 2.8$, and 75% of the momentum of the tracks within the jet must originate from the primary vertex. Any jet within a distance $\Delta R = 0.2$ of a candidate electron is removed from the list of jets to avoid counting the electron as a jet. Electrons and muons are then required to be separated by $\Delta R > 0.4$ from any jet with $p_T > 25\text{ GeV} + 0.05 \times p_T(\ell)$.

Lepton pairs are selected if they contain two leptons with the same electric charge passing the above selection requirements with invariant mass $m(\ell^\pm \ell^\pm) > 15\,\text{GeV}$. Furthermore, for $e^\pm e^\pm$ pairs, the mass range 70-110 GeV is vetoed due to large backgrounds from opposite-sign electron pairs produced by Z decays, where the charge of one lepton is misidentified. Any combination of two leptons is considered, allowing more than one lepton pair per event to be included.

5 Background determination

Backgrounds to this search arise from three principal sources: SM production of prompt, like-sign lepton pairs (prompt background); production of opposite-sign lepton pairs where the charge of one lepton is misidentified (charge-flip background) or where a photon produced in association with the opposite-sign leptons converts into an $e^+ e^-$ pair; and hadrons or leptons from hadronic decays (non-prompt background).

5.1 Prompt lepton backgrounds

SM processes resulting in two prompt leptons of the same electric charge are WZ, ZZ, $W^\pm W^\pm$, $t\bar{t}W$, and $t\bar{t}Z$ production. The background due to these processes is determined from MC simulation using the samples and cross sections described in section 3. Other SM processes are not expected to contribute significantly to the background and are neglected.

5.2 Charge misidentification and photon conversions

Charge misidentification can occur for high-momentum tracks when the tracking detector is unable to determine the curvature of the track. This misidentification can occur for both electrons and muons. In the momentum range of a few hundred GeV relevant for this analysis, the background arising from this source is determined to be negligible based on MC simulation. The rate of misidentification is studied in data with muons from $Z \to \mu\mu$ decays where the muons are selected based only on the MS (ID) measurements to study the ID (MS) mismeasurement. The combined probability to mismeasure the charge in both the ID and the MS is found to be consistent with zero and an upper limit ranging from 5×10^{-10} at low p_T to 7×10^{-2} for $p_T \sim 400\,\text{GeV}$ is placed. This upper limit is used to determine the systematic uncertainty for muons.

Another source of charge misidentification occurs for electrons when a high-momentum photon is radiated and converts into an $e^+ e^-$ pair. Electron candidates are rejected if they are associated with conversion vertices [60]. However, for asymmetric conversions,

sometimes only one of the tracks is reconstructed and its charge may be different from the charge of the original electron that radiated the photon. The probability for electron charge misidentification to occur, either by this mechanism or by track mismeasurement, is measured as the fraction of like-sign $e^{\pm}e^{\pm}$ pairs with $80\,\mathrm{GeV} < m(ee) < 100\,\mathrm{GeV}$ as a function of the electron η following the procedure explained in ref. [66]. The simulation is found to overestimate this probability by about 15%. An η-dependent scaling factor is applied to the simulated rate to account for this overestimate, and the simulation is then used to predict the backgrounds from Z/γ^*, $t\bar{t}$, and $W^{\pm}W^{\mp}$ production. In the central (forward) region the probability increases from about 0.01% (0.6%) at $p_{\mathrm{T}} \approx 50\,\mathrm{GeV}$ to 0.3% (4%) at $p_{\mathrm{T}} \approx 300\,\mathrm{GeV}$. An uncertainty on this misidentification probability of $\pm(10\text{-}20)\%$ (depending on η) is derived by comparing different methods to determine this factor as described in ref. [66] and by considering the statistical uncertainty on each method.

Production of $W\gamma \to \ell\nu\gamma$ and $Z\gamma \to \ell^+\ell^-\gamma$ can lead to like-sign lepton pairs if the photon converts. This background is determined using the MC samples described in section 3. Since this background is closely related to the charge misidentification for electrons described above, the MC-based estimate is also scaled down by 15% and the same systematic uncertainty of $\pm(10\text{-}20)\%$ is applied.

5.3 Non-prompt lepton backgrounds

The non-prompt background includes lepton pairs where one or both of the leptons result from hadronic decay or misidentification. Processes contributing to this background include W+jet, Z+jet, multi-jet (including $b\bar{b}$ and $c\bar{c}$), and $t\bar{t}$ production.

The non-prompt background is determined directly from data. For both electrons and muons, the determination relies on measuring a factor f that is the ratio of the number of selected leptons satisfying the analysis selection criteria (N_S) to the number of leptons failing these selection criteria but passing a less stringent set of requirements, referred to as anti-selected leptons (N_A):

$$f = \frac{N_S}{N_A}.$$

The factor f is determined as a function of p_{T} and η in a data sample dominated by non-prompt leptons. Any contamination by prompt leptons in the numerator and denominator is subtracted using MC simulation. The details of the anti-selected definitions and the regions used for measuring f depend on the lepton flavour and are described in more detail below.

The primary sources of non-prompt muons are semi-leptonic decays of b- and c-hadrons. For the anti-selection, the isolation criterion described in section 4 is inverted, but a looser requirement of $p_{\mathrm{T}}^{\mathrm{cone0.4}}/p_{\mathrm{T}}(\mu) < 1.0$ is placed. The measurement of f is done in a sample dominated by non-prompt muons with $|d_0|/\sigma(d_0) > 5$ and $|d_0| < 10$ mm. These muons are selected from dimuon events with $p_{\mathrm{T}}(\mu) > 10\,\mathrm{GeV}$, $m(\mu\mu) > 15\,\mathrm{GeV}$, and where Z-boson candidates have been vetoed. Simulated muons from b- and c-hadron decays are used to determine the expected difference between f for muons with $|d_0|/\sigma(d_0) > 5$ (used in the data-driven determination of f) and muons with $|d_0|/\sigma(d_0) < 3$ (used in

the event selection). In simulation, muons with $|d_0|/\sigma(d_0) < 3$ are more isolated, so a correction factor of 1.34 ± 0.34 is applied to f. The resulting value of f is about 0.10 at $p_T = 20\,\text{GeV}$ and increases to about 0.25 at $p_T = 100\,\text{GeV}$. One source of uncertainty in this procedure is that the fraction of non-prompt muons from pion and kaon decays may be larger for muons passing the analysis-level impact parameter criteria than for those used in the measurement of f. The uncertainty due to the contribution of light-flavour decays is assessed by exploiting the difference in the track momentum measurement in the ID and the MS, which is expected to be large for kaons or pions decaying in the ID or calorimeters. The difference between f for light-flavour decays and heavy-flavour decays is combined with the fraction of non-prompt muons from light-flavour decays to give an uncertainty of $\pm15\%$ on f. The total systematic uncertainty on f is the quadratic sum of the statistical error, the uncertainty on the prompt background subtraction, the correction for the isolation-dependence on the impact parameter significance criteria, and the uncertainty in the contribution of pion and kaon decays. It is about $\pm37\%$ at low p_T and $\pm100\%$ for $p_T > 100\,\text{GeV}$.

For electrons, the main non-prompt backgrounds arise from heavy-flavour decays, charged pions that shower early in the calorimeter, and neutral pions decaying to two photons where one of the photons converts to an e^+e^- pair. The anti-selected electrons must have either $|d_0|/\sigma(d_0) > 3$ or fail the *medium* electron identification criteria while passing the *loose* electron criteria, as defined in ref. [60]. The inversion of the impact parameter criteria enhances the heavy-flavour background, while the inversion of the *medium* identification criteria enhances the pion backgrounds. A sample dominated by non-prompt electrons is selected by triggering on a high-p_T electron candidate and requiring that the event contains a jet with $p_T > 20\,\text{GeV}$. Contamination of this sample by prompt electrons is reduced by requiring that there be only one electron candidate and requiring the transverse mass[3] formed by the electron and the missing transverse momentum (E_T^{miss}) to be below $40\,\text{GeV}$. The value of f is found to be about 0.18 at $E_T = 20\,\text{GeV}$ and decreases to about 0.10 at $E_T = 100\,\text{GeV}$. A systematic uncertainty is determined accounting for the statistical uncertainty, the prompt background subtraction, the p_T requirement of the jet in the event, and any trigger bias. The uncertainty is about $\pm10\%$ at low E_T and increases to $\pm100\%$ for $E_T > 300\,\text{GeV}$. Alternate anti-selection definitions are used to assess the overlap between the non-prompt and charge misidentification backgrounds, as well as the contributions of light- and heavy-flavour jets to the non-prompt background. For the former, a correction is made to the non-prompt background, amounting to $\pm(11\text{-}25)\%$, and the full correction is taken as a systematic uncertainty. For the latter, an uncertainty of $\pm(4\text{-}84)\%$ is found, depending on the invariant mass threshold considered.

A background prediction is derived from f using dilepton pairs where one or both leptons are anti-selected but pass all other event selection criteria. The non-prompt background prediction is then given by

$$N_{\text{non-prompt}} = \sum_{i=1}^{N_{A+S}} f(p_{T1}, \eta_1) + \sum_{i=1}^{N_{S+A}} f(p_{T2}, \eta_2) - \sum_{i=1}^{N_{A+A}} f(p_{T1}, \eta_1) f(p_{T2}, \eta_2), \qquad (5.1)$$

---

[3]The transverse mass is defined as $\sqrt{2E_T^{\text{miss}} p_T(e)(1 - \cos\Delta\phi(e, E_T^{\text{miss}}))}$, where E_T^{miss} is the missing transverse momentum and $\Delta\phi(e, E_T^{\text{miss}})$ is the difference between the azimuthal angles of the electron and E_T^{miss}.

where the sums are over the number of pairs, N_{A+S} (N_{S+A}), where the subleading (leading) lepton satisfies the selection criteria and the other lepton satisfies the anti-selection, or over the number of pairs where both leptons are anti-selected (N_{A+A}). The prompt contributions to N_{A+S}, N_{S+A}, and N_{A+A} are subtracted based on MC predictions. The variables p_{T1} and η_1 (p_{T2} and η_2) refer to the kinematic properties of the leading (subleading) lepton.

The background estimates are verified in several control regions that are designed to probe specific sources of background. The understanding of prompt leptons is tested in a sample requiring two leptons of opposite charge. This sample is dominated by the Z/γ^* process in all three final states, and the data agree with the background prediction to better than 5%. The kinematics of the electron charge misidentification background are verified in pairs of like-sign electrons with $80\,\text{GeV} < m(e^\pm e^\pm) < 100\,\text{GeV}$. The non-prompt background is tested by inverting the isolation criteria but requiring a looser isolation cut value. The heavy-flavour background is tested by inverting the $|d_0|/\sigma(d_0)$ criterion. Furthermore, for electrons, the light-flavour background is tested by inverting some of the shower shape criteria. The data agree with the background prediction in the various control regions within the systematic uncertainties.

6 Systematic uncertainties

Several systematic effects can change the signal acceptance and the background estimate. Uncertainties on the event selection efficiencies and on the luminosity affect the predicted yield of signal events as well as those backgrounds that are estimated from MC simulation. Uncertainties on the trigger efficiencies, lepton identification efficiencies, and lepton momentum scales are determined using W, Z, and J/ψ decays [60, 67, 68]. The uncertainties on the lepton identification efficiencies result in an uncertainty on the number of like-sign pairs of $\pm(3\text{-}4)\%$. Effects resulting from uncertainties in the muon momentum scale and resolution are negligible. For electrons the energy scale is known to $\pm1\%$, and its impact on the signal acceptance is below 0.1%, while the background estimate is affected by up to $\pm3.5\%$. The uncertainties due to the trigger efficiencies are $< 1\%$ in all channels. The uncertainty on the integrated luminosity is $\pm3.9\%$ [69, 70].

The uncertainties on the production cross sections of the SM processes affect the predicted yield of the prompt lepton background. For WZ and ZZ production, an uncertainty of $\pm10\%$ is estimated due to higher-order QCD corrections by varying the renormalisation and factorisation scales by a factor of two. The uncertainty due to the parton distribution functions (PDFs) is evaluated using the eigenvectors provided by the CTEQ10 set [57] of PDFs, following the prescription given in ref. [71]. The difference between the central cross-section values obtained using this PDF set and that obtained with the MRST2008NLO PDFs [55] is also added in quadrature. This procedure gives a conservative estimate of the PDF uncertainty on the cross section. The resulting uncertainty on the cross section is $\pm7\%$. For $t\bar{t}W$, $t\bar{t}Z$ and $W^\pm W^\pm$ production a normalisation uncertainty of $\pm50\%$ is assigned [34, 37].

The production of Z/γ^*, $t\bar{t}$, and $W^\pm W^\mp$ also constitutes a background in the ee and $e\mu$ channels due to charge misidentification. The PDF uncertainties for Z/γ^* and $t\bar{t}$ are

computed using the MSTW2008 NNLO PDF sets [72] and the renormalisation and factorisation scales are varied by factors of two to derive the uncertainties due to higher-order QCD corrections. For Z/γ^*, an additional systematic uncertainty is attributed to electroweak corrections [40]. The total uncertainties on the Z/γ^* and $t\bar{t}$ cross sections are $\pm 7\%$ and $+10/-11\%$, respectively. The $W^\pm W^\mp$ cross-section uncertainty is determined using the same scale and PDF variations as for WZ and ZZ, yielding a total uncertainty of $\pm 12\%$.

The systematic uncertainty on the background from non-prompt leptons is discussed in section 5.3. It includes a component due to the systematic uncertainties associated with the measurement of the ratio f and a component due to the statistical uncertainty on the number of anti-selected leptons. For $m(\ell^\pm \ell^\pm) > 15\,\mathrm{GeV}$ it is $\pm 33\%$ for the $\mu\mu$, $\pm 31\%$ for the $e\mu$, and $\pm 28\%$ for the ee final states, and it increases to nearly $\pm 100\%$ at higher masses for all final states.

The probability of assigning the wrong charge to the lepton and its uncertainty is discussed in section 5.2. For the $\mu\mu$ final state, charge misidentification results in an uncertainty of $^{+4.9}_{-0.0}$ events for $m(\ell^\pm \ell^\pm) > 15\,\mathrm{GeV}$ and $^{+1.7}_{-0.0}$ events for $m(\ell^\pm \ell^\pm) > 400\,\mathrm{GeV}$. For electrons, the uncertainty on the charge-flip background due to uncertainty in the charge mismeasurement probability ranges from $\pm 15\%$ to $\pm 23\%$ for the same mass thresholds. The uncertainty on the $W\gamma$ and $Z\gamma$ backgrounds from this source is $\pm(15\text{-}18)\%$ depending on $m(\ell^\pm \ell^\pm)$.

Statistical uncertainties due to the limited size of the background MC samples are also considered. Systematic uncertainties on different physics processes due to a given source are assumed to be 100% correlated.

7 Comparison of data to the background expectation

The predicted numbers of background pairs are compared to the observed numbers of like-sign lepton pairs in table 1. For the $e^\pm e^\pm$ ($e^\pm \mu^\pm$) final state, about 30% (50%) of the background is from prompt leptons in all mass bins. The rest arises from leptons from hadronic decays, charge flips, or photon conversions. For the $\mu^\pm \mu^\pm$ final state, the prompt background constitutes about 83% of the total background for $m(\mu^\pm \mu^\pm) > 15\,\mathrm{GeV}$, rising to nearly 100% of the total background for $m(\mu^\pm \mu^\pm) > 400\,\mathrm{GeV}$. The overall uncertainty on the background is about $\pm 15\%$ at low mass and $\pm 30\%$ at high mass.

Table 2 shows the data compared to the background expectation separately for $\ell^+ \ell^+$ and $\ell^- \ell^-$ events for the ee, $\mu\mu$, and $e\mu$ final states. The background is higher for the $\ell^+ \ell^+$ final state due to the larger cross section in pp collisions for W^+ than W^- bosons produced in association with γ, Z, or hadrons.

The level of agreement between the data and the background expectation is evaluated using $1-\mathrm{CL}_b$ [73], defined as the one-sided probability of the background-only hypothesis to fluctuate up to at least the number of observed events. Statistical and systematic uncertainties and their correlations are fully considered for this calculation. The largest upward deviation, observed for $m(\mu^- \mu^-) > 100\,\mathrm{GeV}$, occurs about 8% of the time in background-only pseudo-experiments for this mass bin.

Sample	Number of electron pairs with $m(e^\pm e^\pm)$				
	> 15 GeV	> 100 GeV	> 200 GeV	> 300 GeV	> 400 GeV
Prompt	101 ± 13	56.3 ± 7.2	14.8 ± 2.0	4.3 ± 0.7	1.4 ± 0.3
Non-prompt	75 ± 21	28.8 ± 8.6	5.8 ± 2.5	$0.5^{+0.8}_{-0.5}$	$0.0^{+0.2}_{-0.0}$
Charge flips and conversions	170 ± 33	91 ± 16	22.1 ± 4.4	8.0 ± 1.7	3.4 ± 0.8
Sum of backgrounds	346 ± 44	176 ± 21	42.8 ± 5.7	12.8 ± 2.1	4.8 ± 0.9
Data	329	171	38	10	3
	Number of muon pairs with $m(\mu^\pm \mu^\pm)$				
	> 15 GeV	> 100 GeV	> 200 GeV	> 300 GeV	> 400 GeV
Prompt	205 ± 26	90 ± 11	21.8 ± 2.8	5.8 ± 0.9	2.2 ± 0.4
Non-prompt	42 ± 14	12.1 ± 4.6	1.0 ± 0.6	$0.0^{+0.3}_{-0.0}$	$0.0^{+0.3}_{-0.0}$
Charge flips	$0.0^{+4.9}_{-0.0}$	$0.0^{+2.5}_{-0.0}$	$0.0^{+1.8}_{-0.0}$	$0.0^{+1.7}_{-0.0}$	$0.0^{+1.7}_{-0.0}$
Sum of backgrounds	247^{+30}_{-29}	102 ± 12	$22.8^{+3.4}_{-2.9}$	$5.8^{+1.9}_{-0.9}$	$2.2^{+1.7}_{-0.4}$
Data	264	110	29	6	2
	Number of lepton pairs with $m(e^\pm \mu^\pm)$				
	> 15 GeV	> 100 GeV	> 200 GeV	> 300 GeV	> 400 GeV
Prompt	346 ± 43	157 ± 20	36.6 ± 4.7	10.8 ± 1.5	3.9 ± 0.6
Non-prompt	151 ± 47	45 ± 13	9.2 ± 4.1	2.6 ± 1.1	1.0 ± 0.6
Charge flips and conversions	142 ± 28	33 ± 7	10.5 ± 2.8	2.9 ± 1.2	2.2 ± 1.1
Sum of backgrounds	639 ± 71	235 ± 25	56.4 ± 7.0	16.3 ± 2.3	7.0 ± 1.4
Data	658	259	61	17	7

Table 1. Expected and observed numbers of pairs of isolated like-sign leptons for various cuts on the dilepton invariant mass, $m(\ell^\pm \ell^\pm)$. The uncertainties shown are the quadratic sum of the statistical and systematic uncertainties. The prompt background contribution includes the WZ, ZZ, $W^\pm W^\pm$, $t\bar{t}W$, and $t\bar{t}Z$ processes. When zero events are predicted, the uncertainty corresponds to the 68% confidence level upper limit on the prediction.

Figure 1 shows the dilepton invariant mass spectra for the $e^\pm e^\pm$, $\mu^\pm \mu^\pm$, and $e^\pm \mu^\pm$ final states, and figure 2 shows the $p_{\rm T}$ of the leading leptons. Good agreement with the background expectation is observed for all three channels.

8 Upper limits on the cross section for prompt like-sign dilepton production

Since the data are consistent with the background expectation, upper limits are placed on contributions due to processes from physics beyond the Standard Model. Limits are derived independently in each final state and mass bin shown in tables 1 and 2. The 95%

Sample	Number of lepton pairs with $m(\ell^{\pm}\ell^{\pm})$				
	$> 15\,\mathrm{GeV}$	$> 100\,\mathrm{GeV}$	$> 200\,\mathrm{GeV}$	$> 300\,\mathrm{GeV}$	$> 400\,\mathrm{GeV}$
	$e^{+}e^{+}$ pairs				
Sum of backgrounds	208 ± 28	112 ± 14	28.6 ± 4.0	8.5 ± 1.4	3.3 ± 0.7
Data	183	93	26	6	1
	$e^{-}e^{-}$ pairs				
Sum of backgrounds	138 ± 21	63.3 ± 8.5	14.2 ± 2.3	4.4 ± 0.8	$1.54^{+0.4}_{-0.3}$
Data	146	78	12	4	2
	$\mu^{+}\mu^{+}$ pairs				
Sum of backgrounds	147 ± 17	$63.7^{+7.7}_{-7.6}$	$14.5^{+2.1}_{-1.9}$	$4.1^{+1.1}_{-0.6}$	$1.6^{+0.9}_{-0.3}$
Data	144	60	16	4	2
	$\mu^{-}\mu^{-}$ pairs				
Sum of backgrounds	100 ± 12	$38.4^{+5.0}_{-4.8}$	$8.3^{+1.5}_{-1.2}$	$1.7^{+0.9}_{-0.3}$	$0.6^{+0.9}_{-0.1}$
Data	120	50	13	2	0
	$e^{+}\mu^{+}$ pairs				
Sum of backgrounds	381 ± 42	142 ± 15	33.8 ± 5.3	9.8 ± 1.5	4.2 ± 0.9
Data	375	149	39	9	4
	$e^{-}\mu^{-}$ pairs				
Sum of backgrounds	259 ± 31	93 ± 10	22.6 ± 3.0	6.5 ± 1.3	2.9 ± 1.0
Data	283	110	22	8	3

Table 2. Expected and observed numbers of positively- and negatively-charged lepton pairs for different lower limits on the dilepton invariant mass, $m(\ell^{\pm}\ell^{\pm})$. The uncertainties shown are the quadratic sum of the statistical and systematic uncertainties.

confidence level (C.L.) upper limit on the number of events, N_{95}, is determined using the CL$_s$ method [73] with a test statistic based on the ratio between the likelihood of the signal plus background hypothesis and the likelihood of the background-only hypothesis. The likelihoods follow a Poisson distribution for the total number of events in each signal region, and are calculated based on the number of expected and observed events. Systematic uncertainties are incorporated into the likelihoods as nuisance parameters with Gaussian probability density functions. For the inclusive $\ell^{\pm}\ell^{\pm}$ final states, the upper limit ranges from 168 pairs for $m(e\mu) > 15\,\mathrm{GeV}$ to 4.8 pairs for $m(\mu\mu) > 400\,\mathrm{GeV}$.

The limit on the number of lepton pairs can be translated to an upper limit on the cross section measured in a given region of phase space (referred to here as the fiducial region), $\sigma_{95}^{\mathrm{fid}}$, via

$$\sigma_{95}^{\mathrm{fid}} = \frac{N_{95}}{\varepsilon_{\mathrm{fid}} \times \int \mathcal{L}dt}, \tag{8.1}$$

where $\varepsilon_{\mathrm{fid}}$ is the efficiency for detecting events within the fiducial region and $\int \mathcal{L}dt$ is the integrated luminosity of $4.7\,\mathrm{fb}^{-1}$.

The fiducial region definition is based on MC generator information such that it is independent of the ATLAS detector environment. The value of $\varepsilon_{\mathrm{fid}}$ generally depends on

Figure 1. Invariant mass distributions for (a) $e^\pm e^\pm$, (b) $\mu^\pm \mu^\pm$, and (c) $e^\pm \mu^\pm$ pairs passing the full event selection. The data are shown as closed circles. The stacked histograms represent the backgrounds composed of pairs of prompt leptons from SM processes, pairs with at least one non-prompt lepton, and for the electron channels, backgrounds arising from charge misidentification and photon conversions. Pairs in the *ee* channel with invariant masses between 70 GeV and 110 GeV are excluded because of the large background from charge misidentification in $Z \to e^\pm e^\mp$ decays. The last bin is an overflow bin.

the new physics process, e.g. the number of leptons in the final state passing the kinematic selection criteria or the number of jets that may affect the lepton isolation. In order to minimise this dependence, the definition of the fiducial region is closely related to the analysis selection. In the MC generator, electrons or muons are selected as stable particles that originate from a W or Z boson, from a τ lepton, or from an exotic new particle (e.g. a $H^{\pm\pm}$ or a right-handed W). The generated electrons and muons are required to satisfy the p_T, η, and isolation requirements listed in table 3, which mirror the selection requirements described in section 4. The generator-level track isolation, $p_\mathrm{T}^{\mathrm{cone}\Delta R_\mathrm{iso}}$, is defined as the scalar sum of all stable charged particles with $p_\mathrm{T} > 1\,\mathrm{GeV}$ in a cone of size ΔR_iso around the electron or muon, excluding the lepton itself. The requirement on isolation energy ($E_\mathrm{T}^{\mathrm{cone}\Delta R_\mathrm{iso}}$) placed in the electron selection is not emulated in the fiducial region definition because the measurement of isolation energy in the calorimeter has a poor resolution. Pairs of like-sign leptons must have $m(\ell^\pm \ell^\pm) > 15\,\mathrm{GeV}$ and for $e^\pm e^\pm$, the mass range 70-110 GeV is additionally excluded.

(a)

(b)

(c)

Figure 2. Leading lepton p_{T} distributions for (a) $e^{\pm}e^{\pm}$, (b) $\mu^{\pm}\mu^{\pm}$, and (c) $e^{\pm}\mu^{\pm}$ pairs passing the full event selection. The data are shown as closed circles. The stacked histograms represent the backgrounds composed of pairs of prompt leptons from SM processes, pairs with at least one non-prompt lepton, and for the electron channels, backgrounds arising from charge misidentification and photon conversions. The last bin is an overflow bin.

	Electron requirement	Muon requirement
Leading lepton p_{T}	$p_{\mathrm{T}} > 25\,\mathrm{GeV}$	$p_{\mathrm{T}} > 20\,\mathrm{GeV}$
Sub-leading lepton p_{T}	$p_{\mathrm{T}} > 20\,\mathrm{GeV}$	$p_{\mathrm{T}} > 20\,\mathrm{GeV}$
Lepton η	$|\eta| < 1.37$ or $1.52 < |\eta| < 2.47$	$|\eta| < 2.5$
Isolation	$p_{\mathrm{T}}^{\mathrm{cone0.3}}/p_{\mathrm{T}} < 0.1$	$p_{\mathrm{T}}^{\mathrm{cone0.4}}/p_{\mathrm{T}} < 0.06$ and $p_{\mathrm{T}}^{\mathrm{cone0.4}} < 4\ \mathrm{GeV} + 0.02 \times p_{\mathrm{T}}$

Table 3. Summary of requirements on generated leptons in the fiducial region. The definition of the isolation variable, $p_{\mathrm{T}}^{\mathrm{cone}\Delta R_{\mathrm{iso}}}$, is given in the text.

The fiducial efficiency, $\varepsilon_{\mathrm{fid}}$, is defined as the fraction of lepton pairs passing this selection that also satisfy the experimental selection criteria described in section 4. It is determined for a variety of new physics models: $H^{\pm\pm}$ bosons with mass between $50\,\mathrm{GeV}$ and $1000\,\mathrm{GeV}$ [48], fourth generation quarks decaying to Wt with masses of $300\text{-}500\,\mathrm{GeV}$, like-sign top-quark production via a contact interaction [53], and right-handed W bosons decaying to $\ell^{\pm}\ell^{\pm}$ via a right-handed neutrino with $m(W_R) = 800\text{-}2500\,\mathrm{GeV}$ [49, 50]. These models are chosen as they cover a broad range of jet multiplicities and lepton p_{T} spectra.

For $m(\ell^\pm \ell^\pm) > 15$ GeV in the $e^\pm e^\pm$ channel, the fiducial efficiencies range from 43% for models with low-p_T leptons to 65% for models with high-p_T leptons. The primary reason for this dependence is that the electron identification efficiency varies by about 15% over the relevant p_T range [60]. The model dependence introduced by not emulating the calorimeter isolation in the definition of the fiducial region is $< 1\%$. For the $e^\pm \mu^\pm$ channel, $\varepsilon_{\mathrm{fid}}$ ranges from 55% to 70%, and for the $\mu^\pm \mu^\pm$ final state it varies between 59% and 72%. For the higher dilepton mass thresholds the efficiencies are slightly larger than for the lower mass thresholds. The efficiencies are also derived for $\ell^+ \ell^+$ and $\ell^- \ell^-$ pairs separately and found to be independent of the charge. For the same new physics models, the fraction of events satisfying the experimental selection originating from outside the fiducial region ranges from $< 1\%$ to about 9%, depending on the final state and the model considered.

To derive the upper limit on the fiducial cross section, the lowest efficiency values are taken for all mass thresholds, i.e. 43% for the $e^\pm e^\pm$, 55% for the $e^\pm \mu^\pm$, and 59% for the $\mu^\pm \mu^\pm$ analysis. The 95% C.L. upper limits on the cross section, $\sigma_{95}^{\mathrm{fid}}$, are calculated using equation (8.1) and given in table 4. The limits range from 64 fb to 1.7 fb for the inclusive analysis depending on the mass cut and the final state, and are generally within 1σ of the expected limits. Upper limits on the $\ell^+ \ell^+$ and $\ell^- \ell^-$ cross sections are also derived, using the same efficiencies as for the inclusive limits.

9   Conclusions

A search for anomalous production of like-sign lepton pairs has been presented using $4.7\,\mathrm{fb}^{-1}$ of pp collision data at $\sqrt{s} = 7\,\mathrm{TeV}$ recorded by the ATLAS experiment at the LHC. The data are found to agree with the background expectation in $e^\pm e^\pm$, $e^\pm \mu^\pm$, and $\mu^\pm \mu^\pm$ final states both in overall rate and in the kinematic distributions. The data are used to constrain new physics contributions to like-sign lepton pairs within a fiducial region of two isolated leptons with large transverse momentum within the pseudorapidity range of the tracking system ($|\eta| < 2.5$). The 95% confidence level upper limits on the cross section of new physics processes within this fiducial region range between 1.7 fb and 64 fb for $\ell^\pm \ell^\pm$ pairs depending on the dilepton invariant mass and flavour combination.

Mass range	95% C.L. upper limit [fb]					
	expected	observed	expected	observed	expected	observed
	$e^{\pm}e^{\pm}$		$e^{\pm}\mu^{\pm}$		$\mu^{\pm}\mu^{\pm}$	
$m > 15\,\text{GeV}$	46^{+15}_{-12}	42	56^{+23}_{-15}	64	$24.0^{+8.9}_{-6.0}$	29.8
$m > 100\,\text{GeV}$	$24.1^{+8.9}_{-6.2}$	23.4	$23.0^{+9.1}_{-6.7}$	31.2	$12.2^{+4.5}_{-3.0}$	15.0
$m > 200\,\text{GeV}$	$8.8^{+3.4}_{-2.1}$	7.5	$8.4^{+3.4}_{-1.7}$	9.8	$4.3^{+1.8}_{-1.1}$	6.7
$m > 300\,\text{GeV}$	$4.5^{+1.8}_{-1.3}$	3.9	$4.1^{+1.8}_{-0.9}$	4.6	$2.4^{+0.9}_{-0.7}$	2.6
$m > 400\,\text{GeV}$	$2.9^{+1.1}_{-0.8}$	2.4	$3.0^{+1.0}_{-0.8}$	3.1	$1.7^{+0.6}_{-0.5}$	1.7
	$e^{+}e^{+}$		$e^{+}\mu^{+}$		$\mu^{+}\mu^{+}$	
$m > 15\,\text{GeV}$	$29.1^{+10.2}_{-8.6}$	22.8	$34.9^{+12.2}_{-8.6}$	34.1	$15.0^{+6.1}_{-3.3}$	15.2
$m > 100\,\text{GeV}$	$16.1^{+5.9}_{-4.3}$	12.0	$15.4^{+5.9}_{-4.1}$	18.0	$8.4^{+3.2}_{-2.4}$	7.9
$m > 200\,\text{GeV}$	$7.0^{+2.9}_{-2.2}$	6.1	$6.6^{+3.5}_{-1.8}$	8.8	$3.5^{+1.6}_{-0.7}$	4.3
$m > 300\,\text{GeV}$	$3.7^{+1.4}_{-1.0}$	2.9	$3.2^{+1.2}_{-0.9}$	3.2	$2.0^{+0.8}_{-0.5}$	2.1
$m > 400\,\text{GeV}$	$2.3^{+1.1}_{-0.6}$	1.7	$2.4^{+0.9}_{-0.6}$	2.5	$1.5^{+0.6}_{-0.3}$	1.8
	$e^{-}e^{-}$		$e^{-}\mu^{-}$		$\mu^{-}\mu^{-}$	
$m > 15\,\text{GeV}$	$23.2^{+8.6}_{-5.8}$	25.7	$26.2^{+10.6}_{-7.6}$	34.4	$12.1^{+4.5}_{-3.5}$	18.5
$m > 100\,\text{GeV}$	$12.0^{+5.3}_{-2.8}$	18.7	$11.5^{+4.2}_{-3.5}$	16.9	$6.0^{+2.3}_{-1.9}$	10.1
$m > 200\,\text{GeV}$	$4.9^{+1.9}_{-1.2}$	4.0	$4.6^{+2.1}_{-1.2}$	4.5	$2.7^{+1.1}_{-0.7}$	4.4
$m > 300\,\text{GeV}$	$2.9^{+1.0}_{-0.6}$	2.7	$2.7^{+1.1}_{-0.6}$	3.5	$1.5^{+0.8}_{-0.3}$	1.7
$m > 400\,\text{GeV}$	$1.8^{+0.8}_{-0.4}$	2.3	$2.3^{+0.8}_{-0.5}$	2.5	$1.2^{+0.4}_{-0.0}$	1.2

Table 4. Upper limits at 95% C.L. on the fiducial cross section for $\ell^{\pm}\ell^{\pm}$ pairs from non-SM physics. The expected limits and their 1σ uncertainties are given, as well as the observed limits in data, for the ee, $e\mu$, and $\mu\mu$ final state inclusively and separated by charge.

References

[1] J.C. Pati and A. Salam, *Lepton number as the fourth color*, *Phys. Rev.* **D 10** (1974) 275 [*Erratum ibid.* **D 11** (1975) 703-703] [INSPIRE].

[2] R.N. Mohapatra and J.C. Pati, *Left-right gauge symmetry and an isoconjugate model of CP-violation*, *Phys. Rev.* **D 11** (1975) 566 [INSPIRE].

[3] G. Senjanović and R.N. Mohapatra, *Exact left-right symmetry and spontaneous violation of parity*, *Phys. Rev.* **D 12** (1975) 1502 [INSPIRE].

[4] T.G. Rizzo, *Doubly charged Higgs bosons and lepton number violating processes*, *Phys. Rev.* **D 25** (1982) 1355 [*Addendum ibid.* **D 27** (1983) 657-659] [INSPIRE].

[5] J.E. Cieza Montalvo, N.V. Cortez, J. Sa Borges and M.D. Tonasse, *Searching for doubly charged Higgs bosons at the LHC in a 3-3-1 model*, *Nucl. Phys.* **B 756** (2006) 1 [*Erratum ibid.* **B 796** (2008) 422-423] [hep-ph/0606243] [INSPIRE].

[6] H. Georgi and M. Machacek, *Doubly charged Higgs bosons*, *Nucl. Phys.* **B 262** (1985) 463 [INSPIRE].

[7] J.F. Gunion, R. Vega and J. Wudka, *Higgs triplets in the standard model*, *Phys. Rev.* **D 42** (1990) 1673 [INSPIRE].

[8] N. Arkani-Hamed, A.G. Cohen, E. Katz, A.E. Nelson, T. Gregoire, et al., *The minimal moose for a little Higgs*, *JHEP* **08** (2002) 021 [hep-ph/0206020] [INSPIRE].

[9] P.H. Frampton, P.Q. Hung and M. Sher, *Quarks and leptons beyond the third generation*, *Phys. Rept.* **330** (2000) 263 [hep-ph/9903387] [INSPIRE].

[10] R.M. Barnett, J.F. Gunion and H.E. Haber, *Discovering supersymmetry with like-sign dileptons*, *Phys. Lett.* **B 315** (1993) 349 [hep-ph/9306204] [INSPIRE].

[11] J. Alwall, P. Schuster and N. Toro, *Simplified models for a first characterization of new physics at the LHC*, *Phys. Rev.* **D 79** (2009) 075020 [arXiv:0810.3921] [INSPIRE].

[12] A. Zee, *Quantum numbers of Majorana neutrino masses*, *Nucl. Phys.* **B 264** (1986) 99 [INSPIRE].

[13] K.S. Babu, *Model of 'calculable' Majorana neutrino masses*, *Phys. Lett.* **B 203** (1988) 132 [INSPIRE].

[14] M. Nebot, J.F. Oliver, D. Palao and A. Santamaria, *Prospects for the Zee-Babu model at the CERN LHC and low energy experiments*, *Phys. Rev.* **D 77** (2008) 093013 [arXiv:0711.0483] [INSPIRE].

[15] ATLAS collaboration, *Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *JHEP* **10** (2011) 107 [arXiv:1108.0366] [INSPIRE].

[16] ATLAS collaboration, *Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the standard model with the ATLAS detector*, *Phys. Rev.* **D 85** (2012) 032004 [arXiv:1201.1091] [INSPIRE].

[17] CDF collaboration, A. Abulencia et al., *Inclusive search for new physics with like-sign dilepton events in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV*, *Phys. Rev. Lett.* **98** (2007) 221803 [hep-ex/0702051] [INSPIRE].

[18] CDF collaboration, T. Aaltonen et al., *Search for new physics in high p_T like-sign dilepton events at CDF II*, *Phys. Rev. Lett.* **107** (2011) 181801 [arXiv:1108.0101] [INSPIRE].

[19] CMS collaboration, *Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $\sqrt{s} = 7$ TeV*, *JHEP* **08** (2012) 110 [arXiv:1205.3933] [INSPIRE].

[20] CMS collaboration, *Search for heavy bottom-like quarks in 4.9 inverse femtobarns of pp collisions at $\sqrt{s} = 7$ TeV*, *JHEP* **05** (2012) 123 [arXiv:1204.1088] [INSPIRE].

[21] CMS collaboration, *Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC*, *JHEP* **06** (2011) 077 [arXiv:1104.3168] [INSPIRE].

[22] CMS collaboration, *Search for same-sign top-quark pair production at $\sqrt{s} = 7$ TeV and limits on flavour changing neutral currents in the top sector*, *JHEP* **08** (2011) 005 [arXiv:1106.2142] [INSPIRE].

[23] ATLAS collaboration, *Search for gluinos in events with two same-sign leptons, jets and missing transverse momentum with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV*, *Phys. Rev. Lett.* **108** (2012) 241802 [arXiv:1203.5763] [INSPIRE].

[24] ATLAS collaboration, *Search for heavy neutrinos and right-handed W bosons in events with two leptons and jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *Eur. Phys. J.* **C 72** (2012) 2056 [arXiv:1203.5420] [INSPIRE].

[25] ATLAS collaboration, *Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *JHEP* **04** (2012) 069 [arXiv:1202.5520] [INSPIRE].

[26] ATLAS collaboration, *Search for strong gravity signatures in same-sign dimuon final states using the ATLAS detector at the LHC*, *Phys. Lett.* **B 709** (2012) 322 [arXiv:1111.0080] [INSPIRE].

[27] ATLAS collaboration, *The ATLAS experiment at the CERN Large Hadron Collider*, 2008 *JINST* **3** S08003 [INSPIRE].

[28] ATLAS collaboration, *Performance of the ATLAS trigger system in 2010*, *Eur. Phys. J.* **C 72** (2012) 1849 [arXiv:1110.1530] [INSPIRE].

[29] T. Gleisberg, S. Hoeche, F. Krauss, M. Schonherr, S. Schumann, et al., *Event generation with SHERPA 1.1*, *JHEP* **02** (2009) 007 [arXiv:0811.4622] [INSPIRE].

[30] J. Alwall, M. Herquet, F. Maltoni, O. Mattelaer and T. Stelzer, *MadGraph 5 : going beyond*, *JHEP* **06** (2011) 128 [arXiv:1106.0522] [INSPIRE].

[31] T. Sjöstrand, S. Mrenna and P.Z. Skands, *PYTHIA 6.4 physics and manual*, *JHEP* **05** (2006) 026 [hep-ph/0603175] [INSPIRE].

[32] J.M. Campbell, R.K. Ellis and C. Williams, *Vector boson pair production at the LHC*, *JHEP* **07** (2011) 018 [arXiv:1105.0020] [INSPIRE].

[33] J.M. Campbell and R.K. Ellis, *$t\bar{t}W^{\pm}$ production and decay at NLO*, *JHEP* **07** (2012) 052 [arXiv:1204.5678] [INSPIRE].

[34] A. Lazopoulos, T. McElmurry, K. Melnikov and F. Petriello, *Next-to-leading order QCD corrections to $t\bar{t}Z$ production at the LHC*, *Phys. Lett.* **B 666** (2008) 62 [arXiv:0804.2220] [INSPIRE].

[35] M.V. Garzelli, A. Kardos, C.G. Papadopoulos and Z. Trócsányi, *Z0-boson production in association with a top anti-top pair at NLO accuracy with parton shower effects*, *Phys. Rev.* **D 85** (2012) 074022 [arXiv:1111.1444] [INSPIRE].

[36] A. Kardos, Z. Trócsányi and C. Papadopoulos, *Top quark pair production in association with a Z-boson at NLO accuracy*, *Phys. Rev.* **D 85** (2012) 054015 [arXiv:1111.0610] [INSPIRE].

[37] B. Jäger, C. Oleari and D. Zeppenfeld, *Next-to-leading order QCD corrections to W^+W^+jj and W^-W^-jj production via weak-boson fusion*, *Phys. Rev.* **D 80** (2009) 034022 [arXiv:0907.0580] [INSPIRE].

[38] T. Melia, K. Melnikov, R. Rontsch and G. Zanderighi, *Next-to-leading order QCD predictions for W^+W^+jj production at the LHC*, *JHEP* **12** (2010) 053 [arXiv:1007.5313] [INSPIRE].

[39] R. Hamberg, W. van Neerven and T. Matsuura, *A complete calculation of the order α_s^2 correction to the Drell-Yan K factor*, *Nucl. Phys.* **B 359** (1991) 343 [*Erratum ibid.* **B 644** (2002) 403-404] [INSPIRE].

[40] ATLAS collaboration, *Search for high mass dilepton resonances in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment*, *Phys. Lett.* **B 700** (2011) 163 [arXiv:1103.6218] [INSPIRE].

[41] C.M. Carloni Calame, G. Montagna, O. Nicrosini and A. Vicini, *Precision electroweak calculation of the charged current Drell-Yan process*, *JHEP* **12** (2006) 016 [hep-ph/0609170] [INSPIRE].

[42] C. Carloni Calame, G. Montagna, O. Nicrosini and A. Vicini, *Precision electroweak calculation of the production of a high transverse-momentum lepton pair at hadron colliders*, *JHEP* **10** (2007) 109 [arXiv:0710.1722] [INSPIRE].

[43] S. Frixione and B.R. Webber, *Matching NLO QCD computations and parton shower simulations*, *JHEP* **06** (2002) 029 [hep-ph/0204244] [INSPIRE].

[44] G. Corcella, I. Knowles, G. Marchesini, S. Moretti, K. Odagiri, et al., *HERWIG 6: an event generator for hadron emission reactions with interfering gluons (including supersymmetric processes)*, *JHEP* **01** (2001) 010 [hep-ph/0011363] [INSPIRE].

[45] M. Aliev, H. Lacker, U. Langenfeld, S. Moch, P. Uwer, et al., *HATHOR: HAdronic Top and Heavy quarks crOss section calculatoR*, *Comput. Phys. Commun.* **182** (2011) 1034 [arXiv:1007.1327] [INSPIRE].

[46] M.L. Mangano, M. Moretti, F. Piccinini, R. Pittau and A.D. Polosa, *ALPGEN, a generator for hard multiparton processes in hadronic collisions*, *JHEP* **07** (2003) 001 [hep-ph/0206293] [INSPIRE].

[47] ATLAS collaboration, G. Aad et al., *Measurement of $W\gamma$ and $Z\gamma$ production cross sections in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous triple gauge couplings with the ATLAS detector*, *Phys. Lett.* **B 717** (2012) 49 [arXiv:1205.2531] [INSPIRE].

[48] V. Rentala, W. Shepherd and S. Su, *A simplified model approach to same-sign dilepton resonances*, *Phys. Rev.* **D 84** (2011) 035004 [arXiv:1105.1379] [INSPIRE].

[49] F. del Aguila, S. Bar-Shalom, A. Soni and J. Wudka, *Heavy Majorana neutrinos in the effective Lagrangian description: application to hadron colliders*, *Phys. Lett.* **B 670** (2009) 399 [arXiv:0806.0876] [INSPIRE].

[50] R.N. Mohapatra and J.C. Pati, *A natural left-right symmetry*, *Phys. Rev.* **D 11** (1975) 2558 [INSPIRE].

[51] Q.-H. Cao, D. McKeen, J.L. Rosner, G. Shaughnessy and C.E.M. Wagner, *Forward-backward asymmetry of top quark pair production*, *Phys. Rev.* **D 81** (2010) 114004 [arXiv:1003.3461] [INSPIRE].

[52] J.A. Aguilar-Saavedra, *Effective four-fermion operators in top physics: a roadmap*, *Nucl. Phys.* **B 843** (2011) 638 [*Erratum ibid.* **B 851** (2011) 443-444] [arXiv:1008.3562] [INSPIRE].

[53] J.A. Aguilar-Saavedra and M. Pérez-Victoria, *No like-sign tops at Tevatron: constraints on extended models and implications for the* $t\bar{t}$ *asymmetry*, *Phys. Lett.* **B 701** (2011) 93 [arXiv:1104.1385] [INSPIRE].

[54] J. Pumplin, D.R. Stump, J. Huston, H.-L. Lai, P.M. Nadolsky, et al., *New generation of parton distributions with uncertainties from global QCD analysis*, *JHEP* **07** (2002) 012 [hep-ph/0201195] [INSPIRE].

[55] A. Sherstnev and R.S. Thorne, *Parton distributions for LO generators*, *Eur. Phys. J.* **C 55** (2008) 553 [arXiv:0711.2473] [INSPIRE].

[56] P.M. Nadolsky, H.-L. Lai, Q.-H. Cao, J. Huston, J. Pumplin, et al., *Implications of CTEQ global analysis for collider observables*, *Phys. Rev.* **D 78** (2008) 013004 [arXiv:0802.0007] [INSPIRE].

[57] M. Guzzi, P. Nadolsky, E. Berger, H.-L. Lai, F. Olness, et al., *CT10 parton distributions and other developments in the global QCD analysis*, arXiv:1101.0561 [INSPIRE].

[58] ATLAS collaboration, *The ATLAS simulation infrastructure*, *Eur. Phys. J.* **C 70** (2010) 823 [arXiv:1005.4568] [INSPIRE].

[59] GEANT4 collaboration, S. Agostinelli et al., *GEANT4: a simulation toolkit*, *Nucl. Instrum. Meth.* **A 506** (2003) 250 [INSPIRE].

[60] ATLAS collaboration, *Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data*, *Eur. Phys. J.* **C 72** (2012) 1909 [arXiv:1110.3174] [INSPIRE].

[61] ATLAS collaboration, *Improved electron reconstruction in ATLAS using the Gaussian Sum Filter-based model for bremsstrahlung*, ATLAS-CONF-2012-047 (2012).

[62] R. Nicolaidou, L. Chevalier, S. Hassani, J.F. Laporte, E. Le Menedeu, et al., *Muon identification procedure for the ATLAS detector at the LHC using Muonboy reconstruction package and tests of its performance using cosmic rays and single beam data*, *J. Phys. Conf. Ser.* **219** (2010) 032052 [INSPIRE].

[63] W. Lampl et al., *Calorimeter clustering algorithms: description and performance*, ATL-LARG-PUB-2008-002 (2008).

[64] M. Cacciari, G.P. Salam and G. Soyez, *The anti-k_t jet clustering algorithm*, *JHEP* **04** (2008) 063 [arXiv:0802.1189] [INSPIRE].

[65] ATLAS collaboration, *Jet energy measurement with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV*, arXiv:1112.6426 [INSPIRE].

[66] ATLAS collaboration, *Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *JHEP* **04** (2012) 069 [arXiv:1202.5520] [INSPIRE].

[67] ATLAS collaboration, *Muon momentum resolution in first pass reconstruction of pp collision data recorded by ATLAS in 2010*, ATLAS-CONF-2011-046 (2011).

[68] ATLAS collaboration, *Muon reconstruction efficiency in reprocessed 2010 LHC proton-proton collision data recorded with the ATLAS detector*, ATLAS-CONF-2011-063 (2011).

[69] ATLAS collaboration, G. Aad et al., *Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC*, *Eur. Phys. J.* **C 71** (2011) 1630 [arXiv:1101.2185] [INSPIRE].

[70] ATLAS collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector in 2011*, ATLAS-CONF-2011-116 (2011).

[71] J.M. Campbell, J.W. Huston and W.J. Stirling, *Hard interactions of quarks and gluons: a primer for LHC physics*, *Rept. Prog. Phys.* **70** (2007) 89 [hep-ph/0611148] [INSPIRE].

[72] A.D. Martin, W.J. Stirling, R.S. Thorne and G. Watt, *Parton distributions for the LHC*, *Eur. Phys. J.* **C 63** (2009) 189 [arXiv:0901.0002] [INSPIRE].

[73] A.L. Read, *Presentation of search results: the CL(s) technique*, *J. Phys.* **G 28** (2002) 2693 [INSPIRE].

The ATLAS collaboration

G. Aad[48], T. Abajyan[21], B. Abbott[111], J. Abdallah[12], S. Abdel Khalek[115], A.A. Abdelalim[49], O. Abdinov[11], R. Aben[105], B. Abi[112], M. Abolins[88], O.S. AbouZeid[158], H. Abramowicz[153], H. Abreu[136], E. Acerbi[89a,89b], B.S. Acharya[164a,164b], L. Adamczyk[38], D.L. Adams[25], T.N. Addy[56], J. Adelman[176], S. Adomeit[98], P. Adragna[75], T. Adye[129], S. Aefsky[23], J.A. Aguilar-Saavedra[124b,a], M. Agustoni[17], M. Aharrouche[81], S.P. Ahlen[22], F. Ahles[48], A. Ahmad[148], M. Ahsan[41], G. Aielli[133a,133b], T. Akdogan[19a], T.P.A. Åkesson[79], G. Akimoto[155], A.V. Akimov[94], M.S. Alam[2], M.A. Alam[76], J. Albert[169], S. Albrand[55], M. Aleksa[30], I.N. Aleksandrov[64], F. Alessandria[89a], C. Alexa[26a], G. Alexander[153], G. Alexandre[49], T. Alexopoulos[10], M. Alhroob[164a,164c], M. Aliev[16], G. Alimonti[89a], J. Alison[120], B.M.M. Allbrooke[18], P.P. Allport[73], S.E. Allwood-Spiers[53], J. Almond[82], A. Aloisio[102a,102b], R. Alon[172], A. Alonso[79], F. Alonso[70], B. Alvarez Gonzalez[88], M.G. Alviggi[102a,102b], K. Amako[65], C. Amelung[23], V.V. Ammosov[128,*], S.P. Amor Dos Santos[124a], A. Amorim[124a,b], N. Amram[153], C. Anastopoulos[30], L.S. Ancu[17], N. Andari[115], T. Andeen[35], C.F. Anders[58b], G. Anders[58a], K.J. Anderson[31], A. Andreazza[89a,89b], V. Andrei[58a], M-L. Andrieux[55], X.S. Anduaga[70], P. Anger[44], A. Angerami[35], F. Anghinolfi[30], A. Anisenkov[107], N. Anjos[124a], A. Annovi[47], A. Antonaki[9], M. Antonelli[47], A. Antonov[96], J. Antos[144b], F. Anulli[132a], M. Aoki[101], S. Aoun[83], L. Aperio Bella[5], R. Apolle[118,c], G. Arabidze[88], I. Aracena[143], Y. Arai[65], A.T.H. Arce[45], S. Arfaoui[148], J-F. Arguin[15], E. Arik[19a,*], M. Arik[19a], A.J. Armbruster[87], O. Arnaez[81], V. Arnal[80], C. Arnault[115], A. Artamonov[95], G. Artoni[132a,132b], D. Arutinov[21], S. Asai[155], R. Asfandiyarov[173], S. Ask[28], B. Åsman[146a,146b], L. Asquith[6], K. Assamagan[25], A. Astbury[169], M. Atkinson[165], B. Aubert[5], E. Auge[115], K. Augsten[127], M. Aurousseau[145a], G. Avolio[163], R. Avramidou[10], D. Axen[168], G. Azuelos[93,d], Y. Azuma[155], M.A. Baak[30], G. Baccaglioni[89a], C. Bacci[134a,134b], A.M. Bach[15], H. Bachacou[136], K. Bachas[30], M. Backes[49], M. Backhaus[21], E. Badescu[26a], P. Bagnaia[132a,132b], S. Bahinipati[3], Y. Bai[33a], D.C. Bailey[158], T. Bain[158], J.T. Baines[129], O.K. Baker[176], M.D. Baker[25], S. Baker[77], E. Banas[39], P. Banerjee[93], Sw. Banerjee[173], D. Banfi[30], A. Bangert[150], V. Bansal[169], H.S. Bansil[18], L. Barak[172], S.P. Baranov[94], A. Barbaro Galtieri[15], T. Barber[48], E.L. Barberio[86], D. Barberis[50a,50b], M. Barbero[21], D.Y. Bardin[64], T. Barillari[99], M. Barisonzi[175], T. Barklow[143], N. Barlow[28], B.M. Barnett[129], R.M. Barnett[15], A. Baroncelli[134a], G. Barone[49], A.J. Barr[118], F. Barreiro[80], J. Barreiro Guimarães da Costa[57], P. Barrillon[115], R. Bartoldus[143], A.E. Barton[71], V. Bartsch[149], A. Basye[165], R.L. Bates[53], L. Batkova[144a], J.R. Batley[28], A. Battaglia[17], M. Battistin[30], F. Bauer[136], H.S. Bawa[143,e], S. Beale[98], T. Beau[78], P.H. Beauchemin[161], R. Beccherle[50a], P. Bechtle[21], H.P. Beck[17], A.K. Becker[175], S. Becker[98], M. Beckingham[138], K.H. Becks[175], A.J. Beddall[19c], A. Beddall[19c], S. Bedikian[176], V.A. Bednyakov[64], C.P. Bee[83], L.J. Beemster[105], M. Begel[25], S. Behar Harpaz[152], P.K. Behera[62], M. Beimforde[99], C. Belanger-Champagne[85], P.J. Bell[49], W.H. Bell[49], G. Bella[153], L. Bellagamba[20a], F. Bellina[30], M. Bellomo[30], A. Belloni[57], O. Beloborodova[107,f], K. Belotskiy[96], O. Beltramello[30], O. Benary[153], D. Benchekroun[135a], K. Bendtz[146a,146b], N. Benekos[165], Y. Benhammou[153], E. Benhar Noccioli[49], J.A. Benitez Garcia[159b],

D.P. Benjamin[45], M. Benoit[115], J.R. Bensinger[23], K. Benslama[130], S. Bentvelsen[105], D. Berge[30], E. Bergeaas Kuutmann[42], N. Berger[5], F. Berghaus[169], E. Berglund[105], J. Beringer[15], P. Bernat[77], R. Bernhard[48], C. Bernius[25], T. Berry[76], C. Bertella[83], A. Bertin[20a,20b], F. Bertolucci[122a,122b], M.I. Besana[89a,89b], G.J. Besjes[104], N. Besson[136], S. Bethke[99], W. Bhimji[46], R.M. Bianchi[30], M. Bianco[72a,72b], O. Biebel[98], S.P. Bieniek[77], K. Bierwagen[54], J. Biesiada[15], M. Biglietti[134a], H. Bilokon[47], M. Bindi[20a,20b], S. Binet[115], A. Bingul[19c], C. Bini[132a,132b], C. Biscarat[178], B. Bittner[99], K.M. Black[22], R.E. Blair[6], J.-B. Blanchard[136], G. Blanchot[30], T. Blazek[144a], I. Bloch[42], C. Blocker[23], J. Blocki[39], A. Blondel[49], W. Blum[81], U. Blumenschein[54], G.J. Bobbink[105], V.B. Bobrovnikov[107], S.S. Bocchetta[79], A. Bocci[45], C.R. Boddy[118], M. Boehler[48], J. Boek[175], N. Boelaert[36], J.A. Bogaerts[30], A. Bogdanchikov[107], A. Bogouch[90,*], C. Bohm[146a], J. Bohm[125], V. Boisvert[76], T. Bold[38], V. Boldea[26a], N.M. Bolnet[136], M. Bomben[78], M. Bona[75], M. Boonekamp[136], C.N. Booth[139], S. Bordoni[78], C. Borer[17], A. Borisov[128], G. Borissov[71], I. Borjanovic[13a], M. Borri[82], S. Borroni[87], V. Bortolotto[134a,134b], K. Bos[105], D. Boscherini[20a], M. Bosman[12], H. Boterenbrood[105], J. Bouchami[93], J. Boudreau[123], E.V. Bouhova-Thacker[71], D. Boumediene[34], C. Bourdarios[115], N. Bousson[83], A. Boveia[31], J. Boyd[30], I.R. Boyko[64], I. Bozovic-Jelisavcic[13b], J. Bracinik[18], P. Branchini[134a], G.W. Brandenburg[57], A. Brandt[8], G. Brandt[118], O. Brandt[54], U. Bratzler[156], B. Brau[84], J.E. Brau[114], H.M. Braun[175,*], S.F. Brazzale[164a,164c], B. Brelier[158], J. Bremer[30], K. Brendlinger[120], R. Brenner[166], S. Bressler[172], D. Britton[53], F.M. Brochu[28], I. Brock[21], R. Brock[88], F. Broggi[89a], C. Bromberg[88], J. Bronner[99], G. Brooijmans[35], T. Brooks[76], W.K. Brooks[32b], G. Brown[82], H. Brown[8], P.A. Bruckman de Renstrom[39], D. Bruncko[144b], R. Bruneliere[48], S. Brunet[60], A. Bruni[20a], G. Bruni[20a], M. Bruschi[20a], T. Buanes[14], Q. Buat[55], F. Bucci[49], J. Buchanan[118], P. Buchholz[141], R.M. Buckingham[118], A.G. Buckley[46], S.I. Buda[26a], I.A. Budagov[64], B. Budick[108], V. Büscher[81], L. Bugge[117], O. Bulekov[96], A.C. Bundock[73], M. Bunse[43], T. Buran[117], H. Burckhart[30], S. Burdin[73], T. Burgess[14], S. Burke[129], E. Busato[34], P. Bussey[53], C.P. Buszello[166], B. Butler[143], J.M. Butler[22], C.M. Buttar[53], J.M. Butterworth[77], W. Buttinger[28], S. Cabrera Urbán[167], D. Caforio[20a,20b], O. Cakir[4a], P. Calafiura[15], G. Calderini[78], P. Calfayan[98], R. Calkins[106], L.P. Caloba[24a], R. Caloi[132a,132b], D. Calvet[34], S. Calvet[34], R. Camacho Toro[34], P. Camarri[133a,133b], D. Cameron[117], L.M. Caminada[15], R. Caminal Armadans[12], S. Campana[30], M. Campanelli[77], V. Canale[102a,102b], F. Canelli[31,g], A. Canepa[159a], J. Cantero[80], R. Cantrill[76], L. Capasso[102a,102b], M.D.M. Capeans Garrido[30], I. Caprini[26a], M. Caprini[26a], D. Capriotti[99], M. Capua[37a,37b], R. Caputo[81], R. Cardarelli[133a], T. Carli[30], G. Carlino[102a], L. Carminati[89a,89b], B. Caron[85], S. Caron[104], E. Carquin[32b], G.D. Carrillo-Montoya[173], A.A. Carter[75], J.R. Carter[28], J. Carvalho[124a,h], D. Casadei[108], M.P. Casado[12], M. Cascella[122a,122b], C. Caso[50a,50b,*], A.M. Castaneda Hernandez[173,i], E. Castaneda-Miranda[173], V. Castillo Gimenez[167], N.F. Castro[124a], G. Cataldi[72a], P. Catastini[57], A. Catinaccio[30], J.R. Catmore[30], A. Cattai[30], G. Cattani[133a,133b], S. Caughron[88], V. Cavaliere[165], P. Cavalleri[78], D. Cavalli[89a], M. Cavalli-Sforza[12], V. Cavasinni[122a,122b], F. Ceradini[134a,134b], A.S. Cerqueira[24b], A. Cerri[30], L. Cerrito[75], F. Cerutti[47], S.A. Cetin[19b], A. Chafaq[135a], D. Chakraborty[106], I. Chalupkova[126], K. Chan[3], P. Chang[165], B. Chapleau[85], J.D. Chapman[28], J.W. Chapman[87], E. Chareyre[78],

D.G. Charlton[18], V. Chavda[82], C.A. Chavez Barajas[30], S. Cheatham[85], S. Chekanov[6],
S.V. Chekulaev[159a], G.A. Chelkov[64], M.A. Chelstowska[104], C. Chen[63], H. Chen[25],
S. Chen[33c], X. Chen[173], Y. Chen[35], A. Cheplakov[64], R. Cherkaoui El Moursli[135e],
V. Chernyatin[25], E. Cheu[7], S.L. Cheung[158], L. Chevalier[136], G. Chiefari[102a,102b],
L. Chikovani[51a,*], J.T. Childers[30], A. Chilingarov[71], G. Chiodini[72a], A.S. Chisholm[18],
R.T. Chislett[77], A. Chitan[26a], M.V. Chizhov[64], G. Choudalakis[31], S. Chouridou[137],
I.A. Christidi[77], A. Christov[48], D. Chromek-Burckhart[30], M.L. Chu[151], J. Chudoba[125],
G. Ciapetti[132a,132b], A.K. Ciftci[4a], R. Ciftci[4a], D. Cinca[34], V. Cindro[74], C. Ciocca[20a,20b],
A. Ciocio[15], M. Cirilli[87], P. Cirkovic[13b], Z.H. Citron[172], M. Citterio[89a], M. Ciubancan[26a],
A. Clark[49], P.J. Clark[46], R.N. Clarke[15], W. Cleland[123], J.C. Clemens[83], B. Clement[55],
C. Clement[146a,146b], Y. Coadou[83], M. Cobal[164a,164c], A. Coccaro[138], J. Cochran[63],
J.G. Cogan[143], J. Coggeshall[165], E. Cogneras[178], J. Colas[5], S. Cole[106], A.P. Colijn[105],
N.J. Collins[18], C. Collins-Tooth[53], J. Collot[55], T. Colombo[119a,119b], G. Colon[84], P. Conde
Muiño[124a], E. Coniavitis[118], M.C. Conidi[12], S.M. Consonni[89a,89b], V. Consorti[48],
S. Constantinescu[26a], C. Conta[119a,119b], G. Conti[57], F. Conventi[102a,j], M. Cooke[15],
B.D. Cooper[77], A.M. Cooper-Sarkar[118], K. Copic[15], T. Cornelissen[175], M. Corradi[20a],
F. Corriveau[85,k], A. Cortes-Gonzalez[165], G. Cortiana[99], G. Costa[89a], M.J. Costa[167],
D. Costanzo[139], D. Côté[30], L. Courneyea[169], G. Cowan[76], C. Cowden[28], B.E. Cox[82],
K. Cranmer[108], F. Crescioli[122a,122b], M. Cristinziani[21], G. Crosetti[37a,37b], S. Crépé-
Renaudin[55], C.-M. Cuciuc[26a], C. Cuenca Almenar[176], T. Cuhadar Donszelmann[139],
M. Curatolo[47], C.J. Curtis[18], C. Cuthbert[150], P. Cwetanski[60], H. Czirr[141],
P. Czodrowski[44], Z. Czyczula[176], S. D'Auria[53], M. D'Onofrio[73], A. D'Orazio[132a,132b],
M.J. Da Cunha Sargedas De Sousa[124a], C. Da Via[82], W. Dabrowski[38], A. Dafinca[118],
T. Dai[87], C. Dallapiccola[84], M. Dam[36], M. Dameri[50a,50b], D.S. Damiani[137],
H.O. Danielsson[30], V. Dao[49], G. Darbo[50a], G.L. Darlea[26b], J.A. Dassoulas[42],
W. Davey[21], T. Davidek[126], N. Davidson[86], R. Davidson[71], E. Davies[118,c], M. Davies[93],
O. Davignon[78], A.R. Davison[77], Y. Davygora[58a], E. Dawe[142], I. Dawson[139], R.K. Daya-
Ishmukhametova[23], K. De[8], R. de Asmundis[102a], S. De Castro[20a,20b], S. De Cecco[78],
J. de Graat[98], N. De Groot[104], P. de Jong[105], C. De La Taille[115], H. De la Torre[80],
F. De Lorenzi[63], L. de Mora[71], L. De Nooij[105], D. De Pedis[132a], A. De Salvo[132a],
U. De Sanctis[164a,164c], A. De Santo[149], J.B. De Vivie De Regie[115], G. De Zorzi[132a,132b],
W.J. Dearnaley[71], R. Debbe[25], C. Debenedetti[46], B. Dechenaux[55], D.V. Dedovich[64],
J. Degenhardt[120], C. Del Papa[164a,164c], J. Del Peso[80], T. Del Prete[122a,122b],
T. Delemontex[55], M. Deliyergiyev[74], A. Dell'Acqua[30], L. Dell'Asta[22], M. Della Pietra[102a,j],
D. della Volpe[102a,102b], M. Delmastro[5], P.A. Delsart[55], C. Deluca[105], S. Demers[176],
M. Demichev[64], B. Demirkoz[12,l], J. Deng[163], S.P. Denisov[128], D. Derendarz[39],
J.E. Derkaoui[135d], F. Derue[78], P. Dervan[73], K. Desch[21], E. Devetak[148], P.O. Deviveiros[105],
A. Dewhurst[129], B. DeWilde[148], S. Dhaliwal[158], R. Dhullipudi[25,m], A. Di Ciaccio[133a,133b],
L. Di Ciaccio[5], A. Di Girolamo[30], B. Di Girolamo[30], S. Di Luise[134a,134b], A. Di Mattia[173],
B. Di Micco[30], R. Di Nardo[47], A. Di Simone[133a,133b], R. Di Sipio[20a,20b], M.A. Diaz[32a],
E.B. Diehl[87], J. Dietrich[42], T.A. Dietzsch[58a], S. Diglio[86], K. Dindar Yagci[40],
J. Dingfelder[21], F. Dinut[26a], C. Dionisi[132a,132b], P. Dita[26a], S. Dita[26a], F. Dittus[30],
F. Djama[83], T. Djobava[51b], M.A.B. do Vale[24c], A. Do Valle Wemans[124a,n], T.K.O. Doan[5],

M. Dobbs[85], R. Dobinson[30,*], D. Dobos[30], E. Dobson[30,o], J. Dodd[35], C. Doglioni[49], T. Doherty[53], Y. Doi[65,*], J. Dolejsi[126], I. Dolenc[74], Z. Dolezal[126], B.A. Dolgoshein[96,*], T. Dohmae[155], M. Donadelli[24d], J. Donini[34], J. Dopke[30], A. Doria[102a], A. Dos Anjos[173], A. Dotti[122a,122b], M.T. Dova[70], A.D. Doxiadis[105], A.T. Doyle[53], N. Dressnandt[120], M. Dris[10], J. Dubbert[99], S. Dube[15], E. Duchovni[172], G. Duckeck[98], D. Duda[175], A. Dudarev[30], F. Dudziak[63], M. Dührssen[30], I.P. Duerdoth[82], L. Duflot[115], M-A. Dufour[85], L. Duguid[76], M. Dunford[30], H. Duran Yildiz[4a], R. Duxfield[139], M. Dwuznik[38], F. Dydak[30], M. Düren[52], W.L. Ebenstein[45], J. Ebke[98], S. Eckweiler[81], K. Edmonds[81], W. Edson[2], C.A. Edwards[76], N.C. Edwards[53], W. Ehrenfeld[42], T. Eifert[143], G. Eigen[14], K. Einsweiler[15], E. Eisenhandler[75], T. Ekelof[166], M. El Kacimi[135c], M. Ellert[166], S. Elles[5], F. Ellinghaus[81], K. Ellis[75], N. Ellis[30], J. Elmsheuser[98], M. Elsing[30], D. Emeliyanov[129], R. Engelmann[148], A. Engl[98], B. Epp[61], J. Erdmann[54], A. Ereditato[17], D. Eriksson[146a], J. Ernst[2], M. Ernst[25], J. Ernwein[136], D. Errede[165], S. Errede[165], E. Ertel[81], M. Escalier[115], H. Esch[43], C. Escobar[123], X. Espinal Curull[12], B. Esposito[47], F. Etienne[83], A.I. Etienvre[136], E. Etzion[153], D. Evangelakou[54], H. Evans[60], L. Fabbri[20a,20b], C. Fabre[30], R.M. Fakhrutdinov[128], S. Falciano[132a], Y. Fang[173], M. Fanti[89a,89b], A. Farbin[8], A. Farilla[134a], J. Farley[148], T. Farooque[158], S. Farrell[163], S.M. Farrington[170], P. Farthouat[30], F. Fassi[167], P. Fassnacht[30], D. Fassouliotis[9], B. Fatholahzadeh[158], A. Favareto[89a,89b], L. Fayard[115], S. Fazio[37a,37b], R. Febbraro[34], P. Federic[144a], O.L. Fedin[121], W. Fedorko[88], M. Fehling-Kaschek[48], L. Feligioni[83], D. Fellmann[6], C. Feng[33d], E.J. Feng[6], A.B. Fenyuk[128], J. Ferencei[144b], W. Fernando[6], S. Ferrag[53], J. Ferrando[53], V. Ferrara[42], A. Ferrari[166], P. Ferrari[105], R. Ferrari[119a], D.E. Ferreira de Lima[53], A. Ferrer[167], D. Ferrere[49], C. Ferretti[87], A. Ferretto Parodi[50a,50b], M. Fiascaris[31], F. Fiedler[81], A. Filipčič[74], F. Filthaut[104], M. Fincke-Keeler[169], M.C.N. Fiolhais[124a,h], L. Fiorini[167], A. Firan[40], G. Fischer[42], M.J. Fisher[109], M. Flechl[48], I. Fleck[141], J. Fleckner[81], P. Fleischmann[174], S. Fleischmann[175], T. Flick[175], A. Floderus[79], L.R. Flores Castillo[173], M.J. Flowerdew[99], T. Fonseca Martin[17], A. Formica[136], A. Forti[82], D. Fortin[159a], D. Fournier[115], A.J. Fowler[45], H. Fox[71], P. Francavilla[12], M. Franchini[20a,20b], S. Franchino[119a,119b], D. Francis[30], T. Frank[172], S. Franz[30], M. Fraternali[119a,119b], S. Fratina[120], S.T. French[28], C. Friedrich[42], F. Friedrich[44], R. Froeschl[30], D. Froidevaux[30], J.A. Frost[28], C. Fukunaga[156], E. Fullana Torregrosa[30], B.G. Fulsom[143], J. Fuster[167], C. Gabaldon[30], O. Gabizon[172], T. Gadfort[25], S. Gadomski[49], G. Gagliardi[50a,50b], P. Gagnon[60], C. Galea[98], B. Galhardo[124a], E.J. Gallas[118], V. Gallo[17], B.J. Gallop[129], P. Gallus[125], K.K. Gan[109], Y.S. Gao[143,e], A. Gaponenko[15], F. Garberson[176], M. Garcia-Sciveres[15], C. García[167], J.E. García Navarro[167], R.W. Gardner[31], N. Garelli[30], H. Garitaonandia[105], V. Garonne[30], C. Gatti[47], G. Gaudio[119a], B. Gaur[141], L. Gauthier[136], P. Gauzzi[132a,132b], I.L. Gavrilenko[94], C. Gay[168], G. Gaycken[21], E.N. Gazis[10], P. Ge[33d], Z. Gecse[168], C.N.P. Gee[129], D.A.A. Geerts[105], Ch. Geich-Gimbel[21], K. Gellerstedt[146a,146b], C. Gemme[50a], A. Gemmell[53], M.H. Genest[55], S. Gentile[132a,132b], M. George[54], S. George[76], P. Gerlach[175], A. Gershon[153], C. Geweniger[58a], H. Ghazlane[135b], N. Ghodbane[34], B. Giacobbe[20a], S. Giagu[132a,132b], V. Giakoumopoulou[9], V. Giangiobbe[12], F. Gianotti[30], B. Gibbard[25], A. Gibson[158], S.M. Gibson[30], M. Gilchriese[15], D. Gillberg[29], A.R. Gillman[129], D.M. Gingrich[3,d],

J. Ginzburg[153], N. Giokaris[9], M.P. Giordani[164c], R. Giordano[102a,102b], F.M. Giorgi[16], P. Giovannini[99], P.F. Giraud[136], D. Giugni[89a], M. Giunta[93], P. Giusti[20a], B.K. Gjelsten[117], L.K. Gladilin[97], C. Glasman[80], J. Glatzer[48], A. Glazov[42], K.W. Glitza[175], G.L. Glonti[64], J.R. Goddard[75], J. Godfrey[142], J. Godlewski[30], M. Goebel[42], T. Göpfert[44], C. Goeringer[81], C. Gössling[43], S. Goldfarb[87], T. Golling[176], A. Gomes[124a,b], L.S. Gomez Fajardo[42], R. Gonçalo[76], J. Goncalves Pinto Firmino Da Costa[42], L. Gonella[21], S. Gonzalez[173], S. González de la Hoz[167], G. Gonzalez Parra[12], M.L. Gonzalez Silva[27], S. Gonzalez-Sevilla[49], J.J. Goodson[148], L. Goossens[30], P.A. Gorbounov[95], H.A. Gordon[25], I. Gorelov[103], G. Gorfine[175], B. Gorini[30], E. Gorini[72a,72b], A. Gorišek[74], E. Gornicki[39], B. Gosdzik[42], A.T. Goshaw[6], M. Gosselink[105], M.I. Gostkin[64], I. Gough Eschrich[163], M. Gouighri[135a], D. Goujdami[135c], M.P. Goulette[49], A.G. Goussiou[138], C. Goy[5], S. Gozpinar[23], I. Grabowska-Bold[38], P. Grafström[20a,20b], K-J. Grahn[42], F. Grancagnolo[72a], S. Grancagnolo[16], V. Grassi[148], V. Gratchev[121], N. Grau[35], H.M. Gray[30], J.A. Gray[148], E. Graziani[134a], O.G. Grebenyuk[121], T. Greenshaw[73], Z.D. Greenwood[25,m], K. Gregersen[36], I.M. Gregor[42], P. Grenier[143], J. Griffiths[8], N. Grigalashvili[64], A.A. Grillo[137], S. Grinstein[12], Ph. Gris[34], Y.V. Grishkevich[97], J.-F. Grivaz[115], E. Gross[172], J. Grosse-Knetter[54], J. Groth-Jensen[172], K. Grybel[141], D. Guest[176], C. Guicheney[34], S. Guindon[54], U. Gul[53], H. Guler[85,p], J. Gunther[125], B. Guo[158], J. Guo[35], P. Gutierrez[111], N. Guttman[153], O. Gutzwiller[173], C. Guyot[136], C. Gwenlan[118], C.B. Gwilliam[73], A. Haas[143], S. Haas[30], C. Haber[15], H.K. Hadavand[40], D.R. Hadley[18], P. Haefner[21], F. Hahn[30], S. Haider[30], Z. Hajduk[39], H. Hakobyan[177], D. Hall[118], J. Haller[54], K. Hamacher[175], P. Hamal[113], K. Hamano[86], M. Hamer[54], A. Hamilton[145b,q], S. Hamilton[161], L. Han[33b], K. Hanagaki[116], K. Hanawa[160], M. Hance[15], C. Handel[81], P. Hanke[58a], J.R. Hansen[36], J.B. Hansen[36], J.D. Hansen[36], P.H. Hansen[36], P. Hansson[143], K. Hara[160], G.A. Hare[137], T. Harenberg[175], S. Harkusha[90], D. Harper[87], R.D. Harrington[46], O.M. Harris[138], J. Hartert[48], F. Hartjes[105], T. Haruyama[65], A. Harvey[56], S. Hasegawa[101], Y. Hasegawa[140], S. Hassani[136], S. Haug[17], M. Hauschild[30], R. Hauser[88], M. Havranek[21], C.M. Hawkes[18], R.J. Hawkings[30], A.D. Hawkins[79], D. Hawkins[163], T. Hayakawa[66], T. Hayashi[160], D. Hayden[76], C.P. Hays[118], H.S. Hayward[73], S.J. Haywood[129], M. He[33d], S.J. Head[18], V. Hedberg[79], L. Heelan[8], S. Heim[88], B. Heinemann[15], S. Heisterkamp[36], L. Helary[22], C. Heller[98], M. Heller[30], S. Hellman[146a,146b], D. Hellmich[21], C. Helsens[12], R.C.W. Henderson[71], M. Henke[58a], A. Henrichs[54], A.M. Henriques Correia[30], S. Henrot-Versille[115], C. Hensel[54], T. Henß[175], C.M. Hernandez[8], Y. Hernández Jiménez[167], R. Herrberg[16], G. Herten[48], R. Hertenberger[98], L. Hervas[30], G.G. Hesketh[77], N.P. Hessey[105], E. Higón-Rodriguez[167], J.C. Hill[28], K.H. Hiller[42], S. Hillert[21], S.J. Hillier[18], I. Hinchliffe[15], E. Hines[120], M. Hirose[116], F. Hirsch[43], D. Hirschbuehl[175], J. Hobbs[148], N. Hod[153], M.C. Hodgkinson[139], P. Hodgson[139], A. Hoecker[30], M.R. Hoeferkamp[103], J. Hoffman[40], D. Hoffmann[83], M. Hohlfeld[81], M. Holder[141], S.O. Holmgren[146a], T. Holy[127], J.L. Holzbauer[88], T.M. Hong[120], L. Hooft van Huysduynen[108], S. Horner[48], J-Y. Hostachy[55], S. Hou[151], A. Hoummada[135a], J. Howard[118], J. Howarth[82], I. Hristova[16], J. Hrivnac[115], T. Hryn'ova[5], P.J. Hsu[81], S.-C. Hsu[15], D. Hu[35], Z. Hubacek[127], F. Hubaut[83], F. Huegging[21], A. Huettmann[42], T.B. Huffman[118], E.W. Hughes[35], G. Hughes[71], M. Huhtinen[30], M. Hurwitz[15], U. Husemann[42], N. Huseynov[64,r], J. Huston[88], J. Huth[57],

G. Iacobucci[49], G. Iakovidis[10], M. Ibbotson[82], I. Ibragimov[141], L. Iconomidou-Fayard[115], J. Idarraga[115], P. Iengo[102a], O. Igonkina[105], Y. Ikegami[65], M. Ikeno[65], D. Iliadis[154], N. Ilic[158], T. Ince[21], J. Inigo-Golfin[30], P. Ioannou[9], M. Iodice[134a], K. Iordanidou[9], V. Ippolito[132a,132b], A. Irles Quiles[167], C. Isaksson[166], M. Ishino[67], M. Ishitsuka[157], R. Ishmukhametov[40], C. Issever[118], S. Istin[19a], A.V. Ivashin[128], W. Iwanski[39], H. Iwasaki[65], J.M. Izen[41], V. Izzo[102a], B. Jackson[120], J.N. Jackson[73], P. Jackson[1], M.R. Jaekel[30], V. Jain[60], K. Jakobs[48], S. Jakobsen[36], T. Jakoubek[125], J. Jakubek[127], D.K. Jana[111], E. Jansen[77], H. Jansen[30], A. Jantsch[99], M. Janus[48], G. Jarlskog[79], L. Jeanty[57], I. Jen-La Plante[31], D. Jennens[86], P. Jenni[30], A.E. Loevschall-Jensen[36], P. Jež[36], S. Jézéquel[5], M.K. Jha[20a], H. Ji[173], W. Ji[81], J. Jia[148], Y. Jiang[33b], M. Jimenez Belenguer[42], S. Jin[33a], O. Jinnouchi[157], M.D. Joergensen[36], D. Joffe[40], M. Johansen[146a,146b], K.E. Johansson[146a], P. Johansson[139], S. Johnert[42], K.A. Johns[7], K. Jon-And[146a,146b], G. Jones[170], R.W.L. Jones[71], T.J. Jones[73], C. Joram[30], P.M. Jorge[124a], K.D. Joshi[82], J. Jovicevic[147], T. Jovin[13b], X. Ju[173], C.A. Jung[43], R.M. Jungst[30], V. Juranek[125], P. Jussel[61], A. Juste Rozas[12], S. Kabana[17], M. Kaci[167], A. Kaczmarska[39], P. Kadlecik[36], M. Kado[115], H. Kagan[109], M. Kagan[57], E. Kajomovitz[152], S. Kalinin[175], L.V. Kalinovskaya[64], S. Kama[40], N. Kanaya[155], M. Kaneda[30], S. Kaneti[28], T. Kanno[157], V.A. Kantserov[96], J. Kanzaki[65], B. Kaplan[108], A. Kapliy[31], J. Kaplon[30], D. Kar[53], M. Karagounis[21], K. Karakostas[10], M. Karnevskiy[42], V. Kartvelishvili[71], A.N. Karyukhin[128], L. Kashif[173], G. Kasieczka[58b], R.D. Kass[109], A. Kastanas[14], M. Kataoka[5], Y. Kataoka[155], E. Katsoufis[10], J. Katzy[42], V. Kaushik[7], K. Kawagoe[69], T. Kawamoto[155], G. Kawamura[81], M.S. Kayl[105], S. Kazama[155], V.A. Kazanin[107], M.Y. Kazarinov[64], R. Keeler[169], P.T. Keener[120], R. Kehoe[40], M. Keil[54], G.D. Kekelidze[64], J.S. Keller[138], M. Kenyon[53], O. Kepka[125], N. Kerschen[30], B.P. Kerševan[74], S. Kersten[175], K. Kessoku[155], J. Keung[158], F. Khalil-zada[11], H. Khandanyan[146a,146b], A. Khanov[112], D. Kharchenko[64], A. Khodinov[96], A. Khomich[58a], T.J. Khoo[28], G. Khoriauli[21], A. Khoroshilov[175], V. Khovanskiy[95], E. Khramov[64], J. Khubua[51b], H. Kim[146a,146b], S.H. Kim[160], N. Kimura[171], O. Kind[16], B.T. King[73], M. King[66], R.S.B. King[118], J. Kirk[129], A.E. Kiryunin[99], T. Kishimoto[66], D. Kisielewska[38], T. Kitamura[66], T. Kittelmann[123], K. Kiuchi[160], E. Kladiva[144b], M. Klein[73], U. Klein[73], K. Kleinknecht[81], M. Klemetti[85], A. Klier[172], P. Klimek[146a,146b], A. Klimentov[25], R. Klingenberg[43], J.A. Klinger[82], E.B. Klinkby[36], T. Klioutchnikova[30], P.F. Klok[104], S. Klous[105], E.-E. Kluge[58a], T. Kluge[73], P. Kluit[105], S. Kluth[99], N.S. Knecht[158], E. Kneringer[61], E.B.F.G. Knoops[83], A. Knue[54], B.R. Ko[45], T. Kobayashi[155], M. Kobel[44], M. Kocian[143], P. Kodys[126], K. Köneke[30], A.C. König[104], S. Koenig[81], L. Köpke[81], F. Koetsveld[104], P. Koevesarki[21], T. Koffas[29], E. Koffeman[105], L.A. Kogan[118], S. Kohlmann[175], F. Kohn[54], Z. Kohout[127], T. Kohriki[65], T. Koi[143], G.M. Kolachev[107,*], H. Kolanoski[16], V. Kolesnikov[64], I. Koletsou[89a], J. Koll[88], M. Kollefrath[48], A.A. Komar[94], Y. Komori[155], T. Kondo[65], T. Kono[42,s], A.I. Kononov[48], R. Konoplich[108,t], N. Konstantinidis[77], S. Koperny[38], K. Korcyl[39], K. Kordas[154], A. Korn[118], A. Korol[107], I. Korolkov[12], E.V. Korolkova[139], V.A. Korotkov[128], O. Kortner[99], S. Kortner[99], V.V. Kostyukhin[21], S. Kotov[99], V.M. Kotov[64], A. Kotwal[45], C. Kourkoumelis[9], V. Kouskoura[154], A. Koutsman[159a], R. Kowalewski[169], T.Z. Kowalski[38], W. Kozanecki[136], A.S. Kozhin[128], V. Kral[127], V.A. Kramarenko[97], G. Kramberger[74],

M.W. Krasny[78], A. Krasznahorkay[108], J.K. Kraus[21], S. Kreiss[108], F. Krejci[127], J. Kretzschmar[73], N. Krieger[54], P. Krieger[158], K. Kroeninger[54], H. Kroha[99], J. Kroll[120], J. Kroseberg[21], J. Krstic[13a], U. Kruchonak[64], H. Krüger[21], T. Kruker[17], N. Krumnack[63], Z.V. Krumshteyn[64], T. Kubota[86], S. Kuday[4a], S. Kuehn[48], A. Kugel[58c], T. Kuhl[42], D. Kuhn[61], V. Kukhtin[64], Y. Kulchitsky[90], S. Kuleshov[32b], C. Kummer[98], M. Kuna[78], J. Kunkle[120], A. Kupco[125], H. Kurashige[66], M. Kurata[160], Y.A. Kurochkin[90], V. Kus[125], E.S. Kuwertz[147], M. Kuze[157], J. Kvita[142], R. Kwee[16], A. La Rosa[49], L. La Rotonda[37a,37b], L. Labarga[80], J. Labbe[5], S. Lablak[135a], C. Lacasta[167], F. Lacava[132a,132b], H. Lacker[16], D. Lacour[78], V.R. Lacuesta[167], E. Ladygin[64], R. Lafaye[5], B. Laforge[78], T. Lagouri[176], S. Lai[48], E. Laisne[55], M. Lamanna[30], L. Lambourne[77], C.L. Lampen[7], W. Lampl[7], E. Lancon[136], U. Landgraf[48], M.P.J. Landon[75], J.L. Lane[82], V.S. Lang[58a], C. Lange[42], A.J. Lankford[163], F. Lanni[25], K. Lantzsch[175], S. Laplace[78], C. Lapoire[21], J.F. Laporte[136], T. Lari[89a], A. Larner[118], M. Lassnig[30], P. Laurelli[47], V. Lavorini[37a,37b], W. Lavrijsen[15], P. Laycock[73], O. Le Dortz[78], E. Le Guirriec[83], C. Le Maner[158], E. Le Menedeu[12], T. LeCompte[6], F. Ledroit-Guillon[55], H. Lee[105], J.S.H. Lee[116], S.C. Lee[151], L. Lee[176], M. Lefebvre[169], M. Legendre[136], F. Legger[98], C. Leggett[15], M. Lehmacher[21], G. Lehmann Miotto[30], M.A.L. Leite[24d], R. Leitner[126], D. Lellouch[172], B. Lemmer[54], V. Lendermann[58a], K.J.C. Leney[145b], T. Lenz[105], G. Lenzen[175], B. Lenzi[30], K. Leonhardt[44], S. Leontsinis[10], F. Lepold[58a], C. Leroy[93], J-R. Lessard[169], C.G. Lester[28], C.M. Lester[120], J. Levêque[5], D. Levin[87], L.J. Levinson[172], A. Lewis[118], G.H. Lewis[108], A.M. Leyko[21], M. Leyton[16], B. Li[83], H. Li[173,u], S. Li[33b,v], X. Li[87], Z. Liang[118,w], H. Liao[34], B. Liberti[133a], P. Lichard[30], M. Lichtnecker[98], K. Lie[165], W. Liebig[14], C. Limbach[21], A. Limosani[86], M. Limper[62], S.C. Lin[151,x], F. Linde[105], J.T. Linnemann[88], E. Lipeles[120], A. Lipniacka[14], T.M. Liss[165], D. Lissauer[25], A. Lister[49], A.M. Litke[137], C. Liu[29], D. Liu[151], H. Liu[87], J.B. Liu[87], L. Liu[87], M. Liu[33b], Y. Liu[33b], M. Livan[119a,119b], S.S.A. Livermore[118], A. Lleres[55], J. Llorente Merino[80], S.L. Lloyd[75], E. Lobodzinska[42], P. Loch[7], W.S. Lockman[137], T. Loddenkoetter[21], F.K. Loebinger[82], A. Loginov[176], C.W. Loh[168], T. Lohse[16], K. Lohwasser[48], M. Lokajicek[125], V.P. Lombardo[5], R.E. Long[71], L. Lopes[124a], D. Lopez Mateos[57], J. Lorenz[98], N. Lorenzo Martinez[115], M. Losada[162], P. Loscutoff[15], F. Lo Sterzo[132a,132b], M.J. Losty[159a,*], X. Lou[41], A. Lounis[115], K.F. Loureiro[162], J. Love[6], P.A. Love[71], A.J. Lowe[143,e], F. Lu[33a], H.J. Lubatti[138], C. Luci[132a,132b], A. Lucotte[55], A. Ludwig[44], D. Ludwig[42], I. Ludwig[48], J. Ludwig[48], F. Luehring[60], G. Luijckx[105], W. Lukas[61], D. Lumb[48], L. Luminari[132a], E. Lund[117], B. Lund-Jensen[147], B. Lundberg[79], J. Lundberg[146a,146b], O. Lundberg[146a,146b], J. Lundquist[36], M. Lungwitz[81], D. Lynn[25], E. Lytken[79], H. Ma[25], L.L. Ma[173], G. Maccarrone[47], A. Macchiolo[99], B. Maček[74], J. Machado Miguens[124a], R. Mackeprang[36], R.J. Madaras[15], H.J. Maddocks[71], W.F. Mader[44], R. Maenner[58c], T. Maeno[25], P. Mättig[175], S. Mättig[81], L. Magnoni[163], E. Magradze[54], K. Mahboubi[48], S. Mahmoud[73], G. Mahout[18], C. Maiani[136], C. Maidantchik[24a], A. Maio[124a,b], S. Majewski[25], Y. Makida[65], N. Makovec[115], P. Mal[136], B. Malaescu[30], Pa. Malecki[39], P. Malecki[39], V.P. Maleev[121], F. Malek[55], U. Mallik[62], D. Malon[6], C. Malone[143], S. Maltezos[10], V. Malyshev[107], S. Malyukov[30], R. Mameghani[98], J. Mamuzic[13b], A. Manabe[65], L. Mandelli[89a], I. Mandić[74], R. Mandrysch[16], J. Maneira[124a], A. Manfredini[99], P.S. Mangeard[88], L. Manhaes de Andrade Filho[24b],

J.A. Manjarres Ramos[136], A. Mann[54], P.M. Manning[137], A. Manousakis-Katsikakis[9], B. Mansoulie[136], A. Mapelli[30], L. Mapelli[30], L. March[80], J.F. Marchand[29], F. Marchese[133a,133b], G. Marchiori[78], M. Marcisovsky[125], C.P. Marino[169], F. Marroquim[24a], Z. Marshall[30], F.K. Martens[158], L.F. Marti[17], S. Marti-Garcia[167], B. Martin[30], B. Martin[88], J.P. Martin[93], T.A. Martin[18], V.J. Martin[46], B. Martin dit Latour[49], S. Martin-Haugh[149], M. Martinez[12], V. Martinez Outschoorn[57], A.C. Martyniuk[169], M. Marx[82], F. Marzano[132a], A. Marzin[111], L. Masetti[81], T. Mashimo[155], R. Mashinistov[94], J. Masik[82], A.L. Maslennikov[107], I. Massa[20a,20b], G. Massaro[105], N. Massol[5], P. Mastrandrea[148], A. Mastroberardino[37a,37b], T. Masubuchi[155], P. Matricon[115], H. Matsunaga[155], T. Matsushita[66], C. Mattravers[118,c], J. Maurer[83], S.J. Maxfield[73], A. Mayne[139], R. Mazini[151], M. Mazur[21], L. Mazzaferro[133a,133b], M. Mazzanti[89a], J. Mc Donald[85], S.P. Mc Kee[87], A. McCarn[165], R.L. McCarthy[148], T.G. McCarthy[29], N.A. McCubbin[129], K.W. McFarlane[56,*], J.A. Mcfayden[139], G. Mchedlidze[51b], T. Mclaughlan[18], S.J. McMahon[129], R.A. McPherson[169,k], A. Meade[84], J. Mechnich[105], M. Mechtel[175], M. Medinnis[42], R. Meera-Lebbai[111], T. Meguro[116], R. Mehdiyev[93], S. Mehlhase[36], A. Mehta[73], K. Meier[58a], B. Meirose[79], C. Melachrinos[31], B.R. Mellado Garcia[173], F. Meloni[89a,89b], L. Mendoza Navas[162], Z. Meng[151,u], A. Mengarelli[20a,20b], S. Menke[99], E. Meoni[161], K.M. Mercurio[57], P. Mermod[49], L. Merola[102a,102b], C. Meroni[89a], F.S. Merritt[31], H. Merritt[109], A. Messina[30,y], J. Metcalfe[25], A.S. Mete[163], C. Meyer[81], C. Meyer[31], J-P. Meyer[136], J. Meyer[174], J. Meyer[54], T.C. Meyer[30], J. Miao[33d], S. Michal[30], L. Micu[26a], R.P. Middleton[129], S. Migas[73], L. Mijović[136], G. Mikenberg[172], M. Mikestikova[125], M. Mikuž[74], D.W. Miller[31], R.J. Miller[88], W.J. Mills[168], C. Mills[57], A. Milov[172], D.A. Milstead[146a,146b], D. Milstein[172], A.A. Minaenko[128], M. Miñano Moya[167], I.A. Minashvili[64], A.I. Mincer[108], B. Mindur[38], M. Mineev[64], Y. Ming[173], L.M. Mir[12], G. Mirabelli[132a], J. Mitrevski[137], V.A. Mitsou[167], S. Mitsui[65], P.S. Miyagawa[139], J.U. Mjörnmark[79], T. Moa[146a,146b], V. Moeller[28], K. Mönig[42], N. Möser[21], S. Mohapatra[148], W. Mohr[48], R. Moles-Valls[167], A. Molfetas[30], J. Monk[77], E. Monnier[83], J. Montejo Berlingen[12], F. Monticelli[70], S. Monzani[20a,20b], R.W. Moore[3], G.F. Moorhead[86], C. Mora Herrera[49], A. Moraes[53], N. Morange[136], J. Morel[54], G. Morello[37a,37b], D. Moreno[81], M. Moreno Llácer[167], P. Morettini[50a], M. Morgenstern[44], M. Morii[57], A.K. Morley[30], G. Mornacchi[30], J.D. Morris[75], L. Morvaj[101], H.G. Moser[99], M. Mosidze[51b], J. Moss[109], R. Mount[143], E. Mountricha[10,z], S.V. Mouraviev[94,*], E.J.W. Moyse[84], F. Mueller[58a], J. Mueller[123], K. Mueller[21], T.A. Müller[98], T. Mueller[81], D. Muenstermann[30], Y. Munwes[153], W.J. Murray[129], I. Mussche[105], E. Musto[102a,102b], A.G. Myagkov[128], M. Myska[125], J. Nadal[12], K. Nagai[160], R. Nagai[157], K. Nagano[65], A. Nagarkar[109], Y. Nagasaka[59], M. Nagel[99], A.M. Nairz[30], Y. Nakahama[30], K. Nakamura[155], T. Nakamura[155], I. Nakano[110], G. Nanava[21], A. Napier[161], R. Narayan[58b], M. Nash[77,c], T. Nattermann[21], T. Naumann[42], G. Navarro[162], H.A. Neal[87], P.Yu. Nechaeva[94], T.J. Neep[82], A. Negri[119a,119b], G. Negri[30], M. Negrini[20a], S. Nektarijevic[49], A. Nelson[163], T.K. Nelson[143], S. Nemecek[125], P. Nemethy[108], A.A. Nepomuceno[24a], M. Nessi[30,aa], M.S. Neubauer[165], M. Neumann[175], A. Neusiedl[81], R.M. Neves[108], P. Nevski[25], F.M. Newcomer[120], P.R. Newman[18], V. Nguyen Thi Hong[136], R.B. Nickerson[118], R. Nicolaidou[136], B. Nicquevert[30], F. Niedercorn[115], J. Nielsen[137],

N. Nikiforou[35], A. Nikiforov[16], V. Nikolaenko[128], I. Nikolic-Audit[78], K. Nikolics[49], K. Nikolopoulos[18], H. Nilsen[48], P. Nilsson[8], Y. Ninomiya[155], A. Nisati[132a], R. Nisius[99], T. Nobe[157], L. Nodulman[6], M. Nomachi[116], I. Nomidis[154], S. Norberg[111], M. Nordberg[30], P.R. Norton[129], J. Novakova[126], M. Nozaki[65], L. Nozka[113], I.M. Nugent[159a], A.-E. Nuncio-Quiroz[21], G. Nunes Hanninger[86], T. Nunnemann[98], E. Nurse[77], B.J. O'Brien[46], S.W. O'Neale[18,*], D.C. O'Neil[142], V. O'Shea[53], L.B. Oakes[98], F.G. Oakham[29,d], H. Oberlack[99], J. Ocariz[78], A. Ochi[66], S. Oda[69], S. Odaka[65], J. Odier[83], H. Ogren[60], A. Oh[82], S.H. Oh[45], C.C. Ohm[30], T. Ohshima[101], H. Okawa[25], Y. Okumura[31], T. Okuyama[155], A. Olariu[26a], A.G. Olchevski[64], S.A. Olivares Pino[32a], M. Oliveira[124a,h], D. Oliveira Damazio[25], E. Oliver Garcia[167], D. Olivito[120], A. Olszewski[39], J. Olszowska[39], A. Onofre[124a,ab], P.U.E. Onyisi[31], C.J. Oram[159a], M.J. Oreglia[31], Y. Oren[153], D. Orestano[134a,134b], N. Orlando[72a,72b], I. Orlov[107], C. Oropeza Barrera[53], R.S. Orr[158], B. Osculati[50a,50b], R. Ospanov[120], C. Osuna[12], G. Otero y Garzon[27], J.P. Ottersbach[105], M. Ouchrif[135d], E.A. Ouellette[169], F. Ould-Saada[117], A. Ouraou[136], Q. Ouyang[33a], A. Ovcharova[15], M. Owen[82], S. Owen[139], V.E. Ozcan[19a], N. Ozturk[8], A. Pacheco Pages[12], C. Padilla Aranda[12], S. Pagan Griso[15], E. Paganis[139], C. Pahl[99], F. Paige[25], P. Pais[84], K. Pajchel[117], G. Palacino[159b], C.P. Paleari[7], S. Palestini[30], D. Pallin[34], A. Palma[124a], J.D. Palmer[18], Y.B. Pan[173], E. Panagiotopoulou[10], P. Pani[105], N. Panikashvili[87], S. Panitkin[25], D. Pantea[26a], A. Papadelis[146a], Th.D. Papadopoulou[10], A. Paramonov[6], D. Paredes Hernandez[34], W. Park[25,ac], M.A. Parker[28], F. Parodi[50a,50b], J.A. Parsons[35], U. Parzefall[48], S. Pashapour[54], E. Pasqualucci[132a], S. Passaggio[50a], A. Passeri[134a], F. Pastore[134a,134b,*], Fr. Pastore[76], G. Pásztor[49,ad], S. Pataraia[175], N. Patel[150], J.R. Pater[82], S. Patricelli[102a,102b], T. Pauly[30], M. Pecsy[144a], S. Pedraza Lopez[167], M.I. Pedraza Morales[173], S.V. Peleganchuk[107], D. Pelikan[166], H. Peng[33b], B. Penning[31], A. Penson[35], J. Penwell[60], M. Perantoni[24a], K. Perez[35,ae], T. Perez Cavalcanti[42], E. Perez Codina[159a], M.T. Pérez García-Estañ[167], V. Perez Reale[35], L. Perini[89a,89b], H. Pernegger[30], R. Perrino[72a], P. Perrodo[5], V.D. Peshekhonov[64], K. Peters[30], B.A. Petersen[30], J. Petersen[30], T.C. Petersen[36], E. Petit[5], A. Petridis[154], C. Petridou[154], E. Petrolo[132a], F. Petrucci[134a,134b], D. Petschull[42], M. Petteni[142], R. Pezoa[32b], A. Phan[86], P.W. Phillips[129], G. Piacquadio[30], A. Picazio[49], E. Piccaro[75], M. Piccinini[20a,20b], S.M. Piec[42], R. Piegaia[27], D.T. Pignotti[109], J.E. Pilcher[31], A.D. Pilkington[82], J. Pina[124a,b], M. Pinamonti[164a,164c], A. Pinder[118], J.L. Pinfold[3], B. Pinto[124a], C. Pizio[89a,89b], M. Plamondon[169], M.-A. Pleier[25], E. Plotnikova[64], A. Poblaguev[25], S. Poddar[58a], F. Podlyski[34], L. Poggioli[115], D. Pohl[21], M. Pohl[49], G. Polesello[119a], A. Policicchio[37a,37b], A. Polini[20a], J. Poll[75], V. Polychronakos[25], D. Pomeroy[23], K. Pommès[30], L. Pontecorvo[132a], B.G. Pope[88], G.A. Popeneciu[26a], D.S. Popovic[13a], A. Poppleton[30], X. Portell Bueso[30], G.E. Pospelov[99], S. Pospisil[127], I.N. Potrap[99], C.J. Potter[149], C.T. Potter[114], G. Poulard[30], J. Poveda[60], V. Pozdnyakov[64], R. Prabhu[77], P. Pralavorio[83], A. Pranko[15], S. Prasad[30], R. Pravahan[25], S. Prell[63], K. Pretzl[17], D. Price[60], J. Price[73], L.E. Price[6], D. Prieur[123], M. Primavera[72a], K. Prokofiev[108], F. Prokoshin[32b], S. Protopopescu[25], J. Proudfoot[6], X. Prudent[44], M. Przybycien[38], H. Przysiezniak[5], S. Psoroulas[21], E. Ptacek[114], E. Pueschel[84], J. Purdham[87], M. Purohit[25,ac], P. Puzo[115], Y. Pylypchenko[62], J. Qian[87], A. Quadt[54], D.R. Quarrie[15],

W.B. Quayle[173], F. Quinonez[32a], M. Raas[104], V. Radeka[25], V. Radescu[42], P. Radloff[114], T. Rador[19a], F. Ragusa[89a,89b], G. Rahal[178], A.M. Rahimi[109], D. Rahm[25], S. Rajagopalan[25], M. Rammensee[48], M. Rammes[141], A.S. Randle-Conde[40], K. Randrianarivony[29], F. Rauscher[98], T.C. Rave[48], M. Raymond[30], A.L. Read[117], D.M. Rebuzzi[119a,119b], A. Redelbach[174], G. Redlinger[25], R. Reece[120], K. Reeves[41], E. Reinherz-Aronis[153], A. Reinsch[114], I. Reisinger[43], C. Rembser[30], Z.L. Ren[151], A. Renaud[115], M. Rescigno[132a], S. Resconi[89a], B. Resende[136], P. Reznicek[98], R. Rezvani[158], R. Richter[99], E. Richter-Was[5,af], M. Ridel[78], M. Rijpstra[105], M. Rijssenbeek[148], A. Rimoldi[119a,119b], L. Rinaldi[20a], R.R. Rios[40], I. Riu[12], G. Rivoltella[89a,89b], F. Rizatdinova[112], E. Rizvi[75], S.H. Robertson[85,k], A. Robichaud-Veronneau[118], D. Robinson[28], J.E.M. Robinson[82], A. Robson[53], J.G. Rocha de Lima[106], C. Roda[122a,122b], D. Roda Dos Santos[30], N. Rodd[86], A. Roe[54], S. Roe[30], O. Røhne[117], S. Rolli[161], A. Romaniouk[96], M. Romano[20a,20b], G. Romeo[27], E. Romero Adam[167], N. Rompotis[138], L. Roos[78], E. Ros[167], S. Rosati[132a], K. Rosbach[49], A. Rose[149], M. Rose[76], G.A. Rosenbaum[158], E.I. Rosenberg[63], P.L. Rosendahl[14], O. Rosenthal[141], L. Rosselet[49], V. Rossetti[12], E. Rossi[132a,132b], L.P. Rossi[50a], M. Rotaru[26a], I. Roth[172], J. Rothberg[138], D. Rousseau[115], C.R. Royon[136], A. Rozanov[83], Y. Rozen[152], X. Ruan[33a,ag], F. Rubbo[12], I. Rubinskiy[42], N. Ruckstuhl[105], V.I. Rud[97], C. Rudolph[44], G. Rudolph[61], F. Rühr[7], A. Ruiz-Martinez[63], L. Rumyantsev[64], Z. Rurikova[48], N.A. Rusakovich[64], J.P. Rutherfoord[7], C. Ruwiedel[15,*], P. Ruzicka[125], Y.F. Ryabov[121], M. Rybar[126], G. Rybkin[115], N.C. Ryder[118], A.F. Saavedra[150], I. Sadeh[153], H.F-W. Sadrozinski[137], R. Sadykov[64], F. Safai Tehrani[132a], H. Sakamoto[155], G. Salamanna[75], A. Salamon[133a], M. Saleem[111], D. Salek[30], D. Salihagic[99], A. Salnikov[143], J. Salt[167], B.M. Salvachua Ferrando[6], D. Salvatore[37a,37b], F. Salvatore[149], A. Salvucci[104], A. Salzburger[30], D. Sampsonidis[154], B.H. Samset[117], A. Sanchez[102a,102b], V. Sanchez Martinez[167], H. Sandaker[14], H.G. Sander[81], M.P. Sanders[98], M. Sandhoff[175], T. Sandoval[28], C. Sandoval[162], R. Sandstroem[99], D.P.C. Sankey[129], A. Sansoni[47], C. Santamarina Rios[85], C. Santoni[34], R. Santonico[133a,133b], H. Santos[124a], J.G. Saraiva[124a], T. Sarangi[173], E. Sarkisyan-Grinbaum[8], F. Sarri[122a,122b], G. Sartisohn[175], O. Sasaki[65], Y. Sasaki[155], N. Sasao[67], I. Satsounkevitch[90], G. Sauvage[5,*], E. Sauvan[5], J.B. Sauvan[115], P. Savard[158,d], V. Savinov[123], D.O. Savu[30], L. Sawyer[25,m], D.H. Saxon[53], J. Saxon[120], C. Sbarra[20a], A. Sbrizzi[20a,20b], D.A. Scannicchio[163], M. Scarcella[150], J. Schaarschmidt[115], P. Schacht[99], D. Schaefer[120], U. Schäfer[81], S. Schaepe[21], S. Schaetzel[58b], A.C. Schaffer[115], D. Schaile[98], R.D. Schamberger[148], A.G. Schamov[107], V. Scharf[58a], V.A. Schegelsky[121], D. Scheirich[87], M. Schernau[163], M.I. Scherzer[35], C. Schiavi[50a,50b], J. Schieck[98], M. Schioppa[37a,37b], S. Schlenker[30], E. Schmidt[48], K. Schmieden[21], C. Schmitt[81], S. Schmitt[58b], M. Schmitz[21], B. Schneider[17], U. Schnoor[44], A. Schoening[58b], A.L.S. Schorlemmer[54], M. Schott[30], D. Schouten[159a], J. Schovancova[125], M. Schram[85], C. Schroeder[81], N. Schroer[58c], M.J. Schultens[21], J. Schultes[175], H.-C. Schultz-Coulon[58a], H. Schulz[16], M. Schumacher[48], B.A. Schumm[137], Ph. Schune[136], C. Schwanenberger[82], A. Schwartzman[143], Ph. Schwegler[99], Ph. Schwemling[78], R. Schwienhorst[88], R. Schwierz[44], J. Schwindling[136], T. Schwindt[21], M. Schwoerer[5], G. Sciolla[23], W.G. Scott[129], J. Searcy[114], G. Sedov[42], E. Sedykh[121], S.C. Seidel[103], A. Seiden[137], F. Seifert[44], J.M. Seixas[24a], G. Sekhniaidze[102a], S.J. Sekula[40], K.E. Selbach[46], D.M. Seliverstov[121],

B. Sellden[146a], G. Sellers[73], M. Seman[144b], N. Semprini-Cesari[20a,20b], C. Serfon[98], L. Serin[115], L. Serkin[54], R. Seuster[99], H. Severini[111], A. Sfyrla[30], E. Shabalina[54], M. Shamim[114], L.Y. Shan[33a], J.T. Shank[22], Q.T. Shao[86], M. Shapiro[15], P.B. Shatalov[95], K. Shaw[164a,164c], D. Sherman[176], P. Sherwood[77], A. Shibata[108], S. Shimizu[101], M. Shimojima[100], T. Shin[56], M. Shiyakova[64], A. Shmeleva[94], M.J. Shochet[31], D. Short[118], S. Shrestha[63], E. Shulga[96], M.A. Shupe[7], P. Sicho[125], A. Sidoti[132a], F. Siegert[48], Dj. Sijacki[13a], O. Silbert[172], J. Silva[124a], Y. Silver[153], D. Silverstein[143], S.B. Silverstein[146a], V. Simak[127], O. Simard[136], Lj. Simic[13a], S. Simion[115], E. Simioni[81], B. Simmons[77], R. Simoniello[89a,89b], M. Simonyan[36], P. Sinervo[158], N.B. Sinev[114], V. Sipica[141], G. Siragusa[174], A. Sircar[25], A.N. Sisakyan[64,*], S.Yu. Sivoklokov[97], J. Sjölin[146a,146b], T.B. Sjursen[14], L.A. Skinnari[15], H.P. Skottowe[57], K. Skovpen[107], P. Skubic[111], M. Slater[18], T. Slavicek[127], K. Sliwa[161], V. Smakhtin[172], B.H. Smart[46], L. Smestad[117], S.Yu. Smirnov[96], Y. Smirnov[96], L.N. Smirnova[97], O. Smirnova[79], B.C. Smith[57], D. Smith[143], K.M. Smith[53], M. Smizanska[71], K. Smolek[127], A.A. Snesarev[94], S.W. Snow[82], J. Snow[111], S. Snyder[25], R. Sobie[169,k], J. Sodomka[127], A. Soffer[153], C.A. Solans[167], M. Solar[127], J. Solc[127], E.Yu. Soldatov[96], U. Soldevila[167], E. Solfaroli Camillocci[132a,132b], A.A. Solodkov[128], O.V. Solovyanov[128], V. Solovyev[121], N. Soni[1], V. Sopko[127], B. Sopko[127], M. Sosebee[8], R. Soualah[164a,164c], A. Soukharev[107], S. Spagnolo[72a,72b], F. Spanò[76], R. Spighi[20a], G. Spigo[30], R. Spiwoks[30], M. Spousta[126,ah], T. Spreitzer[158], B. Spurlock[8], R.D. St. Denis[53], J. Stahlman[120], R. Stamen[58a], E. Stanecka[39], R.W. Stanek[6], C. Stanescu[134a], M. Stanescu-Bellu[42], M.M. Stanitzki[42], S. Stapnes[117], E.A. Starchenko[128], J. Stark[55], P. Staroba[125], P. Starovoitov[42], R. Staszewski[39], A. Staude[98], P. Stavina[144a,*], G. Steele[53], P. Steinbach[44], P. Steinberg[25], I. Stekl[127], B. Stelzer[142], H.J. Stelzer[88], O. Stelzer-Chilton[159a], H. Stenzel[52], S. Stern[99], G.A. Stewart[30], J.A. Stillings[21], M.C. Stockton[85], K. Stoerig[48], G. Stoicea[26a], S. Stonjek[99], P. Strachota[126], A.R. Stradling[8], A. Straessner[44], J. Strandberg[147], S. Strandberg[146a,146b], A. Strandlie[117], M. Strang[109], E. Strauss[143], M. Strauss[111], P. Strizenec[144b], R. Ströhmer[174], D.M. Strom[114], J.A. Strong[76,*], R. Stroynowski[40], J. Strube[129], B. Stugu[14], I. Stumer[25,*], J. Stupak[148], P. Sturm[175], N.A. Styles[42], D.A. Soh[151,w], D. Su[143], HS. Subramania[3], A. Succurro[12], Y. Sugaya[116], C. Suhr[106], M. Suk[126], V.V. Sulin[94], S. Sultansoy[4d], T. Sumida[67], X. Sun[55], J.E. Sundermann[48], K. Suruliz[139], G. Susinno[37a,37b], M.R. Sutton[149], Y. Suzuki[65], Y. Suzuki[66], M. Svatos[125], S. Swedish[168], I. Sykora[144a], T. Sykora[126], J. Sánchez[167], D. Ta[105], K. Tackmann[42], A. Taffard[163], R. Tafirout[159a], N. Taiblum[153], Y. Takahashi[101], H. Takai[25], R. Takashima[68], H. Takeda[66], T. Takeshita[140], Y. Takubo[65], M. Talby[83], A. Talyshev[107,f], M.C. Tamsett[25], K.G. Tan[86], J. Tanaka[155], R. Tanaka[115], S. Tanaka[131], S. Tanaka[65], A.J. Tanasijczuk[142], K. Tani[66], N. Tannoury[83], S. Tapprogge[81], D. Tardif[158], S. Tarem[152], F. Tarrade[29], G.F. Tartarelli[89a], P. Tas[126], M. Tasevsky[125], E. Tassi[37a,37b], M. Tatarkhanov[15], Y. Tayalati[135d], C. Taylor[77], F.E. Taylor[92], G.N. Taylor[86], W. Taylor[159b], M. Teinturier[115], F.A. Teischinger[30], M. Teixeira Dias Castanheira[75], P. Teixeira-Dias[76], K.K. Temming[48], H. Ten Kate[30], P.K. Teng[151], S. Terada[65], K. Terashi[155], J. Terron[80], M. Testa[47], R.J. Teuscher[158,k], J. Therhaag[21], T. Theveneaux-Pelzer[78], S. Thoma[48], J.P. Thomas[18], E.N. Thompson[35], P.D. Thompson[18], P.D. Thompson[158], A.S. Thompson[53], L.A. Thomsen[36], E. Thomson[120], M. Thomson[28], W.M. Thong[86], R.P. Thun[87],

F. Tian[35], M.J. Tibbetts[15], T. Tic[125], V.O. Tikhomirov[94], Y.A. Tikhonov[107,f],
S. Timoshenko[96], P. Tipton[176], S. Tisserant[83], T. Todorov[5], S. Todorova-Nova[161],
B. Toggerson[163], J. Tojo[69], S. Tokár[144a], K. Tokushuku[65], K. Tollefson[88], M. Tomoto[101],
L. Tompkins[31], K. Toms[103], A. Tonoyan[14], C. Topfel[17], N.D. Topilin[64], I. Torchiani[30],
E. Torrence[114], H. Torres[78], E. Torró Pastor[167], J. Toth[83,ad], F. Touchard[83],
D.R. Tovey[139], T. Trefzger[174], L. Tremblet[30], A. Tricoli[30], I.M. Trigger[159a], S. Trincaz-
Duvoid[78], M.F. Tripiana[70], N. Triplett[25], W. Trischuk[158], B. Trocmé[55], C. Troncon[89a],
M. Trottier-McDonald[142], M. Trzebinski[39], A. Trzupek[39], C. Tsarouchas[30], J.C-
L. Tseng[118], M. Tsiakiris[105], P.V. Tsiareshka[90], D. Tsionou[5,ai], G. Tsipolitis[10],
S. Tsiskaridze[12], V. Tsiskaridze[48], E.G. Tskhadadze[51a], I.I. Tsukerman[95], V. Tsulaia[15],
J.-W. Tsung[21], S. Tsuno[65], D. Tsybychev[148], A. Tua[139], A. Tudorache[26a], V. Tudorache[26a],
J.M. Tuggle[31], M. Turala[39], D. Turecek[127], I. Turk Cakir[4e], E. Turlay[105], R. Turra[89a,89b],
P.M. Tuts[35], A. Tykhonov[74], M. Tylmad[146a,146b], M. Tyndel[129], G. Tzanakos[9],
K. Uchida[21], I. Ueda[155], R. Ueno[29], M. Ugland[14], M. Uhlenbrock[21], M. Uhrmacher[54],
F. Ukegawa[160], G. Unal[30], A. Undrus[25], G. Unel[163], Y. Unno[65], D. Urbaniec[35],
G. Usai[8], M. Uslenghi[119a,119b], L. Vacavant[83], V. Vacek[127], B. Vachon[85], S. Vahsen[15],
J. Valenta[125], S. Valentinetti[20a,20b], A. Valero[167], S. Valkar[126], E. Valladolid Gallego[167],
S. Vallecorsa[152], J.A. Valls Ferrer[167], R. Van Berg[120], P.C. Van Der Deijl[105],
R. van der Geer[105], H. van der Graaf[105], R. Van Der Leeuw[105], E. van der Poel[105],
D. van der Ster[30], N. van Eldik[30], P. van Gemmeren[6], I. van Vulpen[105], M. Vanadia[99],
W. Vandelli[30], A. Vaniachine[6], P. Vankov[42], F. Vannucci[78], R. Vari[132a], E.W. Varnes[7],
T. Varol[84], D. Varouchas[15], A. Vartapetian[8], K.E. Varvell[150], V.I. Vassilakopoulos[56],
F. Vazeille[34], T. Vazquez Schroeder[54], G. Vegni[89a,89b], J.J. Veillet[115], F. Veloso[124a],
R. Veness[30], S. Veneziano[132a], A. Ventura[72a,72b], D. Ventura[84], M. Venturi[48],
N. Venturi[158], V. Vercesi[119a], M. Verducci[138], W. Verkerke[105], J.C. Vermeulen[105],
A. Vest[44], M.C. Vetterli[142,d], I. Vichou[165], T. Vickey[145b,aj], O.E. Vickey Boeriu[145b],
G.H.A. Viehhauser[118], S. Viel[168], M. Villa[20a,20b], M. Villaplana Perez[167], E. Vilucchi[47],
M.G. Vincter[29], E. Vinek[30], V.B. Vinogradov[64], M. Virchaux[136,*], J. Virzi[15], O. Vitells[172],
M. Viti[42], I. Vivarelli[48], F. Vives Vaque[3], S. Vlachos[10], D. Vladoiu[98], M. Vlasak[127],
A. Vogel[21], P. Vokac[127], G. Volpi[47], M. Volpi[86], G. Volpini[89a], H. von der Schmitt[99],
H. von Radziewski[48], E. von Toerne[21], V. Vorobel[126], V. Vorwerk[12], M. Vos[167],
R. Voss[30], T.T. Voss[175], J.H. Vossebeld[73], N. Vranjes[136], M. Vranjes Milosavljevic[105],
V. Vrba[125], M. Vreeswijk[105], T. Vu Anh[48], R. Vuillermet[30], I. Vukotic[31], W. Wagner[175],
P. Wagner[120], H. Wahlen[175], S. Wahrmund[44], J. Wakabayashi[101], S. Walch[87], J. Walder[71],
R. Walker[98], W. Walkowiak[141], R. Wall[176], P. Waller[73], B. Walsh[176], C. Wang[45],
H. Wang[173], H. Wang[33b,ak], J. Wang[151], J. Wang[55], R. Wang[103], S.M. Wang[151],
T. Wang[21], A. Warburton[85], C.P. Ward[28], M. Warsinsky[48], A. Washbrook[46], C. Wasicki[42],
I. Watanabe[66], P.M. Watkins[18], A.T. Watson[18], I.J. Watson[150], M.F. Watson[18],
G. Watts[138], S. Watts[82], A.T. Waugh[150], B.M. Waugh[77], M.S. Weber[17], P. Weber[54],
A.R. Weidberg[118], P. Weigell[99], J. Weingarten[54], C. Weiser[48], P.S. Wells[30], T. Wenaus[25],
D. Wendland[16], Z. Weng[151,w], T. Wengler[30], S. Wenig[30], N. Wermes[21], M. Werner[48],
P. Werner[30], M. Werth[163], M. Wessels[58a], J. Wetter[161], C. Weydert[55], K. Whalen[29],
S.J. Wheeler-Ellis[163], A. White[8], M.J. White[86], S. White[122a,122b], S.R. Whitehead[118],

D. Whiteson[163], D. Whittington[60], F. Wicek[115], D. Wicke[175], F.J. Wickens[129], W. Wiedenmann[173], M. Wielers[129], P. Wienemann[21], C. Wiglesworth[75], L.A.M. Wiik-Fuchs[48], P.A. Wijeratne[77], A. Wildauer[99], M.A. Wildt[42,s], I. Wilhelm[126], H.G. Wilkens[30], J.Z. Will[98], E. Williams[35], H.H. Williams[120], W. Willis[35], S. Willocq[84], J.A. Wilson[18], M.G. Wilson[143], A. Wilson[87], I. Wingerter-Seez[5], S. Winkelmann[48], F. Winklmeier[30], M. Wittgen[143], S.J. Wollstadt[81], M.W. Wolter[39], H. Wolters[124a,h], W.C. Wong[41], G. Wooden[87], B.K. Wosiek[39], J. Wotschack[30], M.J. Woudstra[82], K.W. Wozniak[39], K. Wraight[53], M. Wright[53], B. Wrona[73], S.L. Wu[173], X. Wu[49], Y. Wu[33b,al], E. Wulf[35], B.M. Wynne[46], S. Xella[36], M. Xiao[136], S. Xie[48], C. Xu[33b,z], D. Xu[139], B. Yabsley[150], S. Yacoob[145a,am], M. Yamada[65], H. Yamaguchi[155], A. Yamamoto[65], K. Yamamoto[63], S. Yamamoto[155], T. Yamamura[155], T. Yamanaka[155], J. Yamaoka[45], T. Yamazaki[155], Y. Yamazaki[66], Z. Yan[22], H. Yang[87], U.K. Yang[82], Y. Yang[60], Z. Yang[146a,146b], S. Yanush[91], L. Yao[33a], Y. Yao[15], Y. Yasu[65], G.V. Ybeles Smit[130], J. Ye[40], S. Ye[25], M. Yilmaz[4c], R. Yoosoofmiya[123], K. Yorita[171], R. Yoshida[6], C. Young[143], C.J. Young[118], S. Youssef[22], D. Yu[25], J. Yu[8], J. Yu[112], L. Yuan[66], A. Yurkewicz[106], M. Byszewski[30], B. Zabinski[39], R. Zaidan[62], A.M. Zaitsev[128], Z. Zajacova[30], L. Zanello[132a,132b], D. Zanzi[99], A. Zaytsev[25], C. Zeitnitz[175], M. Zeman[125], A. Zemla[39], C. Zendler[21], O. Zenin[128], T. Ženiš[144a], Z. Zinonos[122a,122b], S. Zenz[15], D. Zerwas[115], G. Zevi della Porta[57], Z. Zhan[33d], D. Zhang[33b,ak], H. Zhang[88], J. Zhang[6], X. Zhang[33d], Z. Zhang[115], L. Zhao[108], T. Zhao[138], Z. Zhao[33b], A. Zhemchugov[64], J. Zhong[118], B. Zhou[87], N. Zhou[163], Y. Zhou[151], C.G. Zhu[33d], H. Zhu[42], J. Zhu[87], Y. Zhu[33b], X. Zhuang[98], V. Zhuravlov[99], D. Zieminska[60], N.I. Zimin[64], R. Zimmermann[21], S. Zimmermann[21], S. Zimmermann[48], M. Ziolkowski[141], R. Zitoun[5], L. Živković[35], V.V. Zmouchko[128,*], G. Zobernig[173], A. Zoccoli[20a,20b], M. zur Nedden[16], V. Zutshi[106], L. Zwalinski[30].

1 School of Chemistry and Physics, University of Adelaide, Adelaide, Australia

2 Physics Department, SUNY Albany, Albany NY, United States of America

3 Department of Physics, University of Alberta, Edmonton AB, Canada

4 (a)Department of Physics, Ankara University, Ankara; (b)Department of Physics, Dumlupinar University, Kutahya; (c)Department of Physics, Gazi University, Ankara; (d)Division of Physics, TOBB University of Economics and Technology, Ankara; (e)Turkish Atomic Energy Authority, Ankara, Turkey

5 LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France

6 High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States of America

7 Department of Physics, University of Arizona, Tucson AZ, United States of America

8 Department of Physics, The University of Texas at Arlington, Arlington TX, United States of America

9 Physics Department, University of Athens, Athens, Greece

10 Physics Department, National Technical University of Athens, Zografou, Greece

11 Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

12 Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona and ICREA, Barcelona, Spain

13 [a]Institute of Physics, University of Belgrade, Belgrade; [b]Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia

14 Department for Physics and Technology, University of Bergen, Bergen, Norway

15 Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States of America

16 Department of Physics, Humboldt University, Berlin, Germany

17 Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

18 School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

19 [a]Department of Physics, Bogazici University, Istanbul; [b]Division of Physics, Dogus University, Istanbul; [c]Department of Physics Engineering, Gaziantep University, Gaziantep; [d]Department of Physics, Istanbul Technical University, Istanbul, Turkey

20 [a]INFN Sezione di Bologna; [b]Dipartimento di Fisica, Università di Bologna, Bologna, Italy

21 Physikalisches Institut, University of Bonn, Bonn, Germany

22 Department of Physics, Boston University, Boston MA, United States of America

23 Department of Physics, Brandeis University, Waltham MA, United States of America

24 [a]Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; [b]Federal University of Juiz de Fora (UFJF), Juiz de Fora; [c]Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; [d]Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil

25 Physics Department, Brookhaven National Laboratory, Upton NY, United States of America

26 [a]National Institute of Physics and Nuclear Engineering, Bucharest; [b]University Politehnica Bucharest, Bucharest; [c]West University in Timisoara, Timisoara, Romania

27 Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

28 Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

29 Department of Physics, Carleton University, Ottawa ON, Canada

30 CERN, Geneva, Switzerland

31 Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America

32 [a]Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; [b]Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

33 [a]Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; [b]Department of Modern Physics, University of Science and Technology of China, Anhui; [c]Department of Physics, Nanjing University, Jiangsu; [d]School of Physics, Shandong University, Shandong, China

34 Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France

35 Nevis Laboratory, Columbia University, Irvington NY, United States of America

36 Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark

37 [a]INFN Gruppo Collegato di Cosenza; [b]Dipartimento di Fisica, Università della Calabria, Arcavata di Rende, Italy

38 AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow, Poland

39 The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland

40 Physics Department, Southern Methodist University, Dallas TX, United States of America

41 Physics Department, University of Texas at Dallas, Richardson TX, United States of America

42 DESY, Hamburg and Zeuthen, Germany

43 Institut für Experimentelle Physik IV, Technische Universität Dortmund,

Dortmund, Germany

[44] Institut für Kern- und Teilchenphysik, Technical University Dresden, Dresden, Germany

[45] Department of Physics, Duke University, Durham NC, United States of America

[46] SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

[47] INFN Laboratori Nazionali di Frascati, Frascati, Italy

[48] Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany

[49] Section de Physique, Université de Genève, Geneva, Switzerland

[50] [a]INFN Sezione di Genova; [b]Dipartimento di Fisica, Università di Genova, Genova, Italy

[51] [a]E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; [b]High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

[52] II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

[53] SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

[54] II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany

[55] Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France

[56] Department of Physics, Hampton University, Hampton VA, United States of America

[57] Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America

[58] [a]Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; [b]Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; [c]ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany

[59] Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan

[60] Department of Physics, Indiana University, Bloomington IN, United States of America

[61] Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria

[62] University of Iowa, Iowa City IA, United States of America

[63] Department of Physics and Astronomy, Iowa State University, Ames IA, United States of America

[64] Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia

[65] KEK, High Energy Accelerator Research Organization, Tsukuba, Japan

[66] Graduate School of Science, Kobe University, Kobe, Japan

[67] Faculty of Science, Kyoto University, Kyoto, Japan

[68] Kyoto University of Education, Kyoto, Japan

[69] Department of Physics, Kyushu University, Fukuoka, Japan

[70] Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina

[71] Physics Department, Lancaster University, Lancaster, United Kingdom

[72] [a]INFN Sezione di Lecce; [b]Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy

[73] Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom

[74] Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia

[75] School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom

[76] Department of Physics, Royal Holloway University of London, Surrey, United Kingdom

[77] Department of Physics and Astronomy, University College London, London, United Kingdom

[78] Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France

[79] Fysiska institutionen, Lunds universitet, Lund, Sweden

[80] Departamento de Fisica Teorica C-15, Universidad Autonoma de Madrid, Madrid, Spain

[81] Institut für Physik, Universität Mainz, Mainz, Germany

[82] School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom

[83] CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France

[84] Department of Physics, University of Massachusetts, Amherst MA, United States of America

[85] Department of Physics, McGill University, Montreal QC, Canada

[86] School of Physics, University of Melbourne, Victoria, Australia

[87] Department of Physics, The University of Michigan, Ann Arbor MI, United States of America

[88] Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America

[89] [a]INFN Sezione di Milano; [b]Dipartimento di Fisica, Università di Milano, Milano, Italy

[90] B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus

[91] National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Republic of Belarus

[92] Department of Physics, Massachusetts Institute of Technology, Cambridge MA, United States of America

[93] Group of Particle Physics, University of Montreal, Montreal QC, Canada

[94] P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia

[95] Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia

[96] Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia

[97] Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia

[98] Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany

[99] Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany

[100] Nagasaki Institute of Applied Science, Nagasaki, Japan

[101] Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan

[102] [a]INFN Sezione di Napoli; [b]Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy

[103] Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America

[104] Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands

[105] Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands

[106] Department of Physics, Northern Illinois University, DeKalb IL, United States of America

[107] Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia

[108] Department of Physics, New York University, New York NY, United States of America

[109] Ohio State University, Columbus OH, United States of America

[110] Faculty of Science, Okayama University, Okayama, Japan

[111] Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America

[112] Department of Physics, Oklahoma State University, Stillwater OK, United States of America

[113] Palacký University, RCPTM, Olomouc, Czech Republic

[114] Center for High Energy Physics, University of Oregon, Eugene OR, United States of America

[115] LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France

[116] Graduate School of Science, Osaka University, Osaka, Japan

[117] Department of Physics, University of Oslo, Oslo, Norway

[118] Department of Physics, Oxford University, Oxford, United Kingdom

[119] (a)INFN Sezione di Pavia; (b)Dipartimento di Fisica, Università di Pavia, Pavia, Italy

[120] Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America

[121] Petersburg Nuclear Physics Institute, Gatchina, Russia

[122] (a)INFN Sezione di Pisa; (b)Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy

[123] Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America

[124] (a)Laboratorio de Instrumentacao e Fisica Experimental de Particulas - LIP, Lisboa, Portugal; (b)Departamento de Fisica Teorica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain

[125] Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic

[126] Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic

[127] Czech Technical University in Prague, Praha, Czech Republic

[128] State Research Center Institute for High Energy Physics, Protvino, Russia

[129] Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom

[130] Physics Department, University of Regina, Regina SK, Canada

[131] Ritsumeikan University, Kusatsu, Shiga, Japan

[132] (a)INFN Sezione di Roma I; (b)Dipartimento di Fisica, Università La Sapienza, Roma, Italy

[133] (a)INFN Sezione di Roma Tor Vergata; (b)Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy

[134] (a)INFN Sezione di Roma Tre; (b)Dipartimento di Fisica, Università Roma Tre, Roma, Italy

[135] (a)Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; (b)Centre National de l'Energie des Sciences Techniques Nucleaires, Rabat; (c)Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (d)Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; (e)Faculté des sciences, Université Mohammed V-Agdal, Rabat, Morocco

[136] DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat a l'Energie Atomique), Gif-sur-Yvette, France

[137] Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America

[138] Department of Physics, University of Washington, Seattle WA, United States of America

[139] Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom

[140] Department of Physics, Shinshu University, Nagano, Japan

[141] Fachbereich Physik, Universität Siegen, Siegen, Germany

[142] Department of Physics, Simon Fraser University, Burnaby BC, Canada

[143] SLAC National Accelerator Laboratory, Stanford CA, United States of America

[144] (a)Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; (b)Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic

[145] (a)Department of Physics, University of Johannesburg, Johannesburg; (b)School of Physics, University of the Witwatersrand, Johannesburg, South Africa

[146] (a)Department of Physics, Stockholm University; (b)The Oskar Klein Centre, Stockholm, Sweden

[147] Physics Department, Royal Institute of Technology, Stockholm, Sweden

[148] Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States of America

149 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom

150 School of Physics, University of Sydney, Sydney, Australia

151 Institute of Physics, Academia Sinica, Taipei, Taiwan

152 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel

153 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel

154 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece

155 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan

156 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan

157 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan

158 Department of Physics, University of Toronto, Toronto ON, Canada

159 (a)TRIUMF, Vancouver BC; (b)Department of Physics and Astronomy, York University, Toronto ON, Canada

160 Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan

161 Department of Physics and Astronomy, Tufts University, Medford MA, United States of America

162 Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia

163 Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America

164 (a)INFN Gruppo Collegato di Udine; (b)ICTP, Trieste; (c)Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy

165 Department of Physics, University of Illinois, Urbana IL, United States of America

166 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden

167 Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain

168 Department of Physics, University of British Columbia, Vancouver BC, Canada

169 Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada

170 Department of Physics, University of Warwick, Coventry, United Kingdom

171 Waseda University, Tokyo, Japan

172 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel

173 Department of Physics, University of Wisconsin, Madison WI, United States of America

174 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany

175 Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany

176 Department of Physics, Yale University, New Haven CT, United States of America

177 Yerevan Physics Institute, Yerevan, Armenia

178 Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

a Also at Laboratorio de Instrumentacao e Fisica Experimental de Particulas - LIP, Lisboa, Portugal

b Also at Faculdade de Ciencias and CFNUL, Universidade de Lisboa, Lisboa, Portugal

c Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom

d Also at TRIUMF, Vancouver BC, Canada

e Also at Department of Physics, California State University, Fresno CA, United States of America

f Also at Novosibirsk State University, Novosibirsk, Russia

[g] Also at Fermilab, Batavia IL, United States of America

[h] Also at Department of Physics, University of Coimbra, Coimbra, Portugal

[i] Also at Department of Physics, UASLP, San Luis Potosi, Mexico

[j] Also at Università di Napoli Parthenope, Napoli, Italy

[k] Also at Institute of Particle Physics (IPP), Canada

[l] Also at Department of Physics, Middle East Technical University, Ankara, Turkey

[m] Also at Louisiana Tech University, Ruston LA, United States of America

[n] Also at Dep Fisica and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal

[o] Also at Department of Physics and Astronomy, University College London, London, United Kingdom

[p] Also at Group of Particle Physics, University of Montreal, Montreal QC, Canada

[q] Also at Department of Physics, University of Cape Town, Cape Town, South Africa

[r] Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

[s] Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany

[t] Also at Manhattan College, New York NY, United States of America

[u] Also at School of Physics, Shandong University, Shandong, China

[v] Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France

[w] Also at School of Physics and Engineering, Sun Yat-sen University, Guanzhou, China

[x] Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan

[y] Also at Dipartimento di Fisica, Università La Sapienza, Roma, Italy

[z] Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat a l'Energie Atomique), Gif-sur-Yvette, France

[aa] Also at Section de Physique, Université de Genève, Geneva, Switzerland

[ab] Also at Departamento de Fisica, Universidade de Minho, Braga, Portugal

[ac] Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, United States of America

[ad] Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary

[ae] Also at California Institute of Technology, Pasadena CA, United States of America

[af] Also at Institute of Physics, Jagiellonian University, Krakow, Poland

[ag] Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France

[ah] Also at Nevis Laboratory, Columbia University, Irvington NY, United States of America

[ai] Also at Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom

[aj] Also at Department of Physics, Oxford University, Oxford, United Kingdom

[ak] Also at Institute of Physics, Academia Sinica, Taipei, Taiwan

[al] Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America

[am] Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa

[*] Deceased