

## Erratum to: Variations of sulphur isotope signatures in sulphides from the metamorphosed Ming Cu(–Au) volcanogenic massive sulphide deposit, Newfoundland Appalachians, Canada

Stefanie M. Brueckner · Stephen J. Piercey ·  
Graham D. Layne · Glenn Piercey · Paul J. Sylvester

Published online: 1 March 2015  
© Springer-Verlag Berlin Heidelberg 2015

### Erratum to: Miner Deposita DOI 10.1007/s00126-014-0567-7

Figure 6 (histogram of  $\delta^{34}\text{S}$  values of sulphides) was originally published with an incorrect legend. The correct version of this figure is provided here.


---

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00126-014-0567-7>.

S. M. Brueckner (✉) · S. J. Piercey · G. D. Layne · P. J. Sylvester  
Department of Earth Sciences, Memorial University of Newfoundland, 300 Prince Philip Drive, St. John's, NL A1B 3X5, Canada  
e-mail: s.brueckner@mun.ca

G. Piercey  
Core Research Equipment and Instrument Training Network (CREAIT), Bruneau Centre for Research and Innovation, Memorial University of Newfoundland, P.O. Box 4200, St. John's, NL A1C 5S7, Canada

*Present Address:*  
P. J. Sylvester  
Department of Geosciences, Texas Tech,  
125 Science Bldg., Lubbock, TX 79049-1053, USA



**Fig. 6** Histogram of  $\delta^{34}\text{S}$  values of sulphides from the different mineralization styles, a sample of Fe oxide schlieren in Rambler rhyolite on top of massive sulphide, and a sample of mineralized quartz vein within a mafic dyke of the Lower Footwall Zone of the Ming deposit;  $n$  = number of analyzed data points