

Functional Encryption for Randomized Functionalities in the Private-Key Setting from Minimal Assumptions*

Ilan Komargodski[†]

Department of Computer Science and Applied Mathematics, Weizmann Institute of Science,
76100 Rehovot, Israel
ilan.komargodski@weizmann.ac.il

Gil Segev[‡]

School of Computer Science and Engineering, Hebrew University of Jerusalem, 91904 Jerusalem, Israel
segev@cs.huji.ac.il

Eylon Yogev[§]

Department of Computer Science and Applied Mathematics, Weizmann Institute of Science,
76100 Rehovot, Israel
eylon.yogev@weizmann.ac.il

Communicated by Tal Rabin.

Received 20 December 2015 / Revised 7 November 2016

Online publication 14 February 2017

Abstract. We present a construction of a private-key functional encryption scheme for any family of randomized functionalities based on *any such scheme for deterministic functionalities* that is sufficiently expressive. Instantiating our construction with existing schemes for deterministic functionalities, we obtain schemes for any family of randomized functionalities based on a variety of assumptions (including the LWE assumption, simple assumptions on multilinear maps, and even the existence of any one-way function) offering various trade-offs between security and efficiency. Previously, Goyal et al. (Proceedings of the 12th theory of cryptography conference (TCC), pp 325–351, 2015) constructed a public-key functional encryption scheme for any family of randomized functionalities based on indistinguishability obfuscation. One of the key

* A preliminary version of this work appeared in the *Proceedings of the 12th Theory of Cryptography Conference (TCC)*, pages 352–377, 2015.

[†] Research supported in part by a grant from the Israel Science Foundation, the I-CORE Program of the Planning and Budgeting Committee, BSF and IMOS.

[‡] Supported by the European Union’s Seventh Framework Programme (FP7) via a Marie Curie Career Integration Grant, by the Israel Science Foundation (Grant No. 483/13), and by the Israeli Centers of Research Excellence (I-CORE) Program (Center No. 4/11).

[§] Research supported in part by a grant from the Israel Science Foundation, the I-CORE Program of the Planning and Budgeting Committee, BSF and IMOS.

insights underlying our work is that, in the private-key setting, a sufficiently expressive functional encryption scheme may be appropriately utilized for implementing proof techniques that were so far implemented based on obfuscation assumptions [such as the punctured programming technique of Sahai and Waters (Proceedings of the 46th annual ACM symposium on theory of computing (STOC), pp. 475–484, 2014)]. We view this as a contribution of independent interest that may be found useful in other settings as well.

Keywords. Functional encryption, Randomized functionalities, Punctured programming.

1. Introduction

The cryptographic community’s vision of functional encryption [15,27,30] is rapidly evolving. Whereas traditional encryption schemes offer an all-or-nothing guarantee when accessing encrypted data, functional encryption schemes offer tremendous flexibility. Specifically, such schemes support restricted decryption keys that allow users to learn specific functions of the encrypted data and nothing else.

Motivated by the early examples of functional encryption schemes for specific functionalities (such as identity-based encryption [7,17,28]), extensive research has recently been devoted to the construction of functional encryption schemes for rich and expressive families of functions (see, for example, [4–6,11,14,15,18,20,21,24,25,27,32] and the references therein).

Until very recently, research on functional encryption has focused on the case of *deterministic* functions. More specifically, in a functional encryption scheme for a family \mathcal{F} of deterministic functions, a trusted authority holds a master secret key msk that enables to generate a functional key sk_f for any function $f \in \mathcal{F}$. Now, anyone holding the functional key sk_f and an encryption of some value x can compute $f(x)$ but cannot learn any additional information about x . In many scenarios, however, dealing only with deterministic functions may be insufficient, and a more general framework allowing *randomized* functions is required.

Functional Encryption for Randomized Functionalities Motivated by various real-world scenarios, Goyal et al. [23] have recently put forward a generalization of functional encryption to randomized functionalities. In this setting, given a functional key sk_f for a randomized function f and given an encryption of a value x , one should be able to obtain a sample from the distribution $f(x)$. As Goyal et al. pointed out, the case of randomized functions presents new challenges for functional encryption. These challenges arise already when formalizing the security of functional encryption for randomized functions,¹ and then become even more noticeable when designing such schemes.

¹For example, an adversary holding a functional key sk_f and an encryption of a value x should not be able to tamper with the randomness that is used for sampling from distribution $f(x)$. This is extremely well motivated by the examples provided by Goyal et al. in the contexts of auditing an encrypted database via *randomized* sampling, and of performing differentially private analysis on an encrypted database via *randomized* perturbations. We refer the reader to [23] for more details.

Goyal et al. [23] presented a realistic framework for modeling the security of functional encryption schemes for randomized functionalities. Even more importantly, within their framework they constructed a public-key functional encryption scheme supporting the set of all randomized functionalities (that are computable by bounded-size circuits). Their construction builds upon the elegant approach of punctured programming due to Sahai and Waters [31], and they prove the security of their construction based on indistinguishability obfuscation [8,20].

Identifying the Minimal Assumptions for Functional Encryption The work of Goyal et al. [23] naturally gives rise to the intriguing question of whether functional encryption for randomized functionalities can be based on assumptions that are seemingly weaker than indistinguishability obfuscation. On the one hand, it may be the case that functional encryption for randomized functionalities is indeed a significantly more challenging primitive than functional encryption for deterministic functionalities. In this case, it would be conceivable to use the full power of indistinguishability obfuscation for constructing such schemes. On the other hand, however, it may be possible that a functional encryption scheme for randomized functions can be constructed in a direct black-box manner from any such scheme for deterministic functions.

This question is especially interesting since various functional encryption schemes for (general) deterministic functionalities are already known to exist based on assumptions that seem significantly weaker than indistinguishability obfuscation (such as Learning with Errors assumption or even the existence of any one-way function) offering various trade-offs between security and efficiency (see Sect. 2.2 for more details on the existing schemes).

1.1. Our Contributions

In this work, we consider functional encryption in the private-key setting, where the master secret key is used both for generating functional keys and for encryption. In this setting, we provide an answer to the above question: We present a construction of a private-key functional encryption scheme for any family \mathcal{F} of *randomized* functions based on *any* private-key functional encryption scheme for *deterministic* functions that is sufficiently expressive.² Inspired by the work of Goyal et al. [23] in the public-key setting, we prove the security of our construction within a similarly well-motivated framework for capturing the security of private-key functional encryption for randomized functions.

Instantiations Our resulting scheme inherits the flavor of security guaranteed by the underlying scheme (e.g., full vs. selective security, and one-key vs. many-keys security) and can be instantiated by a variety of existing functional encryption schemes. Specifically, our scheme can be based either on the Learning with Errors assumption, on obfuscation assumptions, on multilinear maps assumptions, or even on the existence of any one-way function (offering various trade-offs between security and efficiency—we refer the reader to Sect. 2.2 for more details on the possible instantiations).

²Our only assumption on the underlying scheme is that it supports the family \mathcal{F} (when viewed as a family of single-input deterministic functions), supports the evaluation procedure of a pseudorandom function family, and supports a few additional basic operations (such as conditional statements).

Applicable Scenarios Following-up on the motivating applications given by Goyal et al. [23] in the contexts of auditing an encrypted database via *randomized* sampling and of performing differentially private analysis on an encrypted database via *randomized* perturbations, we observe that these two examples are clearly valid in the private-key setting as well. Specifically, in both applications, the party that provides functional keys is more than likely the same one who encrypts the data.

Obfuscation-Based Techniques via Function Privacy One of the key insights underlying our work is that in the private-key setting, where encryption is performed honestly by the owner of the master secret key, the power of indistinguishability obfuscation may not be needed. Specifically, we observe that in some cases one can instead rely on the weaker notion of *function privacy* [1, 12, 14, 29]. Intuitively, a functional encryption scheme is function private if a functional key sk_f for a function f reveals no “unnecessary” information on f . For functional encryption in the private-key setting, this essentially means that encryptions of messages m_1, \dots, m_T together with functional keys corresponding to functions f_1, \dots, f_T reveal essentially no information other than the values $\{f_i(m_j)\}_{i,j \in [T]}$. Brakerski and Segev [14] recently showed that a function private scheme can be obtained from *any* private-key functional encryption scheme.

Building upon the notion of function privacy, we show that any *private-key* functional encryption scheme may be appropriately utilized for implementing some of the proof techniques that were so far implemented based on indistinguishability obfuscation. These include, in particular, the punctured programming approach of Sahai and Waters [31]. We view this as a contribution of independent interest that may be found useful in other settings as well. This proof technique has been recently used by Brakerski et al. [10] to present a construction of a private-key *multi-input* functional encryption scheme based on any private-key *single-input* functional encryption scheme.

1.2. Additional Related Work

A related generalization of functional encryption is that of functional encryption for *multiple-input* functions due to Goldwasser et al. [19]. A multiple-input functional encryption scheme for a function family \mathcal{F} allows generating a functional key sk_f for any function $f \in \mathcal{F}$, and this enables to compute $f(x, y)$ given an encryption of x and an encryption of y , while not learning any additional information. Although capturing the security guarantees that can be provided by such schemes is quite challenging, multiple-input functional encryption might be useful for dealing with single-input randomized functionalities: One can view a randomized function $f(x; r)$ as a two-input function, where its first input is the actual input x , and its second input is the randomness r (that is possibly derived by a PRF key). However, the construction of Goldwasser et al. is based on indistinguishability obfuscation, and our goal is to rely on weaker assumptions. In addition, it is not clear that the notion of security of Goldwasser et al. suffices for capturing our notion of “best-possible” message privacy which allows for an a priori non-negligible advantage in distinguishing the output distributions of two randomized functions (see Sects. 1.3 and 3 for our notion of privacy).

Our construction relies on the notion of function privacy for functional encryption schemes, first introduced by Boneh et al. [12, 13] in the public-key setting, and then studied by Agrawal et al. [1] and by Brakerski and Segev [14] in the private-key setting (generalizing the work on predicate privacy in the private-key setting by Shen et al. [29]). As discussed in Sect. 1.1, for functional encryption in the private-key setting, function privacy essentially means that encryptions of messages m_1, \dots, m_T together with functional keys corresponding to functions f_1, \dots, f_T reveal essentially no information other than the values $\{f_i(m_j)\}_{i,j \in [T]}$. In terms of underlying assumptions, we rely on the fact that Brakerski and Segev [14] showed that a function private scheme can be obtained from any private-key functional encryption scheme.

Lastly, Alwen et al. [2] studied the relationship between functional encryption and fully homomorphic encryption. In their work, they define the notion of a public-key multi-input functional encryption scheme for randomized functionalities and construct such a scheme assuming a public-key multi-input function encryption scheme for deterministic functionalities. This result is somewhat incomparable to ours since *public-key multi-input* functional encryption seems significantly stronger than the assumptions underlying our approach (e.g., it is known to imply indistinguishability obfuscation [19]).

1.3. Overview of Our Approach

A private-key functional encryption scheme for a family \mathcal{F} of randomized functions consists of four probabilistic polynomial-time algorithms (**Setup**, **KG**, **Enc**, **Dec**). The syntax is identical to that of functional encryption for deterministic functions (see Sect. 2.2), but the correctness and security requirements are more subtle. In this section, we begin with a brief overview of our notions of correctness and security. Then, we provide a high-level overview of our new construction, and the main ideas and challenges underlying its proof of security.

Correctness and Independence of Decrypted Values Our notion of correctness follows that of Goyal et al. [23] by adapting it to the private-key setting. Specifically, we ask that for any sequence of messages x_1, \dots, x_T and for any sequence of functions $f_1, \dots, f_T \in \mathcal{F}$, it holds that the distribution obtained by encrypting x_1, \dots, x_T and then decrypting the resulting ciphertexts with functional keys corresponding to f_1, \dots, f_T is computationally indistinguishable from the distribution $\{f_j(x_i; r_{i,j})\}_{i,j \in [T]}$ where the $r_{i,j}$'s are sampled independently and uniformly at random. As noted by Goyal et al. [23], unlike in the case of deterministic functions where it suffices to define correctness for a single ciphertext and a single key, here it is essential to define correctness for multiple (possibly correlated) ciphertexts and keys. We refer the reader to Sect. 3.1 for our formal definition.

“Best-possible” Indistinguishability-Based Message Privacy As in functional encryption for deterministic functions, we consider adversaries whose goal is to distinguish between encryptions of two challenge messages, x_0^* and x_1^* , when given access to an encryption oracle (as required in private-key encryption) and to functional keys of various functions. Recall that in the case of deterministic functions, the adversary is allowed to ask for functional keys for any function f such that $f(x_0^*) = f(x_1^*)$.

When dealing with randomized functions, however, it is significantly less clear how to prevent adversaries from choosing functions f that will enable to easily distinguish between encryptions of x_0^* and x_1^* . Our notions of message privacy ask that the functional encryption scheme under consideration will not add a non-negligible advantage to the (possibly non-negligible) advantage that adversaries may already have in distinguishing between the distributions $f(x_0^*)$ and $f(x_1^*)$. That is, given that adversaries are able to obtain a sample from the distribution $f(x_0^*)$ or from the distribution $f(x_1^*)$ using the functional key sk_f , and may already have some advantage in distinguishing these distributions, we ask for “best-possible” message privacy in the sense that essentially *no additional advantage can be gained*.

Concretely, if the distributions $f(x_0^*)$ and $f(x_1^*)$ can be efficiently distinguished with advantage at most $\Delta = \Delta(\lambda)$ to begin with (where Δ does not necessarily have to be negligible), then we require that no adversary that is given a functional key for f will be able to distinguish between encryptions of x_0^* and x_1^* with advantage larger than $\Delta + \text{neg}(\lambda)$, for some negligible function $\text{neg}(\cdot)$. More generally, an adversary that is given functional keys for $T = T(\lambda)$ such functions (and access to an encryption oracle) should not be able to distinguish between encryptions of x_0^* and x_1^* with advantage larger than $T \cdot \Delta + \text{neg}(\lambda)$. We note that our approach for realistically capturing message privacy somewhat differs from that of Goyal et al. [23], and we refer the reader to “Appendix 1” for a brief comparison between the two approaches.³

We put forward two flavors of “best-possible” message privacy, a non-adaptive flavor and an adaptive flavor, depending on the flavor of indistinguishability guarantee that is satisfied by the function family under consideration. Details follow.

Our first notion addresses function families \mathcal{F} such that for a randomly sampled $f \leftarrow \mathcal{F}$, no efficient adversary given f can output x_0 and x_1 and distinguish the distributions $f(x_0)$ and $f(x_1)$ with probability larger than Δ (note again that Δ does not have to be negligible). One possible example for such a function family is a function that on input x samples a public-key pk for a public-key encryption scheme, and outputs pk together with a randomized encryption of x . Our second notion addresses function families \mathcal{F} such that no efficient adversary can output $f \in \mathcal{F}$ together with two inputs, x_0 and x_1 , and distinguish the distributions $f(x_0)$ and $f(x_1)$ with probability larger than Δ . One possible example for such a function family is that of differentially private mechanisms, as discussed by Goyal et al. [23]. We refer the reader to Sect. 3.2 for more information and the formal definitions.

Our Construction Let $(\text{Setup}, \text{KG}, \text{Enc}, \text{Dec})$ be any private-key functional encryption scheme that provides message privacy and function privacy.⁴ Our new scheme is quite intuitive and is described as follows:

³As far as we are able to currently tell, it seems that both our scheme and the scheme of Goyal et al. [23] provide message privacy according to both of these approaches. We emphasize that we view the main contribution of our paper as basing the security of our scheme on any underlying functional encryption scheme (and avoiding obfuscation-related assumptions), and not as offering alternative notions of message privacy.

⁴As discussed above, function privacy can be assumed without loss of generality using the transformation of Brakerski and Segev [14].

- The setup and decryption algorithms are identical to those of the underlying scheme.
- The encryption algorithm on input a message x samples a string s uniformly at random and outputs an encryption $\text{ct} \leftarrow \text{Enc}(\text{msk}, (x, \perp, s, \perp))$ of x and s together with two additional “empty slots” that will be used in the security proof.
- The key-generation algorithm on input a description of a randomized function f samples a PRF key K and outputs a functional key for the deterministic function $\text{Left}_{f,K}$ defined as follows: On input (x_L, x_R, s, z) output $f(x_L; r)$ where $r = \text{PRF}_K(s)$.

The correctness and independence of our scheme follow in a straightforward manner from the correctness of the underlying scheme and the assumption that PRF is pseudorandom. In fact, it suffices that PRF is *weakly* pseudorandom (i.e., computationally indistinguishable from a truly random function when evaluated on independent and uniformly sampled inputs).

As for the message privacy of the scheme, recall that we consider adversaries that can access an encryption oracle and a key-generation oracle, and should not be able to distinguish between an encryption $\text{Enc}(\text{msk}, (x_0^*, \perp, s^*, \perp))$ of x_0^* and an encryption $\text{Enc}(\text{msk}, (x_1^*, \perp, s^*, \perp))$ of x_1^* with advantage larger than $T \cdot \Delta + \text{neg}(\lambda)$ (where T is the number of functional keys given to the adversary, and Δ is the a priori distinguishing advantage for the functions under consideration as described above).

The first step in our proof of security is to replace the challenge ciphertext with a modified challenge ciphertext $\text{Enc}(\text{msk}, (x_0^*, x_1^*, s^*, \perp))$ that contains information on both challenge messages (this is made possible due to the message privacy of the underlying scheme). Next, denoting the adversary’s key-generation queries by f_1, \dots, f_T , our goal is to replace the functional keys $\text{Left}_{f_1, K_1}, \dots, \text{Left}_{f_T, K_T}$ with the functional keys $\text{Right}_{f_1, K_1}, \dots, \text{Right}_{f_T, K_T}$, where the function $\text{Right}_{f,K}$ is defined as follows: On input (x_L, x_R, s, z) output $f(x_R; r)$ where $r = \text{PRF}_K(s)$. At this point, we note that, from the adversary’s point of view, when providing only Left keys, the modified challenge ciphertext is indistinguishable from an encryption of x_0^* , and when providing only Right keys, the modified challenge ciphertext is indistinguishable from an encryption of x_1^* .

The most challenging part of the proof is in bounding the adversary’s advantage in distinguishing the sequences of Left and Right keys, based on the function privacy and the message privacy of the underlying scheme. The basic idea is to switch the functional keys from Left to Right one by one, following different proof strategies for pre-challenge keys and for post-challenge keys.⁵

When dealing with a pre-challenge key sk_f , the function f is already known when producing the challenge ciphertext. Therefore, we can use the message privacy of the underlying scheme and replace the (already-modified) challenge ciphertext with $\text{Enc}(\text{msk}, (x_0^*, x_1^*, s^*, z^*))$, where $z^* = f(x_0^*; r^*)$ and $r^* = \text{PRF}_K(s^*)$. Then, we use the function privacy of the underlying scheme and replace the functional key $\text{Left}_{f,K}$ with a functional key for the function OutputZ that simply outputs z whenever $s = s^*$. From this point on, we use the pseudorandomness of PRF and replace $r^* = \text{PRF}_K(s^*)$ with a truly uniform r^* and then replace $z^* \leftarrow f(x_0^*)$ with $z^* \leftarrow f(x_1^*)$. Similar steps

⁵We use the term *pre-challenge* keys for all functional keys that are obtained before the challenge phase, and the term *post-challenge* keys for all functional keys that are obtained after the challenge phase.

then enable us to replace the functional key **OutputZ** with a functional key for the function **Right** $_{f,K}$.

When dealing with a post-challenge key \mathbf{sk}_f , we would like to follow the same approach of embedding the value $f(x_0^*; r^*)$ or $f(x_1^*; r^*)$. However, for post-challenge keys, the function f is not known when producing the challenge ciphertext. Instead, in this case, the challenge messages x_0^* and x_1^* are known when producing the functional key \mathbf{sk}_f . Combining this with the function privacy of the underlying scheme enables us to embed the above values in the functional key \mathbf{sk}_f , and once again replace the **Left** keys with the **Right** keys. We refer the reader to Sect. 4 for the formal description of our scheme and its proof of security.

1.4. Paper Organization

The remainder of this paper is organized as follows. In Sect. 2, we provide an overview of the basic notation and standard tools underlying our construction. In Sect. 3, we introduce our notions of security for private-key functional encryption schemes for randomized functionalities. In Sect. 4, we present our new scheme and prove its security. Formal proofs of the claims that are stated in Sect. 4 appear in “Appendices 2 and 3.”

2. Preliminaries

In this section, we present the notation and basic definitions that are used in this work. For a distribution X , we denote by $x \leftarrow X$ the process of sampling a value x from the distribution X . Similarly, for a set \mathcal{X} we denote by $x \leftarrow \mathcal{X}$ the process of sampling a value x from the uniform distribution over \mathcal{X} . For a randomized function f and an input $x \in \mathcal{X}$, we denote by $y \leftarrow f(x)$ the process of sampling a value y from the distribution $f(x)$. For an integer $n \in \mathbb{N}$, we denote by $[n]$ the set $\{1, \dots, n\}$. A function $\text{neg} : \mathbb{N} \rightarrow \mathbb{R}$ is *negligible* if for every constant $c > 0$ there exists an integer N_c such that $\text{neg}(\lambda) < \lambda^{-c}$ for all $\lambda > N_c$.

The *statistical distance* between two random variables X and Y over a finite domain Ω is defined as $\text{SD}(X, Y) = \frac{1}{2} \sum_{\omega \in \Omega} |\Pr[X = \omega] - \Pr[Y = \omega]|$. Two sequences of random variables $X = \{X_\lambda\}_{\lambda \in \mathbb{N}}$ and $Y = \{Y_\lambda\}_{\lambda \in \mathbb{N}}$ are *computationally indistinguishable* if for any probabilistic polynomial-time algorithm \mathcal{A} there exists a negligible function $\text{neg}(\cdot)$ such that $|\Pr[\mathcal{A}(1^\lambda, X_\lambda) = 1] - \Pr[\mathcal{A}(1^\lambda, Y_\lambda) = 1]| \leq \text{neg}(\lambda)$ for all sufficiently large $\lambda \in \mathbb{N}$.

2.1. Pseudorandom Functions

Let $\{\mathcal{K}_\lambda, \mathcal{X}_\lambda, \mathcal{Y}_\lambda\}_{\lambda \in \mathbb{N}}$ be a sequence of sets, and let $\text{PRF} = (\text{PRF.Gen}, \text{PRF.Eval})$ be a function family with the following syntax:

- **PRF.Gen** is a probabilistic polynomial-time algorithm that takes as input the unary representation of the security parameter λ , and outputs a key $K \in \mathcal{K}_\lambda$.
- **PRF.Eval** is a deterministic polynomial-time algorithm that takes as input a key $K \in \mathcal{K}_\lambda$ and a value $x \in \mathcal{X}_\lambda$, and outputs a value $y \in \mathcal{Y}_\lambda$.

The sets \mathcal{K}_λ , \mathcal{X}_λ , and \mathcal{Y}_λ are referred to as the *key space*, *domain*, and *range* of the function family, respectively. For easy of notation, we may denote by $\text{PRF.Eval}_K(\cdot)$ or $\text{PRF}_K(\cdot)$ the function $\text{PRF.Eval}(K, \cdot)$ for $K \in \mathcal{K}_\lambda$. The following is the standard definition of a pseudorandom function family.

Definition 2.1. (*Pseudorandomness*) A function family $\text{PRF} = (\text{PRF.Gen}, \text{PRF.Eval})$ is *pseudorandom* if for every probabilistic polynomial-time algorithm \mathcal{A} there exists a negligible function $\text{neg}(\cdot)$ such that

$$\begin{aligned} \text{Adv}_{\text{PRF}, \mathcal{A}}(\lambda) &\stackrel{\text{def}}{=} \left| \Pr_{K \leftarrow \text{PRF.Gen}(1^\lambda)} \left[\mathcal{A}^{\text{PRF.Eval}_K(\cdot)}(1^\lambda) = 1 \right] \right. \\ &\quad \left. - \Pr_{f \leftarrow F_\lambda} \left[\mathcal{A}^{f(\cdot)}(1^\lambda) = 1 \right] \right| \leq \text{neg}(\lambda), \end{aligned}$$

for all sufficiently large $\lambda \in \mathbb{N}$, where F_λ is the set of functions that map \mathcal{X}_λ into \mathcal{Y}_λ .

In addition to the standard notion of a pseudorandom function family, we rely on the seemingly stronger (yet existentially equivalent) notion of a *puncturable* pseudorandom function family [9, 16, 26, 31]. In terms of syntax, this notion asks for an additional probabilistic polynomial-time algorithm, PRF.Punc , that takes as input a key $K \in \mathcal{K}_\lambda$ and an element $x^* \in \mathcal{X}_\lambda$ and outputs a “punctured” key K_{x^*} . The properties required by such a puncturing algorithm are captured by the following definition.

Definition 2.2. (*Puncturable PRF*) A pseudorandom function family $\text{PRF} = (\text{PRF.Gen}, \text{PRF.Eval}, \text{PRF.Punc})$ is *puncturable* if the following properties are satisfied:

1. **Functionality:** For all sufficiently large $\lambda \in \mathbb{N}$, for every $x^* \in \mathcal{X}_\lambda$, and for every $x \in \mathcal{X}_\lambda \setminus \{x^*\}$ it holds that

$$\Pr_{\substack{K \leftarrow \text{PRF.Gen}(1^\lambda); \\ K_{x^*} \leftarrow \text{PRF.Punc}(K, x^*)}} [\text{PRF.Eval}_K(x) = \text{PRF.Eval}_{K_{x^*}}(x)] = 1.$$

2. **Pseudorandomness at Punctured Point:** Let $\mathcal{A} = (\mathcal{A}_1, \mathcal{A}_2)$ be any probabilistic polynomial-time algorithm such that $\mathcal{A}_1(1^\lambda)$ outputs an element $x^* \in \mathcal{X}_\lambda$ and state information **state**. Then, for any such \mathcal{A} there exists a negligible function $\text{neg}(\cdot)$ such that

$$\begin{aligned} \text{Adv}_{\text{puPRF}, \mathcal{A}}(\lambda) &\stackrel{\text{def}}{=} \left| \Pr [\mathcal{A}_2(K_{x^*}, \text{PRF.Eval}_K(x^*), \text{state}) = 1] \right. \\ &\quad \left. - \Pr [\mathcal{A}_2(K_{x^*}, y, \text{state}) = 1] \right| \leq \text{neg}(\lambda) \end{aligned}$$

for all sufficiently large $\lambda \in \mathbb{N}$, where $(x^*, \text{state}) \leftarrow \mathcal{A}_1(1^\lambda)$, $K \leftarrow \text{PRF.Gen}(1^\lambda)$, $K_{x^*} = \text{PRF.Punc}(K, x^*)$, and $y \leftarrow \mathcal{Y}_\lambda$.

As observed by [9, 16, 26, 31], the GGM construction [22] of PRFs from one-way functions can be easily altered to yield a puncturable PRF.

2.2. Private-Key Functional Encryption

A private-key functional encryption scheme over a message space $\mathcal{X} = \{\mathcal{X}_\lambda\}_{\lambda \in \mathbb{N}}$ and a function space $\mathcal{F} = \{\mathcal{F}_\lambda\}_{\lambda \in \mathbb{N}}$ is a quadruple $(\text{Setup}, \text{KG}, \text{Enc}, \text{Dec})$ of probabilistic polynomial-time algorithms. The setup algorithm **Setup** takes as input the unary representation 1^λ of the security parameter $\lambda \in \mathbb{N}$ and outputs a master-secret key msk . The key-generation algorithm **KG** takes as input a master-secret key msk and a function $f \in \mathcal{F}_\lambda$, and outputs a functional key sk_f . The encryption algorithm **Enc** takes as input a master-secret key msk and a message $x \in \mathcal{X}_\lambda$, and outputs a ciphertext ct . In terms of correctness, we require that for all sufficiently large $\lambda \in \mathbb{N}$, for every function $f \in \mathcal{F}_\lambda$ and message $x \in \mathcal{X}_\lambda$ it holds that $\text{Dec}(\text{KG}(\text{msk}, f), \text{Enc}(\text{msk}, x)) = f(x)$ with all but a negligible probability over the internal randomness of the algorithms **Setup**, **KG**, and **Enc**.

In terms of security, we rely on the private-key variants of existing indistinguishability-based notions for message privacy (see, for example, [11, 15, 27]) and function privacy (see [1, 14]). When formalizing these notions, it would be convenient to use the following standard notion of a *left-or-right oracle*.

Definition 2.3. (*Left-or-right oracle*) Let $\mathcal{O}(\cdot, \cdot)$ be a probabilistic two-input functionality. For each $b \in \{0, 1\}$, we denote by \mathcal{O}_b the probabilistic three-input functionality $\mathcal{O}_b(k, z_0, z_1) \stackrel{\text{def}}{=} \mathcal{O}(k, z_b)$.

2.2.1. Message Privacy

A functional encryption scheme is message private if the encryptions of any two messages x_0 and x_1 are computationally indistinguishable given access to an encryption oracle (as required in private-key encryption) and to functional keys for any function f such that $f(x_0^*) = f(x_1^*)$. We consider two variants of message privacy: (*full*) message privacy in which adversaries are fully adaptive, and (*selective-function*) message privacy in which adversaries must issue their key-generation queries in advance.

Definition 2.4. (*Message privacy*) A functional encryption scheme $\text{FE} = (\text{Setup}, \text{KG}, \text{Enc}, \text{Dec})$ over a message space $\mathcal{X} = \{\mathcal{X}_\lambda\}_{\lambda \in \mathbb{N}}$ and a function space $\mathcal{F} = \{\mathcal{F}_\lambda\}_{\lambda \in \mathbb{N}}$ is *message private* if for any probabilistic polynomial-time adversary \mathcal{A} there exists a negligible function $\text{neg}(\cdot)$ such that

$$\begin{aligned} \text{Adv}_{\text{FE}, \mathcal{A}, \mathcal{F}}^{\text{MP}}(\lambda) &\stackrel{\text{def}}{=} \left| \Pr \left[\mathcal{A}^{\text{KG}(\text{msk}, \cdot), \text{Enc}_0(\text{msk}, \cdot, \cdot)}(1^\lambda) = 1 \right] \right. \\ &\quad \left. - \Pr \left[\mathcal{A}^{\text{KG}(\text{msk}, \cdot), \text{Enc}_1(\text{msk}, \cdot, \cdot)}(1^\lambda) = 1 \right] \right| \leq \text{neg}(\lambda) \end{aligned}$$

for all sufficiently large $\lambda \in \mathbb{N}$, where for every $(x_0, x_1) \in \mathcal{X}_\lambda \times \mathcal{X}_\lambda$ and $f \in \mathcal{F}_\lambda$ with which \mathcal{A} queries the oracles Enc_b and **KG**, respectively, it holds that $f(x_0) = f(x_1)$. Moreover, the probability is taken over the choice of $\text{msk} \leftarrow \text{Setup}(1^\lambda)$ and the internal randomness of \mathcal{A} .

Definition 2.5. (*Selective-function message privacy*) A functional encryption scheme $\text{FE} = (\text{Setup}, \text{KG}, \text{Enc}, \text{Dec})$ over a message space $\mathcal{X} = \{\mathcal{X}_\lambda\}_{\lambda \in \mathbb{N}}$ and a function space $\mathcal{F} = \{\mathcal{F}_\lambda\}_{\lambda \in \mathbb{N}}$ is *T-selective-function message private*, where $T = T(\lambda)$, if for any probabilistic polynomial-time adversary $\mathcal{A} = (\mathcal{A}_1, \mathcal{A}_2)$, there exists a negligible function $\text{neg}(\cdot)$ such that

$$\text{Adv}_{\text{FE}, \mathcal{A}, \mathcal{F}, T}^{\text{sfMP}}(\lambda) \stackrel{\text{def}}{=} \left| \Pr \left[\text{Expt}_{\text{FE}, \mathcal{A}, \mathcal{F}, T}^{(0)}(\lambda) = 1 \right] - \Pr \left[\text{Expt}_{\text{FE}, \mathcal{A}, \mathcal{F}, T}^{(1)}(\lambda) = 1 \right] \right| \leq \text{neg}(\lambda)$$

for all sufficiently large $\lambda \in \mathbb{N}$, where for each $b \in \{0, 1\}$ and $\lambda \in \mathbb{N}$ the random variable $\text{Expt}_{\text{FE}, \mathcal{A}, \mathcal{F}, T}^{(b)}(\lambda)$ is defined as follows:

1. $\text{msk} \leftarrow \text{Setup}(1^\lambda)$.
2. $(f_1, \dots, f_T, \text{state}) \leftarrow \mathcal{A}_1(1^\lambda)$, where $f_i \in \mathcal{F}_\lambda$ for all $i \in [T]$.
3. $\text{sk}_{f_i} \leftarrow \text{KG}(\text{msk}, f_i)$ for all $i \in [T]$.
4. $b' \leftarrow \mathcal{A}_2^{\text{Enc}_b(\text{msk}, \cdot, \cdot)}(\text{sk}_{f_1}, \dots, \text{sk}_{f_T}, \text{state})$, where for each of \mathcal{A}_2 's queries $(x_0, x_1) \in \mathcal{X}_\lambda \times \mathcal{X}_\lambda$ to $\text{Enc}_b(\text{msk}, \cdot, \cdot)$ it holds that $f_i(x_0) = f_i(x_1)$ for all $i \in [T]$.
5. Output b' .

Such a scheme is *selective-function message private* if it is *T-selective-function message private* for all polynomials $T = T(\lambda)$.

Known Constructions Private-key functional encryption schemes that satisfy the notions presented in Definitions 2.4 and 2.5 (and support circuits of any a priori bounded polynomial size) are known to exist based on various assumptions. The known schemes are in fact public-key schemes, which are in particular private-key ones.

Specifically, a public-key scheme that satisfies the notion of 1-selective-function message privacy was constructed by Gorbunov, Vaikuntanathan and Wee [25] under the sole assumption that public-key encryption exists. In the private-key setting, their transformation can in fact rely on any private-key encryption scheme (and thus on any one-way function). By assuming, in addition, the existence of a pseudorandom generator computable by small-depth circuits (which is known to be implied by most concrete intractability assumptions), they construct a scheme that satisfies the notion of *T-selective-function message privacy* for any predetermined polynomial $T = T(\lambda)$. However, the length of the ciphertexts in their scheme grows linearly with T and with an upper bound on the circuit size of the functions that the scheme allows (which also has to be known ahead of time). Goldwasser et al. [24] showed that based on the Learning with Errors (LWE) assumption, *T-selective-function message privacy* can be achieved where the ciphertext size grows with T and with a bound on the depth of allowed functions.

In addition, schemes that satisfy the notion of (full) message privacy (Definition 2.4) were constructed by Boyle et al. [6] and by Ananth et al. [3] based on differing-input obfuscation, by Waters [32] based on indistinguishability obfuscation, and by Garg et al. [21] based on multilinear maps. Very recently, Ananth et al. [4] gave a generic transformation from selective-message message privacy to full message privacy. We conclude that there is a variety of constructions offering various flavors of security under various assumptions that can be used as a building block in our construction.

2.2.2. Function Privacy

A private-key functional encryption scheme is function private [1, 14, 29] if a functional key \mathbf{sk}_f for a function f reveals no “unnecessary” information on f . More generally, we ask that encryptions of messages m_1, \dots, m_T together with functional keys corresponding to functions f_1, \dots, f_T reveal essentially no information other than the values $\{f_i(m_j)\}_{i,j \in [T]}$. We consider two variants of function privacy: (*full*) function privacy in which adversaries are fully adaptive, and *selective-function* function privacy in which adversaries must issue their key-generation queries in advance.

Definition 2.6. (*Function privacy*) A functional encryption scheme $\text{FE} = (\text{Setup}, \text{KG}, \text{Enc}, \text{Dec})$ over a message space $\mathcal{X} = \{\mathcal{X}_\lambda\}_{\lambda \in \mathbb{N}}$ and a function space $\mathcal{F} = \{\mathcal{F}_\lambda\}_{\lambda \in \mathbb{N}}$ is *function private* if for any probabilistic polynomial-time adversary \mathcal{A} there exists a negligible function $\text{neg}(\cdot)$ such that

$$\begin{aligned} \text{Adv}_{\text{FE}, \mathcal{A}, \mathcal{F}}^{\text{FP}}(\lambda) &\stackrel{\text{def}}{=} \left| \Pr \left[\mathcal{A}^{\text{KG}_0(\text{msk}, \cdot, \cdot), \text{Enc}_0(\text{msk}, \cdot, \cdot)}(1^\lambda) = 1 \right] \right. \\ &\quad \left. - \Pr \left[\mathcal{A}^{\text{KG}_1(\text{msk}, \cdot, \cdot), \text{Enc}_1(\text{msk}, \cdot, \cdot)}(1^\lambda) = 1 \right] \right| \\ &\leq \text{neg}(\lambda) \end{aligned}$$

for all sufficiently large $\lambda \in \mathbb{N}$, where for every $(f_0, f_1) \in \mathcal{F}_\lambda \times \mathcal{F}_\lambda$ and $(x_0, x_1) \in \mathcal{X}_\lambda \times \mathcal{X}_\lambda$ with which \mathcal{A} queries the oracles KG_b and Enc_b , respectively, it holds that $f_0(x_0) = f_1(x_1)$. Moreover, the probability is taken over the choice of $\text{msk} \leftarrow \text{Setup}(1^\lambda)$ and the internal randomness of \mathcal{A} .

Definition 2.7. (*Selective-function function privacy*) A functional encryption scheme $\text{FE} = (\text{Setup}, \text{KG}, \text{Enc}, \text{Dec})$ over a message space $\mathcal{X} = \{\mathcal{X}_\lambda\}_{\lambda \in \mathbb{N}}$ and a function space $\mathcal{F} = \{\mathcal{F}_\lambda\}_{\lambda \in \mathbb{N}}$ is said *T-selective-function function private*, where $T = T(\lambda)$, if for any probabilistic polynomial-time adversary $\mathcal{A} = (\mathcal{A}_1, \mathcal{A}_2)$ there exists a negligible function $\text{neg}(\cdot)$ such that

$$\text{Adv}_{\text{FE}, \mathcal{A}, \mathcal{F}, T}^{\text{sFP}}(\lambda) \stackrel{\text{def}}{=} \left| \Pr \left[\text{Expt}_{\text{FE}, \mathcal{A}, \mathcal{F}, T}^{(0)}(\lambda) = 1 \right] - \Pr \left[\text{Expt}_{\text{FE}, \mathcal{A}, \mathcal{F}, T}^{(1)}(\lambda) = 1 \right] \right| \leq \text{neg}(\lambda),$$

for all sufficiently large $\lambda \in \mathbb{N}$, where for each $b \in \{0, 1\}$ and $\lambda \in \mathbb{N}$ the random variable $\text{Expt}_{\text{FE}, \mathcal{A}, \mathcal{F}, T}^{(b)}(\lambda)$ is defined as follows:

1. $\text{msk} \leftarrow \text{Setup}(1^\lambda)$.
2. $((f_{0,1}, \dots, f_{0,T}), (f_{1,1}, \dots, f_{1,T}), \text{state}) \leftarrow \mathcal{A}_1(1^\lambda)$, where $f_{\sigma,i} \in \mathcal{F}_\lambda$ for all $\sigma \in \{0, 1\}$ and $i \in [T]$.
3. $\mathbf{sk}_i^* \leftarrow \text{KG}(\text{msk}, f_{b,i})$ for all $i \in [T]$.
4. $b' \leftarrow \mathcal{A}_2^{\text{Enc}_b(\text{msk}, \cdot, \cdot)}(\mathbf{sk}_1^*, \dots, \mathbf{sk}_T^*, \text{state})$, where for each query $(x_0, x_1) \in \mathcal{X}_\lambda \times \mathcal{X}_\lambda$ to $\text{Enc}_b(\text{msk}, \cdot, \cdot)$ it holds that $f_{0,i}(x_0) = f_{1,i}(x_1)$ for all $i \in [T]$.
5. Output b' .

Such a scheme is *selective-function function private* if it is *T-selective-function function private* for all polynomials $T = T(\lambda)$.

Known Constructions Brakerski and Segev [14] showed how to transform any (selective-function or fully secure) message private functional encryption scheme into a (selective-function or fully secure, respectively) functional encryption scheme which is also function private. Thus, any instantiation of a message private (or selective-function message private) function encryption scheme as discussed in Sect. 2.2.1 can be used as a building block in our construction.

3. Private-Key Functional Encryption for Randomized Functionalities

In this section, we present a framework for capturing the security of private-key functional encryption for randomized functionalities. Our framework is inspired by that of Goyal et al. [23] in the public-key setting, but takes a slightly different approach as we discuss below.

Throughout this section, we let $\mathcal{F} = \{\mathcal{F}_\lambda\}_{\lambda \in \mathbb{N}}$ be a family of randomized functionalities, where for every $\lambda \in \mathbb{N}$ the set \mathcal{F}_λ consists of functions of the form $f : \mathcal{X}_\lambda \times \mathcal{R}_\lambda \rightarrow \mathcal{Y}_\lambda$. That is, such a function f maps \mathcal{X}_λ into \mathcal{Y}_λ using randomness from \mathcal{R}_λ .

A private-key functional encryption scheme for a family \mathcal{F} of randomized functions consists of four probabilistic polynomial-time algorithms (Setup, KG, Enc, Dec) with the same syntax that is described in Sect. 2.2 for deterministic functions. Although the syntax in this setting is the same as in the deterministic setting, the correctness and security requirements are more subtle.

3.1. Correctness and Independence

In terms of correctness, we rely on the definition of Goyal et al. [23] (when adapted to the private-key setting). As discussed in Sect. 1.3, we ask that for any sequence of messages x_1, \dots, x_T and for any sequence of functions $f_1, \dots, f_T \in \mathcal{F}$, it holds that the distribution obtained by encrypting x_1, \dots, x_T and then decrypting the resulting ciphertexts with functional keys corresponding to f_1, \dots, f_T is computationally indistinguishable from the distribution $\{f_j(x_i; r_{i,j})\}_{i,j \in [T]}$ where the $r_{i,j}$'s are sampled independently and uniformly at random.

Definition 3.1. (*Correctness*) A functional encryption scheme $\Pi = (\text{Setup}, \text{KG}, \text{Enc}, \text{Dec})$ for a family \mathcal{F} of randomized functions is *correct* if for all sufficiently large $\lambda \in \mathbb{N}$, for every polynomial $T = T(\lambda)$, and for every $x_1, \dots, x_T \in \mathcal{X}_\lambda$ and $f_1, \dots, f_T \in \mathcal{F}_\lambda$, the following two distributions are computationally indistinguishable:

- **Real**(λ) $\stackrel{\text{def}}{=} \{\text{Dec}(\text{sk}_{f_j}, \text{ct}_i)\}_{i,j \in [T]}$, where:
 - $\text{msk} \leftarrow \text{Setup}(1^\lambda)$,
 - $\text{ct}_i \leftarrow \text{Enc}(\text{msk}, x_i)$ for all $i \in [T]$,
 - $\text{sk}_{f_j} \leftarrow \text{KG}(\text{msk}, f_j)$ for all $j \in [T]$.
- **Ideal**(λ) $\stackrel{\text{def}}{=} \{f_j(x_i)\}_{i,j \in [T]}$.

As noted by Goyal et al. [23], unlike in the case of deterministic functions where it suffices to define correctness for a single ciphertext and a single key, here it is essential to define correctness for multiple (possibly correlated) ciphertexts and keys. We refer the reader to [23] for more details.

3.2. “Best-Possible” Indistinguishability-Based Message Privacy

We consider indistinguishability-based notions for capturing message privacy in private-key functional encryption for randomized functionalities. As in the (standard) case of deterministic functions (see Sect. 2.2), we consider adversaries whose goal is to distinguish between encryptions of two challenge messages x_0^* and x_1^* , when given access to an encryption oracle (as required in private-key encryption) and to functional keys of various functions. Recall that in the case of deterministic functions, the adversary is allowed to ask for functional keys for any function f such that $f(x_0^*) = f(x_1^*)$.

As discussed in Sect. 1.3, our notions of message privacy ask that the functional encryption scheme under consideration will not add any non-negligible advantage to the (possibly non-negligible) advantage that adversaries holding a functional key for a function f may already have in distinguishing between the distributions $f(x_0^*)$ and $f(x_1^*)$ to begin with. That is, given that adversaries are able to obtain a sample from the distribution $f(x_0^*)$ or from the distribution $f(x_1^*)$ using the functional key sk_f , and may already have some advantage in distinguishing these distributions, we ask for “best-possible” message privacy in the sense that essentially no additional advantage can be gained.

In what follows, we put forward two flavors of “best-possible” message privacy, depending on the flavor of indistinguishability guarantee that is satisfied by the function family under consideration.

Message Privacy for Non-adaptively Admissible Functionalities Our first notion is that of *non-adaptively admissible* function families. These are families \mathcal{F} such that for a randomly sampled $f \leftarrow \mathcal{F}$, no efficient adversary on input f can output x_0 and x_1 and distinguish the distributions $f(x_0)$ and $f(x_1)$ with probability larger than Δ (note again that Δ does not have to be negligible). One possible example for such a function family is a function that on input x samples a public-key pk for a public-key encryption scheme, and outputs pk together with a randomized encryption of x .

For such function families, we consider a corresponding notion of message privacy in which the adversary obtains functional keys only for functions that are sampled uniformly and independently from \mathcal{F} . This is formally captured by the following two definitions.

Definition 3.2. (*Non-adaptively admissible function family*) A family $\mathcal{F} = \{\mathcal{F}_\lambda\}_{\lambda \in \mathbb{N}}$ of efficiently computable randomized functions is $\Delta(\lambda)$ -*non-adaptively admissible* if for any probabilistic polynomial-time algorithm $\mathcal{A} = (\mathcal{A}_1, \mathcal{A}_2)$ it holds that

$$\text{Adv}_{\mathcal{F}, \mathcal{A}}^{\text{naADM}}(\lambda) \stackrel{\text{def}}{=} \left| \Pr \left[\text{Exp}_{\mathcal{F}, \mathcal{A}}^{\text{naADM}}(\lambda) = 1 \right] - \frac{1}{2} \right| \leq \Delta(\lambda)$$

for all sufficiently large $\lambda \in \mathbb{N}$, where the random variable $\text{Exp}_{\mathcal{F}, \mathcal{A}}^{\text{naADM}}(\lambda)$ is defined via the following experiment:

1. $b \leftarrow \{0, 1\}, f \leftarrow \mathcal{F}_\lambda$.
2. $(x_0, x_1, \text{state}) \leftarrow \mathcal{A}_1(1^\lambda, f)$.
3. $y = f(x_b; r)$ for $r \leftarrow \{0, 1\}^*$.
4. $b' \leftarrow \mathcal{A}_2(y, \text{state})$.
5. If $b' = b$ then output 1, and otherwise output 0.

Definition 3.3. (*Message privacy; non-adaptive case*) Let $\mathcal{F} = \{\mathcal{F}_\lambda\}_{\lambda \in \mathbb{N}}$ be a $\Delta(\lambda)$ -non-adaptively admissible function family. A private-key functional encryption scheme $\Pi = (\text{Setup}, \text{KG}, \text{Enc}, \text{Dec})$ is *message private with respect to \mathcal{F}* if for any probabilistic polynomial-time adversary $\mathcal{A} = (\mathcal{A}_1, \mathcal{A}_2)$ and for any polynomial $T = T(\lambda)$ there exists a negligible function $\text{neg}(\lambda)$ such that

$$\text{Adv}_{\Pi, \mathcal{F}, \mathcal{A}, T}^{\text{naMPRF}}(\lambda) \stackrel{\text{def}}{=} \left| \Pr \left[\text{Expt}_{\Pi, \mathcal{F}, \mathcal{A}, T}^{\text{naMPRF}}(\lambda) = 1 \right] - \frac{1}{2} \right| \leq T(\lambda) \cdot \Delta(\lambda) + \text{neg}(\lambda),$$

for all sufficiently large $\lambda \in \mathbb{N}$, where the random variable $\text{Expt}_{\Pi, \mathcal{F}, \mathcal{A}, T}^{\text{naMPRF}}(\lambda)$ is defined via the following experiment:

1. $b \leftarrow \{0, 1\}, \text{msk} \leftarrow \text{Setup}(1^\lambda), f_1, \dots, f_T \leftarrow \mathcal{F}_\lambda$.
2. $\text{sk}_{f_i} \leftarrow \text{KG}(\text{msk}, f_i)$ for all $i \in [T]$.
3. $(x_0^*, x_1^*, \text{state}) \leftarrow \mathcal{A}_1^{\text{Enc}(\text{msk}, \cdot)}(1^\lambda, f_1, \dots, f_T, \text{sk}_{f_1}, \dots, \text{sk}_{f_T})$.
4. $c^* = \text{Enc}(\text{msk}, x_b^*)$.
5. $b' \leftarrow \mathcal{A}_2^{\text{Enc}(\text{msk}, \cdot)}(c^*, \text{state})$.
6. If $b' = b$ then output 1, and otherwise output 0.

Message Privacy for Adaptively Admissible Functionalities Our second notion is that of *adaptively admissible* function families. These are families \mathcal{F} such that no efficient adversary can output $f \in \mathcal{F}$ together with two inputs x_0 and x_1 , and distinguish the distributions $f(x_0)$ and $f(x_1)$ with probability larger than Δ . One possible example for such a function family is that of differentially private mechanisms, as discussed by Goyal et al. [23]. Specifically, these are randomized functions that on any two inputs that differ on only a few of their entries, produce output distributions whose *statistical distance* is polynomially small (i.e., Δ is polynomial in $1/\lambda$).⁶

It is easy to observe that there are function families that are non-adaptively admissible but are not adaptively admissible. One possible example is functions of the form f_{pk} that are indexed by a public encryption key pk , and on input x output a randomized encryption of x under pk . Giving adversaries the possibility of adaptively choosing such functions, they can choose a function f_{pk} for which they know the corresponding decryption key sk . In this case, although for a randomly chosen pk the distributions $f_{\text{pk}}(x_0)$ and $f_{\text{pk}}(x_1)$ are computationally indistinguishable, they may be easily distinguishable given the randomness used by the adversary (from which it may be easy to compute the corresponding decryption key sk).

⁶The definitions of differential privacy are in fact stronger than requiring small statistical distance.

For adaptively admissible function families, we consider a corresponding notion of message privacy in which the adversary obtains functional keys for functions that are adaptively chosen from \mathcal{F} . This is formally captured by the following two definitions.

Definition 3.4. (*Adaptively admissible function family*) A family $\mathcal{F} = \{\mathcal{F}_\lambda\}_{\lambda \in \mathbb{N}}$ of efficiently computable randomized functions is $\Delta(\lambda)$ -*adaptively admissible* if for any probabilistic polynomial-time algorithm $\mathcal{A} = (\mathcal{A}_1, \mathcal{A}_2)$ it holds that

$$\text{Adv}_{\mathcal{F}, \mathcal{A}}^{\text{aADM}}(\lambda) \stackrel{\text{def}}{=} \left| \Pr \left[\text{Expt}_{\mathcal{F}, \mathcal{A}}^{\text{aADM}}(\lambda) = 1 \right] - \frac{1}{2} \right| \leq \Delta(\lambda)$$

for all sufficiently large $\lambda \in \mathbb{N}$, where the random variable $\text{Expt}_{\mathcal{F}, \mathcal{A}}^{\text{aADM}}(\lambda)$ is defined via the following experiment:

1. $b \leftarrow \{0, 1\}$.
2. $(f, x_0, x_1, \text{state}) \leftarrow \mathcal{A}_1(1^\lambda)$, where $f \in \mathcal{F}_\lambda$.
3. $y = f(x_b; r)$ for $r \leftarrow \{0, 1\}^*$.
4. $b' \leftarrow \mathcal{A}_2(y, \text{state})$.
5. If $b' = b$ then output 1, and otherwise output 0.

Definition 3.5. (*Message privacy; adaptively admissible case*) Let $\mathcal{F} = \{\mathcal{F}_\lambda\}_{\lambda \in \mathbb{N}}$ be a $\Delta(\lambda)$ -adaptively admissible function family. A private-key functional encryption scheme $\Pi = (\text{Setup}, \text{KG}, \text{Enc}, \text{Dec})$ is *message private with respect to \mathcal{F}* if for any probabilistic polynomial-time adversary $\mathcal{A} = (\mathcal{A}_1, \mathcal{A}_2)$ that issues at most $T = T(\lambda)$ key-generation queries there exists a negligible function $\text{neg}(\lambda)$ such that

$$\text{Adv}_{\Pi, \mathcal{F}, \mathcal{A}}^{\text{aMPRF}}(\lambda) \stackrel{\text{def}}{=} \left| \Pr \left[\text{Expt}_{\Pi, \mathcal{F}, \mathcal{A}}^{\text{aMPRF}}(\lambda) = 1 \right] - \frac{1}{2} \right| \leq T(\lambda) \cdot \Delta(\lambda) + \text{neg}(\lambda),$$

for all sufficiently large $\lambda \in \mathbb{N}$, where the random variable $\text{Expt}_{\Pi, \mathcal{F}, \mathcal{A}}^{\text{aMPRF}}(\lambda)$ is defined via the following experiment:

1. $b \leftarrow \{0, 1\}$, $\text{msk} \leftarrow \text{Setup}(1^\lambda)$.
2. $(x_0^*, x_1^*, \text{state}) \leftarrow \mathcal{A}_1^{\text{Enc}(\text{msk}, \cdot), \text{KG}(\text{msk}, \cdot)}(1^\lambda)$.
3. $c^* = \text{Enc}(\text{msk}, x_b^*)$.
4. $b' \leftarrow \mathcal{A}_2^{\text{Enc}(\text{msk}, \cdot), \text{KG}(\text{msk}, \cdot)}(c^*, \text{state})$.
5. If $b' = b$ then output 1, and otherwise output 0.

4. Our Functional Encryption Scheme

In this section, we present our construction of a private-key functional encryption scheme for randomized functionalities. Let $\mathcal{F} = \{\mathcal{F}_\lambda\}_{\lambda \in \mathbb{N}}$ be a family of randomized functionalities, where for every $\lambda \in \mathbb{N}$ the set \mathcal{F}_λ consists of functions of the form $f : \mathcal{X}_\lambda \times \mathcal{R}_\lambda \rightarrow \mathcal{Y}_\lambda$ (i.e., f maps \mathcal{X}_λ into \mathcal{Y}_λ using randomness from \mathcal{R}_λ). Our construction relies on the following building blocks:

Left_{f,K}(x_L, x_R, s, z): 1. Let $r = \text{PRF.Eval}(K, s)$. 2. Output $f(x_L; r)$.	Right_{f,K}(x_L, x_R, s, z): 1. Let $r = \text{PRF.Eval}(K, s)$. 2. Output $f(x_R; r)$.
---	--

Fig. 1. The functions $\text{Left}_{f,K}$ and $\text{Right}_{f,K}$. The function $\text{Left}_{f,K}$ is used by the actual scheme, whereas the function $\text{Right}_{f,K}$ is used in the proofs of its security.

1. A private-key functional encryption scheme $\text{FE} = (\text{FE.Setup}, \text{FE.KG}, \text{FE.Enc}, \text{FE.Dec})$.
2. A pseudorandom function family $\text{PRF} = (\text{PRF.Gen}, \text{PRF.Eval})$. We assume that for every $\lambda \in \mathbb{N}$ and for every key K that is produced by $\text{PRF.Gen}(1^\lambda)$, it holds that $\text{PRF.Eval}(K, \cdot) : \{0, 1\}^\lambda \rightarrow \mathcal{R}_\lambda$.

As discussed in Sect. 1.1, we assume that the scheme FE is sufficiently expressive in the sense that it supports the function family \mathcal{F} (when viewed as a family of single-input deterministic functions), the evaluation procedure of the pseudorandom function family PRF , and a few additional basic operations (such as conditional statements). Our scheme $\Pi = (\text{Setup}, \text{KG}, \text{Enc}, \text{Dec})$ is defined as follows.

- **The setup algorithm.** On input the security parameter 1^λ the setup algorithm Setup samples $\text{FE.msk} \leftarrow \text{FE.Setup}(1^\lambda)$, and outputs $\text{msk} = \text{FE.msk}$.
- **The key-generation algorithm.** On input the master secret key msk and a function $f \in \mathcal{F}_\lambda$, the key-generation algorithm KG samples $K \leftarrow \text{PRF.Gen}(1^\lambda)$ and outputs $\text{sk}_f \leftarrow \text{FE.KG}(\text{msk}, \text{Left}_{f,K})$, where $\text{Left}_{f,K}$ is a deterministic function that is defined in Figure 1.
- **The encryption algorithm.** On input the master secret key msk and a message $x \in \mathcal{X}_\lambda$, the encryption algorithm Enc samples $s \leftarrow \{0, 1\}^\lambda$ and outputs $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x, \perp, s, \perp))$.
- **The decryption algorithm.** On input a functional key sk_f and a ciphertext ct , the decryption algorithm Dec outputs $\text{FE.Dec}(\text{sk}_f, \text{ct})$.

The correctness and independence of the above scheme with respect to any family of randomized functionalities follow in a straightforward manner from the correctness of the underlying functional encryption scheme FE and the assumption that PRF is a pseudorandom function family (in fact, it suffices that PRF is a *weak* pseudorandom function family). Specifically, consider a sequence of messages x_1, \dots, x_T and a sequence of functions f_1, \dots, f_T . As the encryption $\text{FE.Enc}(\text{msk}, (x_i, \perp, s_i, \perp))$ of each message x_i uses a uniformly sampled $s_i \in \{0, 1\}^\lambda$, and the functional key for a function f_j contains a freshly sampled key K_j for the pseudorandom function family, the distribution $\{f_j(x_i; \text{PRF.Eval}(K_j, s_i))\}$ is computationally indistinguishable from the distribution $\{f_j(x_i; r_{i,j})\}$, where the $r_{i,j}$'s are sampled independently and uniformly at random.

The following two theorems capture the security of the scheme. These theorems (which are proved in Sects. 4.1 and 4.2) state that under suitable assumptions on the underlying building blocks, the scheme is message private for non-adaptively admissible randomized functionalities and for adaptively admissible randomized functionalities.




Fig. 2. The function OutputZ.

Theorem 4.1. *Assuming that PRF is a pseudorandom function family and that FE is selective-function function private, then Π is message private for non-adaptively admissible randomized functionalities.*

Theorem 4.2. *Assuming that PRF is a puncturable pseudorandom function family and that FE is function private, then Π is message private for adaptively admissible randomized functionalities.*

As discussed in Sects. 2.1 and 2.2, Theorems 4.1 and 4.2 can be instantiated based on a variety of known pseudorandom function families and functional encryption schemes. In particular, Theorem 4.1 can be based on the minimal assumption that a selective-function message private functional encryption scheme exists, and Theorem 4.2 can be based on the minimal assumption that a message private functional encryption scheme exists.

4.1. Proof of Theorem 4.1

We prove that the scheme Π is message private for non-adaptively admissible functionalities (see Definition 3.2) based on the assumptions that PRF is a pseudorandom function family and that FE is selective-function function private (see Definition 2.7).

Let \mathcal{A} be a probabilistic polynomial-time adversary that receives functional keys for at most $T = T(\lambda)$ functions (note that T may be any polynomial and is not fixed in advance), and let \mathcal{F} be a Δ -non-adaptively admissible family of randomized functionalities. We denote by f_1, \dots, f_T the functions for which \mathcal{A} receives functional keys.

We present a sequence of experiments and upper bound \mathcal{A} 's advantage in distinguishing each of the two consecutive experiments. Each of the two consecutive experiments differs either in the description of their encryption oracle or in the description of their key-generation oracle. The first experiment is the experiment $\text{Exp}_{\Pi, \mathcal{F}, \mathcal{A}, T}^{\text{naMPRF}}(\lambda)$ (see Definition 3.3), and the last experiment is completely independent of the bit b . This enables us to prove that there exists a negligible function $\text{neg}(\cdot)$ such that

$$\text{Adv}_{\Pi, \mathcal{F}, \mathcal{A}, T}^{\text{naMPRF}}(\lambda) \stackrel{\text{def}}{=} \left| \Pr \left[\text{Exp}_{\Pi, \mathcal{F}, \mathcal{A}, T}^{\text{naMPRF}}(\lambda) = 1 \right] - \frac{1}{2} \right| \leq T(\lambda) \cdot \Delta(\lambda) + \text{neg}(\lambda)$$

for all sufficiently large $\lambda \in \mathbb{N}$. Throughout the proof we use, in addition to $\text{Left}_{f, K}$ and $\text{Right}_{f, K}$ that are defined in Figure 1, the algorithm OutputZ that is described in Figure 2.

In what follows, we describe the experiments, and we refer the reader to Table 1 for a high-level overview of the differences between them.

Table 1. The differences between the experiments $\mathcal{H}^{(0)}, \dots, \mathcal{H}^{(9)}$.

Experiment	Encryption oracle	Challenge ciphertext	Functional keys
$\mathcal{H}^{(0)}$	(x, \perp, s, \perp)	$(x_b^*, \perp, s^*, \perp)$	$\text{Left}_{f,K}$
$\mathcal{H}^{(1)}$	(x, \boxed{x}, s, \perp)	$(x_b^*, \boxed{x_1^*}, s^*, \perp)$	$\text{Left}_{f,K}$
$\mathcal{H}^{(2,i)}$	(x, x, s, \perp)	$(x_b^*, x_1^*, s^*, \perp)$	$\boxed{\text{Keys } 1, \dots, i-1 : \text{Right}_{f,K}}$ Keys $i, \dots, T : \text{Left}_{f,K}$
$\mathcal{H}^{(3,i)}$	$(x, x, s, \boxed{f_i(x; \text{PRF}_{K_i}(s))})$	$(x_b^*, x_1^*, s^*, \boxed{f_i(x_b^*; \text{PRF}_{K_i}(s^*))})$	Keys $1, \dots, i-1 : \text{Right}_{f,K}$ Keys $i, \dots, T : \text{Left}_{f,K}$
$\mathcal{H}^{(4,i)}$	$(x, x, s, f_i(x; \text{PRF}_{K_i}(s)))$	$(x_b^*, x_1^*, s^*, f_i(x_b^*; \text{PRF}_{K_i}(s^*)))$	Keys $1, \dots, i-1 : \text{Right}_{f,K}$ $\boxed{\text{Key } i : \text{OutputZ}}$ Keys $i+1, \dots, T : \text{Left}_{f,K}$
$\mathcal{H}^{(5,i)}$	$(x, x, s, f_i(x; \boxed{r}))$	$(x_b^*, x_1^*, s^*, f_i(x_b^*; \boxed{r^*}))$	Keys $1, \dots, i-1 : \text{Right}_{f,K}$ Key $i : \text{OutputZ}$ Keys $i+1, \dots, T : \text{Left}_{f,K}$
$\mathcal{H}^{(6,i)}$	$(x, x, s, f_i(x; r))$	$(x_b^*, x_1^*, s^*, f_i(\boxed{x_1^*}; r^*))$	Keys $1, \dots, i-1 : \text{Right}_{f,K}$ Key $i : \text{OutputZ}$ Keys $i+1, \dots, T : \text{Left}_{f,K}$
$\mathcal{H}^{(7,i)}$	$(x, x, s, f_i(x; \boxed{\text{PRF}_{K_i}(s)}))$	$(x_b^*, x_1^*, s^*, f_i(x_1^*; \boxed{\text{PRF}_{K_i}(s^*)}))$	Keys $1, \dots, i-1 : \text{Right}_{f,K}$ Key $i : \text{OutputZ}$ Keys $i+1, \dots, T : \text{Left}_{f,K}$
$\mathcal{H}^{(8,i)}$	$(x, x, s, f_i(x; \text{PRF}_{K_i}(s)))$	$(x_b^*, x_1^*, s^*, f_i(x_1^*; \text{PRF}_{K_i}(s^*)))$	$\boxed{\text{Keys } 1, \dots, i : \text{Right}_{f,K}}$ Keys $i+1, \dots, T : \text{Left}_{f,K}$
$\mathcal{H}^{(9)}$	(x, x, s, \perp)	$(\boxed{x_1^*}, x_1^*, s^*, \perp)$	$\text{Right}_{f,K}$

Experiment $\mathcal{H}^{(0)}(\lambda)$. This is the experiment $\text{Exp}_{\Pi, \mathcal{F}, \mathcal{A}, T}^{\text{naMPRF}}(\lambda)$ (see Definition 3.3).

Experiment $\mathcal{H}^{(1)}(\lambda)$. This experiment is obtained from the experiment $\mathcal{H}^{(0)}(\lambda)$ by modifying the encryption oracle, and the distribution of the challenge ciphertext as follows. The encryption oracle on input x samples $s \leftarrow \{0, 1\}^\lambda$ and outputs $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x, \boxed{x}, s, \perp))$ instead of $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x, \boxed{\perp}, s, \perp))$. Similarly, the challenge ciphertext is computed by sampling $s^* \leftarrow \{0, 1\}^\lambda$ and outputting $\text{ct}^* \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, \boxed{x_1^*}, s^*, \perp))$ instead of $\text{ct}^* \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, \boxed{\perp}, s^*, \perp))$.

Note that for each function $f \in \{f_1, \dots, f_T\}$ with an associated PRF key K , for the deterministic function $\text{Left}_{f,K}$ it holds that $\text{Left}_{f,K}(x, x, s, \perp) = \text{Left}_{f,K}(x, \perp, s, \perp)$ (and similarly for the challenge ciphertext). Therefore, the selective-function message privacy of the underlying scheme FE (with respect to *deterministic* functions) guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(0)}$ and $\mathcal{H}^{(1)}$. Specifically, let \mathcal{F}' denote the family of deterministic functions $\text{Left}_{f,K}$ and $\text{Right}_{f,K}$ for every $f \in \mathcal{F}$ and PRF key K (as defined in Figure 1) as well as the function OutputZ (as defined in Figure 2). In “Appendix 2,” we prove the following claim:

Claim 4.3. *There exists a probabilistic polynomial-time adversary $\mathcal{B}^{(0) \rightarrow (1)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(0)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(1)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(0) \rightarrow (1)}, T}^{\text{sFMP}}(\lambda).$$

Experiment $\mathcal{H}^{(2,i)}(\lambda)$ where $i \in [T+1]$. This experiment is obtained from the experiment $\mathcal{H}^{(1)}(\lambda)$ by modifying the distribution of the functional keys as follows. The functional keys for f_1, \dots, f_{i-1} are generated as $\text{sk}_f \leftarrow \text{FE.KG}(\text{msk}, \boxed{\text{Right}_{f,K}})$ instead of as $\text{sk}_f \leftarrow \text{FE.KG}(\text{msk}, \boxed{\text{Left}_{f,K}})$ (where $\text{Right}_{f,K}$ is defined in Figure 1), and the functional keys for f_i, \dots, f_T are generated as before (i.e., as $\text{sk}_f \leftarrow \text{FE.KG}(\text{msk}, \boxed{\text{Left}_{f,K}})$). We observe that $\mathcal{H}^{(1)}(\lambda) = \mathcal{H}^{(2,1)}(\lambda)$.

Experiment $\mathcal{H}^{(3,i)}(\lambda)$ where $i \in [T]$. This experiment is obtained from the experiment $\mathcal{H}^{(2,i)}(\lambda)$ by modifying the encryption oracle, and the distribution of the challenge ciphertext as follows. The encryption oracle on input x samples $s \leftarrow \{0, 1\}^\lambda$ and outputs $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x, x, s, \boxed{z}))$, where $z = f_i(x; \text{PRF.Eval}(K_i, s))$, instead of $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x, x, s, \boxed{\perp}))$. Similarly, the challenge ciphertext is computed by sampling $s^* \leftarrow \{0, 1\}^\lambda$ and outputting $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, x_1^*, s^*, \boxed{z^*}))$, where $z^* = f_i(x_b^*; \text{PRF.Eval}(K_i, s^*))$, instead of $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, x_1^*, s^*, \boxed{\perp}))$.

Note that for function $f \in \{f_1, \dots, f_T\}$ with an associated PRF key K , for the deterministic functions $\text{Left}_{f,K}$ and $\text{Right}_{f,K}$ it holds that $\text{Left}_{f,K}(x, x, s, z) = \text{Left}_{f,K}(x, x, s, \perp)$ and $\text{Right}_{f,K}(x, x, s, z) = \text{Right}_{f,K}(x, x, s, \perp)$ (and similarly for the challenge ciphertext). Therefore, the selective-function message privacy of the underlying scheme FE (with respect to *deterministic* functions) guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(2,i)}$ and $\mathcal{H}^{(3,i)}$. In “Appendix 2,” we prove the following claim:

Claim 4.4. *For every $i \in [T]$ there exists a probabilistic polynomial-time adversary $\mathcal{B}^{(2,i) \rightarrow (3,i)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(2,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(3,i)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(2,i) \rightarrow (3,i)}, T}^{\text{sFMP}}(\lambda).$$

Experiment $\mathcal{H}^{(4,i)}(\lambda)$ where $i \in [T]$. This experiment is obtained from the experiment $\mathcal{H}^{(3,i)}(\lambda)$ by modifying the distribution of the functional key for the i th function f_i . Specifically, the functional key for f_i is computed as $\text{sk}_{f_i} \leftarrow \text{FE.KG}(\text{msk}, \boxed{\text{OutputZ}})$ instead of $\text{sk}_{f_i} \leftarrow \text{FE.KG}(\text{msk}, \boxed{\text{Left}_{f_i, K_i}})$, where the function OutputZ is defined in Figure 1.

Note that the encrypted values are all of the form $(x, x, s, f_i(x; \text{PRF.Eval}(K_i, s)))$ or of the form $(x_b^*, x_1^*, s^*, f_i(x_b^*; \text{PRF.Eval}(K_i, s^*)))$, and therefore $\text{OutputZ}(x, x, s, f_i(x; \text{PRF.Eval}(K_i, s))) = \text{Left}_{f_i, K_i}(x, x, s, f_i(x; \text{PRF.Eval}(K_i, s)))$ and similarly $\text{OutputZ}(x_b^*, x_1^*, s^*, f_i(x_b^*; \text{PRF.Eval}(K_i, s^*))) = \text{Left}_{f_i, K_i}(x_b^*, x_1^*, s^*, f_i(x_b^*; \text{PRF.Eval}(K_i, s^*)))$. Therefore, the selective-function function privacy of the underlying scheme FE (with respect to *deterministic* functions) guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(3,i)}$ and $\mathcal{H}^{(4,i)}$. In “Appendix 2,” we prove the following claim:

Claim 4.5. *For every $i \in [T]$ there exists a probabilistic polynomial-time adversary $\mathcal{B}^{(3,i) \rightarrow (4,i)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(3,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(4,i)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{FE}, \mathcal{F}, \mathcal{B}^{(3,i) \rightarrow (4,i)}, T}^{\text{sfFP}}(\lambda).$$

Experiment $\mathcal{H}^{(5,i)}(\lambda)$ where $i \in [T]$. This experiment is obtained from the experiment $\mathcal{H}^{(4,i)}(\lambda)$ by modifying the encryption oracle, and the distribution of the challenge ciphertext as follows. The encryption oracle on input x outputs $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x, x, s, z))$, where $z = f_i(x; \boxed{r})$ for a fresh and uniformly sampled value r instead of $z = f_i(x; \boxed{\text{PRF.Eval}(K_i, s)})$. Similarly, the challenge ciphertext is computed as $\text{ct}^* \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, x_1^*, s^*, z^*))$, where $z^* = f_i(x_b^*; \boxed{r^*})$ for a fresh and uniformly sampled value r^* instead of $z^* = f_i(x_b^*; \boxed{\text{PRF.Eval}(K_i, s^*)})$.

The pseudorandomness of $\text{PRF.Eval}(K_i, \cdot)$ guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(4,i)}$ and $\mathcal{H}^{(5,i)}$. In “Appendix 2,” we prove the following claim:

Claim 4.6. *For every $i \in [T]$ there exists a probabilistic polynomial-time adversary $\mathcal{B}^{(4,i) \rightarrow (5,i)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(4,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(5,i)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{PRF}, \mathcal{B}^{(4,i) \rightarrow (5,i)}}(\lambda).$$

Experiment $\mathcal{H}^{(6,i)}(\lambda)$ where $i \in [T]$. This experiment is obtained from the experiment $\mathcal{H}^{(5,i)}(\lambda)$ by computing the challenge ciphertext as $\text{ct}^* \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, x_1^*, s^*, z^*))$, where $z^* = f_i(\boxed{x_1^*}; r^*)$ instead of $z = f_i(\boxed{x_b^*}; r^*)$.

The computational admissibility of the function family \mathcal{F} guarantees that the advantage of the adversary \mathcal{A} in distinguishing experiments $\mathcal{H}^{(5,i)}$ and $\mathcal{H}^{(6,i)}$ is at most $\Delta(\lambda)$. In “Appendix 2,” we prove the following claim:

Claim 4.7. *For every $i \in [T]$ there exists a probabilistic polynomial-time adversary $\mathcal{B}^{(5,i) \rightarrow (6,i)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(5,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(6,i)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\mathcal{F}, \mathcal{B}^{(5,i) \rightarrow (6,i)}}^{\text{naADM}}(\lambda) \leq \Delta(\lambda).$$

Experiment $\mathcal{H}^{(7,i)}(\lambda)$ where $i \in [T]$. This experiment is obtained from the experiment $\mathcal{H}^{(6,i)}(\lambda)$ by modifying the encryption oracle, and the distribution of the challenge ciphertext as follows. The encryption oracle on input x outputs $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x, x, s, z))$ where $z = f_i(x; \boxed{\text{PRF.Eval}(K_i, s)})$ instead of $z = f_i(x; \boxed{r})$ for a fresh and uniformly sampled value r . Similarly, the challenge ciphertext is computed as $\text{ct}^* \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, x_1^*, s^*, z^*))$, where $z = f_i(x_1^*; \boxed{\text{PRF.Eval}(K_i, s^*)})$ instead of $z = f_i(x_1^*; \boxed{r^*})$ for a fresh and uniformly sampled value r^* .

The pseudorandomness of $\text{PRF.Eval}(K_i, \cdot)$ guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(6,i)}$ and $\mathcal{H}^{(7,i)}$. The proof of the following claim is essentially identical to the proof of Claim 4.6 (see “Appendix 2”):

Claim 4.8. *For every $i \in [T]$ there exists a probabilistic polynomial-time adversary $\mathcal{B}^{(6,i) \rightarrow (7,i)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(6,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(7,i)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{PRF}, \mathcal{B}^{(6,i) \rightarrow (7,i)}}(\lambda).$$

Experiment $\mathcal{H}^{(8,i)}(\lambda)$ where $i \in [T]$. This experiment is obtained from the experiment $\mathcal{H}^{(7,i)}(\lambda)$ by modifying the distribution of the functional key for the i th function f_i . Specifically, the functional key for f_i is computed as $\text{sk}_{f_i} \leftarrow \text{FE.KG}(\text{msk}, \boxed{\text{Right}_{f_i, K_i}})$ instead of $\text{sk}_{f_i} \leftarrow \text{FE.KG}(\text{msk}, \boxed{\text{OutputZ}})$.

As in the proof of Claim 4.5, the selective-function function privacy of the underlying scheme FE (with respect to *deterministic* functions) guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(7,i)}$ and $\mathcal{H}^{(8,i)}$. The proof of the following claim is essentially identical to the proof of Claim 4.5 (see “Appendix 2”):

Claim 4.9. *For every $i \in [T]$ there exists a probabilistic polynomial-time adversary $\mathcal{B}^{(7,i) \rightarrow (8,i)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(7,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(8,i)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(7,i) \rightarrow (8,i)}, T}^{\text{sFFP}}(\lambda).$$

Next, we observe that the experiment $\mathcal{H}^{(2,i+1)}(\lambda)$ is obtained from the experiment $\mathcal{H}^{(8,i)}(\lambda)$ by modifying the encryption oracle and the distribution of the challenge ciphertext as follows. The encryption oracle on input x outputs $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x, x, s, \boxed{\perp}))$ instead of $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x, x, s, \boxed{z}))$ where $z = f_i(x; \text{PRF.Eval}(K_i, s))$. Similarly, the challenge ciphertext is computed using $z^* = \perp$ instead of $z^* = f_i(x_1^*; \text{PRF.Eval}(K_i, s^*))$.

Note that for each function $f \in \{f_1, \dots, f_T\}$ with an associated PRF key K , for the deterministic functions $\text{Left}_{f,K}$ and $\text{Right}_{f,K}$ it holds that $\text{Left}_{f,K}(x, x, s, \perp) = \text{Left}_{f,K}(x, x, s, z)$ and $\text{Right}_{f,K}(x, x, s, \perp) = \text{Right}_{f,K}(x, x, s, z)$ (and similarly for the challenge ciphertext). Therefore, the selective-function message privacy of the underlying scheme FE (with respect to *deterministic* functions) guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(8,i)}$ and $\mathcal{H}^{(2,i+1)}$. The proof of the following claim is essentially identical to the proof of Claim 4.4 (see “Appendix 2”):

Claim 4.10. *For every $i \in [T]$ there exists a probabilistic polynomial-time adversary $\mathcal{B}^{(8,i) \rightarrow (2,i+1)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(8,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(2,i+1)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(8,i) \rightarrow (2,i+1)}, T}^{\text{sFMP}}(\lambda).$$

Experiment $\mathcal{H}^{(9)}(\lambda)$. This experiment is obtained from the experiment $\mathcal{H}^{(2,T+1)}(\lambda)$ by computing the challenge ciphertext as $\text{ct}^* \leftarrow \text{FE.Enc}(\text{msk}, (\boxed{x_1^*}, x_1^*, s^*, \perp))$ instead of $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (\boxed{x_b^*}, x_1^*, s^*, \perp))$. Note that this experiment is completely independent of the bit b , and therefore, $\Pr[\mathcal{H}^{(9)}(\lambda) = 1] = 1/2$.

In addition, note that for every function $f \in \{f_1, \dots, f_T\}$ with an associated PRF key K , for the deterministic function $\text{Right}_{f,K}$ it holds that $\text{Right}_{f,K}(x_b^*, x_1^*, s^*, \perp) = \text{Right}_{f,K}(x_1^*, x_1^*, s^*, \perp)$. Therefore, the selective-function message privacy of the underlying scheme FE (with respect to *deterministic* functions) guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(8,i)}$ and $\mathcal{H}^{(2,i+1)}$. The proof of the following claim is essentially identical to the proof of Claim 4.3 (see “Appendix 2”):

Claim 4.11. *There exists a probabilistic polynomial-time adversary $\mathcal{B}^{(2,T+1) \rightarrow (9)}$ such that*

$$\left| \Pr[\mathcal{H}^{(2,T+1)}(\lambda) = 1] - \Pr[\mathcal{H}^{(9)}(\lambda) = 1] \right| \leq \text{Adv}_{\text{FE}, \mathcal{F}, \mathcal{B}^{(2,T+1) \rightarrow (9)}, T}^{\text{sffP}}(\lambda).$$

Finally, putting together Claims 4.3–4.11 with the facts that $\text{Expt}_{\Pi, \mathcal{F}, \mathcal{A}, T}^{\text{naMPRF}}(\lambda) = \mathcal{H}^{(0)}(\lambda)$, $\mathcal{H}^{(1)}(\lambda) = \mathcal{H}^{(2,1)}(\lambda)$ and $\Pr[\mathcal{H}^{(9)}(\lambda) = 1] = 1/2$, we observe that

$$\begin{aligned} \text{Adv}_{\Pi, \mathcal{F}, \mathcal{A}, T}^{\text{naMPRF}} &\stackrel{\text{def}}{=} \left| \Pr[\text{Expt}_{\Pi, \mathcal{F}, \mathcal{A}, T}^{\text{naMPRF}}(\lambda) = 1] - \frac{1}{2} \right| \\ &= \left| \Pr[\mathcal{H}^{(0)}(\lambda) = 1] - \Pr[\mathcal{H}^{(9)}(\lambda) = 1] \right| \\ &\leq \left| \Pr[\mathcal{H}^{(0)}(\lambda) = 1] - \Pr[\mathcal{H}^{(1)}(\lambda) = 1] \right| \\ &\quad + \sum_{i=1}^T \sum_{j=2}^7 \left| \Pr[\mathcal{H}^{(j,i)}(\lambda) = 1] - \Pr[\mathcal{H}^{(j+1,i)}(\lambda) = 1] \right| \\ &\quad + \sum_{i=1}^T \left| \Pr[\mathcal{H}^{(8,i)}(\lambda) = 1] - \Pr[\mathcal{H}^{(2,i+1)}(\lambda) = 1] \right| \\ &\quad + \left| \Pr[\mathcal{H}^{(2,T+1)}(\lambda) = 1] - \Pr[\mathcal{H}^{(9)}(\lambda) = 1] \right| \\ &\leq T(\lambda) \cdot \Delta(\lambda) + \text{neg}(\lambda). \end{aligned}$$

□

4.2. Proof of Theorem 4.2

We prove that the scheme Π is message private for adaptively admissible functionalities (see Definition 3.5) based on the assumptions that PRF is a puncturable pseudorandom function family and that FE is function private (see Definition 2.6).

PuncOutputY _{f, K', y, s^*} (x_L, x_R, s, z): 1. If $s = s^*$ then output y . 2. Otherwise, let $r = \text{PRF.Eval}(K', s)$ and output $f(x_L; r)$.	PuncOutputZ _{f, K', s^*} (x_L, x_R, s, z): 1. If $s = s^*$ then output z . 2. Otherwise, let $r = \text{PRF.Eval}(K', s)$ and output $f(x_L; r)$.
--	---

Fig. 3. The functions $\text{PuncOutputY}_{f, K', y, s^*}$ and $\text{PuncOutputZ}_{f, K', s^*}$.

Let \mathcal{A} be a probabilistic polynomial-time adversary that issues at most $T_1 = T_1(\lambda)$ pre-challenge key-generation queries, at most $T_2 = T_2(\lambda)$ post-challenge key-generation queries, where $T = T_1 + T_2$ (note that T_1 and T_2 may be any polynomials and are not fixed in advance), and let \mathcal{F} be a Δ -adaptively admissible family of randomized functionalities. We denote by f_1, \dots, f_T the key-generation queries that are issued by \mathcal{A} .

We present a sequence of experiments and upper bound \mathcal{A} 's advantage in distinguishing each of the two consecutive experiments. Each of the two consecutive experiments differs either in the distribution of their challenge ciphertexts or in the distribution of the functional keys that are produced by the key-generation oracle. The first experiment is the experiment $\text{Expt}_{\Pi, \mathcal{F}, \mathcal{A}, T}^{\text{aMPRF}}(\lambda)$ (see Definition 3.5), and the last experiment is completely independent of the bit b . This enables us to prove that there exists a negligible function $\text{neg}(\cdot)$ such that

$$\text{Adv}_{\Pi, \mathcal{F}, \mathcal{A}, T}^{\text{aMPRF}}(\lambda) \stackrel{\text{def}}{=} \left| \Pr \left[\text{Expt}_{\Pi, \mathcal{F}, \mathcal{A}, T}^{\text{aMPRF}}(\lambda) = 1 \right] - \frac{1}{2} \right| \leq T(\lambda) \cdot \Delta(\lambda) + \text{neg}(\lambda)$$

for all sufficiently large $\lambda \in \mathbb{N}$. Throughout the proof we use, in addition to the functions $\text{Left}_{f, K}$ and $\text{Right}_{f, K}$ that were defined in Figure 1, the functions $\text{PuncOutputY}_{f, K', y, s^*}$ and $\text{PuncOutputZ}_{f, K', s^*}$ that are defined in Figure 3. In what follows, we describe the experiments, and we refer the reader to Table 2 for a high-level overview of the differences between them. We note that in all experiments the encryption oracle is as defined by the encryption procedure of the scheme.

Experiment $\mathcal{H}^{(0)}(\lambda)$. This is the experiment $\text{Expt}_{\Pi, \mathcal{F}, \mathcal{A}}^{\text{aMPRF}}(\lambda)$ (see Definition 3.5).

Experiment $\mathcal{H}^{(1)}(\lambda)$. This experiment is obtained from the experiment $\mathcal{H}^{(0)}(\lambda)$ by modifying the encryption oracle so that on the challenge input (x_0^*, x_1^*) it samples $s^* \leftarrow \{0, 1\}^\lambda$ and outputs $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, \boxed{x_1^*}, s^*, \perp))$ instead of $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, \boxed{\perp}, s^*, \perp))$.

Note that for each function $f \in \{f_1, \dots, f_T\}$ with an associated PRF key K , for the deterministic function $\text{Left}_{f, K}$ and the challenge ciphertext it holds that $\text{Left}_{f, K}(x_b^*, x_1^*, s^*, \perp) = \text{Left}_{f, K}(x_b^*, \perp, s^*, \perp)$. Therefore, the message privacy of the underlying scheme FE (with respect to *deterministic* functions) guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(0)}$ and $\mathcal{H}^{(1)}$. Specifically, let \mathcal{F}' denote the family of deterministic functions $\text{Left}_{f, K}$ and $\text{Right}_{f, K}$ for every $f \in \mathcal{F}$ and PRF key K (as defined in Figure 1) as well as the function

Table 2. The differences between the experiments $\mathcal{H}^{(0)}, \dots, \mathcal{H}^{(11)}$.

Experiment	Challenge ciphertext	Key-generation (pre-challenge)	oracle	Key-generation (post-challenge)	oracle
$\mathcal{H}^{(0)}$	$(x_b^*, \perp, s^*, \perp)$	$\text{Left}_{f,K}$		$\text{Left}_{f,K}$	
$\mathcal{H}^{(1)}$	$(x_b^*, \boxed{x_1^*}, s^*, \perp)$	$\text{Left}_{f,K}$		$\text{Left}_{f,K}$	
$\mathcal{H}^{(2,i)}$	$(x_b^*, x_1^*, s^*, \perp)$	$\text{Left}_{f,K}$		$\text{PuncOutputY}_{f,K',y,s^*}$	<div>Keys $T_1 + 1, \dots, T_1 + i - 1$:</div> <div>$y \leftarrow f(x_b^*)$</div> <div>Keys $T_1 + i, \dots, T$:</div> <div>$y = f(x_b^*; \text{PRF}_K(s^*))$</div>
$\mathcal{H}^{(3,i)}$	$(x_b^*, x_1^*, s^*, \perp)$	$\text{Left}_{f,K}$		$\text{PuncOutputY}_{f,K',y,s^*}$	<div>Keys $T_1 + 1, \dots, T_1 + i - 1$:</div> <div>$y \leftarrow f(x_1^*)$</div> <div>Keys $T_1 + i, \dots, T$:</div> <div>$y = f(x_b^*; \text{PRF}_K(s^*))$</div>
$\mathcal{H}^{(4,i)}$	$(x_b^*, x_1^*, s^*, \perp)$		<div>Keys $1, \dots, i - 1$: $\text{Right}_{f,K}$</div> <div>Keys i, \dots, T_1: $\text{Left}_{f,K}$</div>	$\text{PuncOutputY}_{f,K',y,s^*}$	$y \leftarrow f(x_1^*)$
$\mathcal{H}^{(5,i)}$	$(x_b^*, x_1^*, s^*, \boxed{z^*})$		Keys $1, \dots, i - 1$: $\text{Right}_{f,K}$	$\text{PuncOutputY}_{f,K',y,s^*}$	$y \leftarrow f(x_1^*)$
$\mathcal{H}^{(6,i)}$	(x_b^*, x_1^*, s^*, z^*)	$z^* = f_i(x_b^*; \text{PRF}_{K_i}(s^*))$	Keys i, \dots, T_1 : $\text{Left}_{f,K}$	$\text{PuncOutputY}_{f,K',y,s^*}$	$y \leftarrow f(x_1^*)$
	$z^* = f_i(x_b^*; \text{PRF}_{K_i}(s^*))$		Keys $1, \dots, i - 1$: $\text{Right}_{f,K}$	$\text{PuncOutputY}_{f,K',y,s^*}$	$y \leftarrow f(x_1^*)$
			Key i : $\text{PuncOutputZ}_{f_i,K'_i,s^*}$		$y \leftarrow f(x_1^*)$
$\mathcal{H}^{(7,i)}$	(x_b^*, x_1^*, s^*, z^*)		Keys $i + 1, \dots, T_1$: $\text{Left}_{f,K}$	$\text{PuncOutputY}_{f,K',y,s^*}$	
	$z^* = f_i(x_b^*; \boxed{r^*})$		Keys $1, \dots, i - 1$: $\text{Right}_{f,K}$		$y \leftarrow f(x_1^*)$
			Key i : $\text{PuncOutputZ}_{f_i,K'_i,s^*}$		
$\mathcal{H}^{(8,i)}$	(x_b^*, x_1^*, s^*, z^*)		Keys $i + 1, \dots, T_1$: $\text{Left}_{f,K}$	Key i : $\text{PuncOutputZ}_{f_i,K'_i,s^*}$	
	$z^* = f_i(\boxed{x_1^*}; r^*)$		Keys $1, \dots, i - 1$: $\text{Right}_{f,K}$		$y \leftarrow f(x_1^*)$
			$\text{PuncOutputY}_{f,K',y,s^*}$		
$\mathcal{H}^{(9,i)}$	(x_b^*, x_1^*, s^*, z^*)		Keys $i + 1, \dots, T_1$: $\text{Left}_{f,K}$	$\text{PuncOutputY}_{f,K',y,s^*}$	
	$z^* = f_i(x_1^*; \text{PRF}_{K_i}(s^*))$		Keys $1, \dots, i - 1$: $\text{Right}_{f,K}$		$y \leftarrow f(x_1^*)$
			Key i : $\text{PuncOutputZ}_{f_i,K'_i,s^*}$		
			Keys $i + 1, \dots, T_1$: $\text{Left}_{f,K}$		
$\mathcal{H}^{(10,i)}$	(x_b^*, x_1^*, s^*, z^*)		Keys $1, \dots, i$: $\text{Right}_{f,K}$	$\text{PuncOutputY}_{f,K',y,s^*}$	
	$z^* = f_i(x_1^*; \text{PRF}_{K_i}(s^*))$		Keys $i + 1, \dots, T_1$: $\text{Left}_{f,K}$		$y \leftarrow f(x_1^*)$
$\mathcal{H}^{(11)}$	$(\boxed{x_1^*}, x_1^*, s^*, \perp)$		$\text{Right}_{f,K}$	$\text{PuncOutputY}_{f,K',y,s^*}$	$y \leftarrow f(x_1^*)$

$\text{PuncOutputY}_{f,K',y,s^*}$ and $\text{PuncOutputZ}_{f,K',s^*}$ for every $f \in \mathcal{F}$, punctured PRF key K' , value $y \in \mathcal{Y}_\lambda$ and string $s^* \in \{0, 1\}^\lambda$ (as defined in Figure 3). In “Appendix 3,” we prove the following claim:

Claim 4.12. *There exists a probabilistic polynomial-time adversary $\mathcal{B}^{(0) \rightarrow (1)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(0)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(1)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(0) \rightarrow (1)}, T}^{\text{MP}}(\lambda).$$

Experiment $\mathcal{H}^{(2,i)}(\lambda)$ where $i \in [T_2 + 1]$. This experiment is obtained from the experiment $\mathcal{H}^{(1)}(\lambda)$ by modifying the post-challenge key-generation oracle to generate keys as follows. The functional keys for the $f_{T_1+1}, \dots, f_{T_1+i-1}$ are generated as $\text{PuncOutputY}_{f, K', y, s^*}$ (see Figure 3 for the definition of $\text{PuncOutputY}_{f, K', y, s^*}$), where K' is generated by sampling a PRF key $K \leftarrow \text{PRF.Gen}(1^\lambda)$ and then puncturing it at s^* , and where $y \leftarrow f(x_b^*)$, and the functional keys for $f_{T_1+i}, \dots, f_{T_1+T_2} = f_T$ are generated as $\text{PuncOutputY}_{f, K', y, s^*}$, where K' and s^* are as before but $y = f(x_b^*; \text{PRF}_K(s^*))$.

Note that every $x \neq x_b^*$ with which the encryption oracle is queried (with probability negligibly close to 1) it holds that $s \neq s^*$, hence, using the functionality feature of the punctured PRF, for every $f \in \{f_{T_1+1}, \dots, f_T\}$ it holds that $\text{Left}_{f, K}(x, x, s, \perp) = \text{PuncOutputY}_{f, K', y, s^*}(x, x, s, \perp)$. In addition, for the challenge x_b^* it holds that $\text{Left}_{f, K}(x_b^*, x_1^*, s^*, \perp) = \text{PuncOutputY}_{f, K', y, s^*}(x_b^*, x_1^*, s^*, \perp)$ since $\text{PuncOutputY}_{f, K', y, s^*}$ simply outputs y , where $y = f(x_b^*; \text{PRF}_K(s^*))$. Thus, the function privacy of the underlying scheme FE guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(1)}(\lambda)$ and $\mathcal{H}^{(2,1)}(\lambda)$. In “Appendix 3,” we prove the following claim:

Claim 4.13. *There exists a probabilistic polynomial-time adversary $\mathcal{B}^{(1) \rightarrow (2,1)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(1)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(2,1)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(1) \rightarrow (2,1)}, T}^{\text{FP}}(\lambda) + \text{neg}(\lambda).$$

Moreover, note that the pseudorandomness of $\text{PRF}_K(\cdot)$ at punctured point s^* (see Definition 2.2) guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(2,i)}$ and $\mathcal{H}^{(2,i+1)}$. In “Appendix 3,” we prove the following claim:

Claim 4.14. *For every $i \in [T_2]$ there exists a probabilistic polynomial-time adversary $\mathcal{B}^{(2,i) \rightarrow (2,i+1)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(2,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(2,i+1)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{puPRF}, \mathcal{B}^{(2,i) \rightarrow (2,i+1)}}(\lambda).$$

Experiment $\mathcal{H}^{(3,i)}(\lambda)$ where $i \in [T_2 + 1]$. This experiment is obtained from the experiment $\mathcal{H}^{(2,T_2)}(\lambda)$ by modifying the post-challenge key-generation oracle as follows. The functional keys for the $f_{T_1+1}, \dots, f_{T_1+i-1}$ are generated as $\text{PuncOutputY}_{f, K', y, s^*}$, where K' is generated by sampling a PRF key $K \leftarrow \text{PRF.Gen}(1^\lambda)$ and then puncturing it at s^* , and where $y \leftarrow \boxed{f(x_1^*)}$, and the functional keys for $f_{T_1+i}, \dots, f_{T_1+T_2}$ are generated as $\text{PuncOutputY}_{f, K', y, s^*}$, where K' and s^* are as before but $y \leftarrow f(x_b^*)$. We observe that $\mathcal{H}^{(2,T+1)}(\lambda) = \mathcal{H}^{(3,1)}(\lambda)$.

The adaptive admissibility of the function family \mathcal{F} (see Definition 3.4) guarantees that the advantage of the adversary \mathcal{A} in distinguishing experiments $\mathcal{H}^{(3,i)}$ and $\mathcal{H}^{(3,i+1)}$ is at most $\Delta(\lambda)$. In “Appendix 3,” we prove the following claim:

Claim 4.15. *For every $i \in [T_2]$ there exists a probabilistic polynomial-time adversary $\mathcal{B}^{(3,i) \rightarrow (3,i+1)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(3,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(3,i+1)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\mathcal{F}, \mathcal{B}^{(3,i) \rightarrow (3,i+1)}}^{\text{aADM}} \leq \Delta(\lambda).$$

Experiment $\mathcal{H}^{(4,i)}(\lambda)$ where $i \in [T_1 + 1]$. This experiment is obtained from the experiment $\mathcal{H}^{(3,T)}(\lambda)$ by modifying the pre-challenge key-generation oracle as follows. The functional keys for f_1, \dots, f_{i-1} are generated as $\text{sk}_f \leftarrow \text{FE.KG}(\text{msk}, \boxed{\text{Right}_{f,K}})$ instead of as $\text{sk}_f \leftarrow \text{FE.KG}(\text{msk}, \boxed{\text{Left}_{f,K}})$ (where $\text{Right}_{f,K}$ is defined in Figure 1), and the functional keys for f_i, \dots, f_{T_1} are generated as before (i.e., as $\text{sk}_f \leftarrow \text{FE.KG}(\text{msk}, \boxed{\text{Left}_{f,K}})$). We observe that $\mathcal{H}^{(3,T+1)}(\lambda) = \mathcal{H}^{(4,1)}(\lambda)$.

Experiment $\mathcal{H}^{(5,i)}(\lambda)$ where $i \in [T_1]$. This experiment is obtained from the experiment $\mathcal{H}^{(4,i)}(\lambda)$ by modifying the encryption oracle so that on the challenge input (x_0^*, x_1^*) it samples $s^* \leftarrow \{0, 1\}^\lambda$ and outputs $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, x_1^*, s^*, \boxed{z^*}))$, where $z^* = f_i(x_b^*; \text{PRF.Eval}(K_i, s^*))$, instead of $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, x_1^*, s^*, \boxed{\perp}))$.

Notice that both $\text{Left}_{f,K}$ and $\text{Right}_{f,K}$ are defined to ignore the fourth input z , hence, for the first $i - 1$ keys it holds that $\text{Right}_{f,K}(x_b^*, x_1^*, s^*, \perp) = \text{Right}_{f,K}(x_b^*, x_1^*, s^*, z^*)$ and for the next $T_1 - i + 1$ keys it holds that $\text{Left}_{f,K}(x_b^*, x_1^*, s^*, \perp) = \text{Left}_{f,K}(x_b^*, x_1^*, s^*, z^*)$. Therefore, the message privacy of the underlying scheme FE guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(4,i)}$ and $\mathcal{H}^{(5,i)}$. In “Appendix 3,” we prove the following claim:

Claim 4.16. *For every $i \in [T_1]$ there exists a probabilistic polynomial-time adversary $\mathcal{B}^{(4,i) \rightarrow (5,i)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(4,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(5,i)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(4,i) \rightarrow (5,i)}, T}^{\text{MP}}(\lambda).$$

Experiment $\mathcal{H}^{(6,i)}(\lambda)$ where $i \in [T_1]$. This experiment is obtained from the experiment $\mathcal{H}^{(5,i)}(\lambda)$ by modifying the behavior of the pre-challenge key-generation oracle on the i th query f_i (without modifying its behavior on all other queries). On input the i th query f_i , the pre-challenge key-generation oracle computes $\text{sk}_{f_i} \leftarrow \text{FE.KG}(\text{msk}, \boxed{\text{PuncOutputZ}_{f_i, K'_i, s^*}})$ instead of $\text{sk}_{f_i} \leftarrow \text{FE.KG}(\text{msk}, \boxed{\text{Left}_{f_i, K_i}})$ (where the function $\text{PuncOutputZ}_{f_i, K'_i, s^*}$ is defined in Figure 3).

Note that by the functionality feature of the punctured PRF (see Definition 2.2), for every ciphertext (x, \perp, s, z) which is not the challenge ciphertext (with probability negligibly close to 1) it holds that $\text{PuncOutputZ}_{f_i, K'_i, s^*}(x, \perp, s, z) = \text{Left}_{f_i, K_i}(x, \perp, s, z)$ (since $s \neq s^*$ with very high probability). For the challenge ciphertext the latter also holds

since $\text{PuncOutputZ}_{f_i, K'_i, s^*}(x_b^*, x_1^*, s^*, z^*)$ outputs $z^* = f_i(x_b^*; \text{PRF}_{K_i}(s^*))$. Thus, the function privacy of the underlying scheme FE guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(6,i)}(\lambda)$ and $\mathcal{H}^{(7,i)}(\lambda)$. In “Appendix 3,” we prove the following claim:

Claim 4.17. *For every $i \in [T_1]$ there exists a probabilistic polynomial-time adversary $\mathcal{B}^{(5,i) \rightarrow (6,i)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(5,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(6,i)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{FE}, \mathcal{F}, \mathcal{B}^{(5,i) \rightarrow (6,i)}, T}^{\text{FP}}(\lambda) + \text{neg}(\lambda).$$

Experiment $\mathcal{H}^{(7,i)}(\lambda)$ where $i \in [T_1]$. This experiment is obtained from the experiment $\mathcal{H}^{(6,i)}(\lambda)$ by modifying the encryption oracle so that on the challenge input (x_0^*, x_1^*) it outputs $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, x_1^*, s^*, z^*))$, where $z^* = f_i(x_b^*; \boxed{r^*})$ for a fresh and uniformly sampled value r^* instead of $z^* = f_i(x_b^*; \boxed{\text{PRF.Eval}(K_i, s^*)})$.

The pseudorandomness at punctured point s^* of $\text{PRF.Eval}(K_i, \cdot)$ guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(6,i)}$ and $\mathcal{H}^{(7,i)}$. In “Appendix 3,” we prove the following claim:

Claim 4.18. *For every $i \in [T_1]$ there exists a probabilistic polynomial-time adversary $\mathcal{B}^{(6,i) \rightarrow (7,i)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(6,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(7,i)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{puPRF}, \mathcal{B}^{(6,i) \rightarrow (7,i)}}(\lambda).$$

Experiment $\mathcal{H}^{(8,i)}(\lambda)$ where $i \in [T_1]$. This experiment is obtained from the experiment $\mathcal{H}^{(7,i)}(\lambda)$ by modifying the encryption oracle so that on the challenge input (x_0^*, x_1^*) it outputs $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, x_1^*, s^*, z^*))$, where $z^* = f_i(\boxed{x_1^*}; r^*)$ instead of $z^* = f_i(\boxed{x_b^*}; r^*)$ (both with fresh and uniform r^*).

The adaptive admissibility of the function family \mathcal{F} (see Definition 3.4) guarantees that the advantage of the adversary \mathcal{A} in distinguishing experiments $\mathcal{H}^{(7,i)}$ and $\mathcal{H}^{(8,i)}$ is at most $\Delta(\lambda)$. In “Appendix 3,” we prove the following claim:

Claim 4.19. *For every $i \in [T_1]$ there exists a probabilistic polynomial-time adversary $\mathcal{B}^{(7,i) \rightarrow (8,i)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(7,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(8,i)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\mathcal{F}, \mathcal{B}^{(7,i) \rightarrow (8,i)}}^{\text{aADM}} \leq \Delta(\lambda).$$

Experiment $\mathcal{H}^{(9,i)}(\lambda)$ where $i \in [T_1]$. This experiment is obtained from the experiment $\mathcal{H}^{(8,i)}(\lambda)$ by modifying the encryption oracle so that on the challenge input (x_0^*, x_1^*) it outputs $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, x_1^*, s^*, z^*))$, where $z^* = f_i(x_1^*; \boxed{\text{PRF.Eval}(K_i, s^*)})$ instead of $z^* = f_i(x_1^*; \boxed{r^*})$ for a fresh and uniformly sampled value r^* .

The pseudorandomness at punctured point s^* of $\text{PRF.Eval}(K_i, \cdot)$ guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(9,i)}$ and $\mathcal{H}^{(10,i)}$. The proof of the following claim is essentially identical to the proof of Claim 4.18 (see “Appendix 3”):

Claim 4.20. *For every $i \in [T_1]$ there exists a probabilistic polynomial-time adversary $\mathcal{B}^{(8,i) \rightarrow (9,i)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(8,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(9,i)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{puPRF}, \mathcal{B}^{(8,i) \rightarrow (9,i)}}(\lambda).$$

Experiment $\mathcal{H}^{(10,i)}(\lambda)$ where $i \in [T_1]$. This experiment is obtained from the experiment $\mathcal{H}^{(9,i)}(\lambda)$ by modifying the behavior of the pre-challenge key-generation oracle on the i th query f_i (without modifying its behavior on all other queries). On input the i th query f_i , the key-generation oracle computes $\text{sk}_{f_i} \leftarrow \text{FE.KG}(\text{msk}, \boxed{\text{Right}_{f_i, K_i}})$ instead of $\text{sk}_{f_i} \leftarrow \text{FE.KG}(\text{msk}, \boxed{\text{PuncOutputZ}_{f_i, K'_i, s^*}})$.

As in the proof of Claim 4.17, the function privacy of the underlying scheme FE (with respect to *deterministic* functions) guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(9,i)}$ and $\mathcal{H}^{(10,i)}$. The proof of the following claim is essentially identical to the proof of Claim 4.17 (see “Appendix 3”):

Claim 4.21. *For every $i \in [T_1]$ there exists a probabilistic polynomial-time adversary $\mathcal{B}^{(9,i) \rightarrow (10,i)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(9,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(10,i)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(9,i) \rightarrow (10,i)}, T}^{\text{FP}}(\lambda) + \text{neg}(\lambda).$$

Next, we observe that experiment $\mathcal{H}^{(4,i+1)}(\lambda)$ is obtained from the experiment $\mathcal{H}^{(10,i)}(\lambda)$ by modifying the challenge ciphertext to be computed using $z^* = \perp$ instead of $z^* = f_i(x_1^*; \text{PRF.Eval}(K_i, s^*))$.

Note that for each function $f \in \{f_1, \dots, f_T\}$ with an associated PRF key K , for the deterministic functions $\text{Left}_{f,K}$ and $\text{Right}_{f,K}$ and the challenge ciphertext it holds that $\text{Left}_{f,K}(x_b^*, x_1^*, s^*, \perp) = \text{Left}_{f,K}(x_b^*, x_1^*, s^*, z^*)$ and $\text{Right}_{f,K}(x_b^*, x_1^*, s^*, \perp) = \text{Right}_{f,K}(x_b^*, x_1^*, s^*, z^*)$. Therefore, the selective-function message privacy of the underlying scheme FE (with respect to *deterministic* functions) guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(10,i)}$ and $\mathcal{H}^{(4,i+1)}$. The proof of the following claim is essentially identical to the proof of Claim 4.16 (see “Appendix 3”):

Claim 4.22. *For every $i \in [T_1]$ there exists a probabilistic polynomial-time adversary $\mathcal{B}^{(10,i) \rightarrow (4,i+1)}$ such that*

$$\left| \Pr \left[\mathcal{H}^{(10,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(4,i+1)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(10,i) \rightarrow (4,i+1)}, T}^{\text{MP}}(\lambda).$$

Experiment $\mathcal{H}^{(11)}(\lambda)$. This experiment is obtained from the experiment $\mathcal{H}^{(4,T+1)}(\lambda)$ by modifying the encryption oracle so that on the challenge input (x_0^*, x_1^*) it outputs $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (\boxed{x_1^*}, x_1^*, s^*, \perp))$ instead of $\text{ct} \leftarrow \text{FE.Enc}(\text{msk}, (\boxed{x_b^*}, x_1^*, s^*, \perp))$. Note that this experiment is completely independent of the bit b , and therefore, $\Pr[\mathcal{H}^{(11)}(\lambda) = 1] = 1/2$.

In addition, note that for every function $f \in \{f_1, \dots, f_{T_1}\}$ with an associated PRF key K , for the deterministic function $\text{Right}_{f,K}$ it holds that $\text{Right}_{f,K}(x_b^*, x_1^*, s^*, \perp) = \text{Right}_{f,K}(x_1^*, x_1^*, s^*, \perp)$. Therefore, the message privacy of the underlying scheme FE (with respect to *deterministic* functions) guarantees that the adversary \mathcal{A} has only a negligible advantage in distinguishing experiments $\mathcal{H}^{(4,T+1)}$ and $\mathcal{H}^{(11)}$. The proof of the following claim is essentially identical to the proof of Claim 4.12 (see “Appendix 3”):

Claim 4.23. *There exists a probabilistic polynomial-time adversary $\mathcal{B}^{(4,T_1+1) \rightarrow (11)}$ such that*

$$\left| \Pr[\mathcal{H}^{(4,T_1+1)}(\lambda) = 1] - \Pr[\mathcal{H}^{(11)}(\lambda) = 1] \right| \leq \text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(4,T+1) \rightarrow (11)}, T}^{\text{sfFP}}(\lambda).$$

Finally, putting together Claims 4.12–4.23 with the facts that $\text{Expt}_{\Pi, \mathcal{F}, \mathcal{A}, T}^{\text{aMPRF}}(\lambda) = \mathcal{H}^{(0)}(\lambda)$, $\mathcal{H}^{(1)}(\lambda) = \mathcal{H}^{(2,1)}(\lambda)$, $\mathcal{H}^{(2,T+1)}(\lambda) = \mathcal{H}^{(3,1)}(\lambda)$, $\mathcal{H}^{(3,T+1)}(\lambda) = \mathcal{H}^{(4,1)}(\lambda)$ and $\Pr[\mathcal{H}^{(11)}(\lambda) = 1] = 1/2$, we observe that

$$\begin{aligned} \text{Adv}_{\Pi, \mathcal{F}, \mathcal{A}, T}^{\text{aMPRF}} &\stackrel{\text{def}}{=} \left| \Pr[\text{Expt}_{\Pi, \mathcal{F}, \mathcal{A}, T}^{\text{aMPRF}}(\lambda) = 1] - \frac{1}{2} \right| \\ &= \left| \Pr[\mathcal{H}^{(0)}(\lambda) = 1] - \Pr[\mathcal{H}^{(11)}(\lambda) = 1] \right| \\ &\leq \left| \Pr[\mathcal{H}^{(0)}(\lambda) = 1] - \Pr[\mathcal{H}^{(1)}(\lambda) = 1] \right| \\ &\quad + \left| \Pr[\mathcal{H}^{(1)}(\lambda) = 1] - \Pr[\mathcal{H}^{(2,1)}(\lambda) = 1] \right| \\ &\quad + \sum_{j=2}^3 \sum_{i=1}^{T_2} \left| \Pr[\mathcal{H}^{(j,i)}(\lambda) = 1] - \Pr[\mathcal{H}^{(j,i+1)}(\lambda) = 1] \right| \\ &\quad + \sum_{i=1}^{T_1} \sum_{j=4}^9 \left| \Pr[\mathcal{H}^{(j,i)}(\lambda) = 1] - \Pr[\mathcal{H}^{(j+1,i)}(\lambda) = 1] \right| \\ &\quad + \sum_{i=1}^{T_1} \left| \Pr[\mathcal{H}^{(10,i)}(\lambda) = 1] - \Pr[\mathcal{H}^{(4,i+1)}(\lambda) = 1] \right| \\ &\quad + \left| \Pr[\mathcal{H}^{(4,T+1)}(\lambda) = 1] - \Pr[\mathcal{H}^{(11)}(\lambda) = 1] \right| \\ &\leq (T_1(\lambda) + T_2(\lambda)) \cdot \Delta(\lambda) + \text{neg}(\lambda) \\ &= T(\lambda) \cdot \Delta(\lambda) + \text{neg}(\lambda). \end{aligned}$$

□

Acknowledgements

We thank Zvika Brakerski for various insightful discussions.

Appendix 1: A Comparison with the Definitional Framework of Goyal et al. [23]

Our approach for defining message privacy is inspired by that of Goyal et al. but there are a few subtle differences between the two approaches. As mentioned in Sect. 1.3, both our scheme and the scheme of Goyal et al. seem to provide message privacy according to both approaches. We emphasize once again that we view the main contribution of our work as basing the security of our scheme on any underlying functional encryption scheme (and avoiding obfuscation-related assumptions), and not as offering alternative notions of message privacy. In what follows, we point out several differences between the two approaches.

- Goyal et al. allow adversaries to obtain functional keys only for functions f for which the distributions $f(x_0^*)$ and $f(x_1^*)$ are negligibly close (either computationally or statistically), whereas our framework does not include such a restriction. In our framework, if the distributions $f(x_0^*)$ and $f(x_1^*)$ can be efficiently distinguished with advantage at most $\Delta = \Delta(\lambda)$ to begin with (where Δ does not necessarily have to be negligible), then we require that no adversary that is given a functional key for f will be able to distinguish between encryptions of x_0^* and x_1^* with advantage larger than $\Delta + \text{neg}(\lambda)$, for some negligible function $\text{neg}(\cdot)$.

This seems to better capture the motivating applications given by Goyal et al. of auditing an encrypted database and of performing differentially private analysis on an encrypted database. In both applications, the distributions obtained from two different encrypted databases are *not* negligibly close, as otherwise no utility can be gained.

- Goyal et al. allow adversaries to obtain functional keys only for functions f for which the distributions $f(x_0^*)$ and $f(x_1^*)$ are negligibly close even when conditioned on the adversary's randomness and on the master secret key of the scheme. This may cause a situation where it is legal to obtain a functional key for some function f by some specific adversary and for some specific instantiation of the functional encryption scheme, but it may be illegal to obtain a functional key for the same function f by some other adversary and for some other instantiation of the encryption scheme. In our framework, on the one hand, each function family is considered either admissible or inadmissible independently of the adversary (and of the challenge ciphertext) and of the encryption scheme under consideration. However, on the other hand, our framework may consider some function families inadmissible, whereas the framework of Goyal et al. would consider the same function families as admissible with respect to some adversaries and encryption schemes. Nevertheless, our framework is still sufficiently general for capturing applications such as auditing an encrypted database, performing differentially private analysis on an encrypted database, and many more.
- In terms of security notions, Goyal et al. consider a simulation-based notion, whereas we consider an indistinguishability-based one. As is often the case with

functional encryption schemes, simulation-based security is inherently quite limited [5, 11, 15], and as a result their scheme supports only an a priori bounded number of messages (and is selectively secure), whereas our scheme supports an unbounded number of messages (and is adaptively secure).

Appendix 2: Proofs of Claims 4.3–4.7

Proof of Claim 4.3. The adversary $\mathcal{B}^{(0) \rightarrow (1)} = (\mathcal{B}_1, \mathcal{B}_2)$ is defined as follows. First, \mathcal{B}_1 samples T PRF keys $K_1, \dots, K_T \leftarrow \text{PRF.Gen}(1^\lambda)$ and T functions $f_1, \dots, f_T \leftarrow \mathcal{F}$ independently and uniformly at random. Then, it outputs the functions $\text{Left}_{f_1, K_1}, \dots, \text{Left}_{f_T, K_T} \in \mathcal{F}'$ (and its own randomness as the state information **state**).

Next, \mathcal{B}_2 on input functional keys $\text{sk}_1, \dots, \text{sk}_T$ emulates the execution of \mathcal{A}_1 on input $(f_1, \dots, f_T, \text{sk}_1, \dots, \text{sk}_T)$ by simulating the encryption oracle $\text{Enc}(\text{msk}, \cdot)$ as follows: Whenever \mathcal{A}_1 requests an encryption of some $x \in \mathcal{X}_\lambda$, \mathcal{B}_2 samples $s \in \{0, 1\}^\lambda$ uniformly at random, queries the encryption oracle $\text{FE.Enc}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair $((x, \perp, s, \perp), (x, x, s, \perp))$, and returns the answer to \mathcal{A}_1 . When \mathcal{A}_1 outputs its challenge messages (x_0^*, x_1^*) , \mathcal{B}_2 chooses a random bit b , samples $s^* \in \{0, 1\}^\lambda$, and queries the encryption oracle $\text{Enc}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair $((x_b^*, \perp, s^*, \perp), (x_b^*, x_1^*, s^*, \perp))$ to get the ciphertext c^* . Then, \mathcal{B}_2 runs \mathcal{A}_2 using the input (c^*, state) to get its output b' . Finally, \mathcal{B}_2 outputs 1 if $b' = b$, and otherwise, it outputs 0.

Note that when $\sigma = 0$ (the mode of the encryption oracle $\text{Enc}_\sigma(\text{msk}, \cdot, \cdot)$), then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(0)}$, and when $\sigma = 1$, then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(1)}$. Therefore,

$$\text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(0) \rightarrow (1)}, T}^{\text{sfMP}}(\lambda) = \left| \Pr \left[\mathcal{H}^{(0)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(1)}(\lambda) = 1 \right] \right|.$$

□

Proof of Claim 4.4. The adversary $\mathcal{B}^{(2,i) \rightarrow (3,i)} = (\mathcal{B}_1, \mathcal{B}_2)$ is defined as follows. First, \mathcal{B}_1 chooses T PRF keys $K_1, \dots, K_T \leftarrow \text{PRF.Gen}(1^\lambda)$ and T functions $f_1, \dots, f_T \leftarrow \mathcal{F}$ independently and uniformly at random. Then, it outputs the functions $(\text{Right}_{f_1, K_1}, \dots, \text{Right}_{f_{i-1}, K_{i-1}}, \text{Left}_{f_i, K_i}, \dots, \text{Left}_{f_T, K_T})$ (and its own randomness as the state information **state**).

Next, \mathcal{B}_2 on input functional keys $\text{sk}_1, \dots, \text{sk}_T$ emulates the execution of \mathcal{A}_1 on input $(f_1, \dots, f_T, \text{sk}_1, \dots, \text{sk}_T)$ by simulating the encryption oracle $\text{Enc}(\text{msk}, \cdot)$ as follows: When \mathcal{A}_1 requests an encryption of $x \in \mathcal{X}_\lambda$, \mathcal{B}_2 samples $s \in \{0, 1\}^\lambda$ uniformly at random, queries the encryption oracle $\text{Enc}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair $((x, x, s, \perp), (x, x, s, f_i(x; \text{PRF.Eval}(K_i, s))))$, and returns the answer to \mathcal{A}_1 . When \mathcal{A}_1 outputs its challenge messages (x_0^*, x_1^*) , \mathcal{B}_2 chooses a random bit b , samples $s^* \in \{0, 1\}^\lambda$, and queries the encryption oracle $\text{Enc}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair $((x_b^*, x_1^*, s^*, \perp), (x_b^*, x_1^*, s^*, f_i(x_b^*; \text{PRF.Eval}(K_i, s^*))))$ to get the ciphertext c^* . Then, \mathcal{B}_2 runs \mathcal{A}_2 using the input (c^*, state) to get its output b' . Finally, \mathcal{B}_2 outputs 1 if $b' = b$, and otherwise, it outputs 0.

Note that when $\sigma = 0$ (the mode of the encryption oracle $\text{Enc}_\sigma(\text{msk}, \cdot, \cdot)$), then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(2,i)}$, and when $\sigma = 1$, the \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(3,i)}$. Therefore,

$$\text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(2,i) \rightarrow (3,i)}, T}^{\text{sffMP}}(\lambda) = \left| \Pr \left[\mathcal{H}^{(2,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(3,i)}(\lambda) = 1 \right] \right|.$$

□

Proof of Claim 4.5. The adversary $\mathcal{B}^{(3,i) \rightarrow (4,i)} = (\mathcal{B}_1, \mathcal{B}_2)$ is defined as follows. First, \mathcal{B}_1 chooses T PRF keys $K_1, \dots, K_T \leftarrow \text{PRF.Gen}(1^\lambda)$ and T functions $f_1, \dots, f_T \leftarrow \mathcal{F}$ independently and uniformly at random. Then, it outputs the functions $(\text{Right}_{f_1, K_1}, \dots, \text{Right}_{f_{i-1}, K_{i-1}}, \text{Left}_{f_i, K_i}, \dots, \text{Left}_{f_T, K_T})$ and $(\text{Right}_{f_1, K_1}, \dots, \text{Right}_{f_{i-1}, K_{i-1}}, \text{OutputZ}, \text{Left}_{f_{i+1}, K_{i+1}}, \dots, \text{Left}_{f_T, K_T})$ (and its own randomness as the state information state).

Next, \mathcal{B}_2 on input functional keys $\text{sk}_1, \dots, \text{sk}_T$ emulates the execution of \mathcal{A}_1 on input $(f_1, \dots, f_T, \text{sk}_1, \dots, \text{sk}_T)$ by simulating the encryption oracle $\text{Enc}(\text{msk}, \cdot)$ as follows: When \mathcal{A}_1 requests an encryption of $x \in \mathcal{X}_\lambda$, \mathcal{B}_2 samples $s \in \{0, 1\}^\lambda$ uniformly at random, queries the encryption oracle $\text{Enc}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair $((x, x, s, f_i(x; \text{PRF.Eval}(K_i, s))), (x, x, s, f_i(x; \text{PRF.Eval}(K_i, s))))$, and returns the answer to \mathcal{A}_1 . When \mathcal{A}_1 outputs its challenge messages (x_0^*, x_1^*) , \mathcal{B}_2 chooses a random bit b , samples $s^* \in \{0, 1\}^\lambda$, and queries the encryption oracle $\text{Enc}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair $((x_b^*, x_1^*, s^*, f_i(x_b^*; \text{PRF.Eval}(K_i, s^*))), (x_b^*, x_1^*, s^*, f_i(x_b^*; \text{PRF.Eval}(K_i, s^*))))$ to get the ciphertext c^* . Then, \mathcal{B}_2 runs \mathcal{A}_2 using the input (c^*, state) to get its output b' . Finally, \mathcal{B}_2 outputs 1 if $b' = b$, and otherwise, it outputs 0.

Note that when $\sigma = 0$ (the functional keys correspond to the first list of functions), then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(3,i)}$, and when $\sigma = 1$, then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(4,i)}$. Therefore,

$$\text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(3,i) \rightarrow (4,i)}, T}^{\text{sffMP}}(\lambda) = \left| \Pr \left[\mathcal{H}^{(3,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(4,i)}(\lambda) = 1 \right] \right|.$$

□

Proof of Claim 4.6. The adversary $\mathcal{B}^{(4,i) \rightarrow (5,i)} = \mathcal{B}$ is defined as follows. First, \mathcal{B} chooses a master key $\text{msk} \leftarrow \text{FE.Setup}(1^\lambda)$, $T - 1$ PRF keys $K_1, \dots, K_{i-1}, K_{i+1}, \dots, K_T \leftarrow \text{PRF.Gen}(1^\lambda)$ and T functions $f_1, \dots, f_T \leftarrow \mathcal{F}$ independently and uniformly at random. Then, it computes the functional keys $\text{sk}_1, \dots, \text{sk}_T$ for the functions $(\text{Right}_{f_1, K_1}, \dots, \text{Right}_{f_{i-1}, K_{i-1}}, \text{OutputZ}, \text{Left}_{f_{i+1}, K_{i+1}}, \dots, \text{Left}_{f_T, K_T})$ using msk . Recall that \mathcal{B} has access to an oracle, denoted $R(\cdot)$, that is either a random function or a PRF and its goal is to distinguish between the two cases.

Next, \mathcal{B} emulates the execution of \mathcal{A}_1 on input $(f_1, \dots, f_T, \text{sk}_1, \dots, \text{sk}_T)$ by simulating the encryption oracle $\text{Enc}(\text{msk}, \cdot)$ as follows: When \mathcal{A}_1 requests an encryption of $x \in \mathcal{X}_\lambda$, \mathcal{B} samples $s \in \{0, 1\}^\lambda$ uniformly at random, queries $R(s)$ to get r , computes $\text{FE.Enc}(\text{msk}, (x, x, s, f_i(x; r)))$, and returns the output to \mathcal{A}_1 . When \mathcal{A}_1 outputs its challenge messages (x_0^*, x_1^*) , \mathcal{B} chooses a random bit b , samples $s^* \in \{0, 1\}^\lambda$, queries $R(s^*)$ to get r^* and computes the ciphertext $c^* = \text{FE.Enc}(\text{msk}, (x_b^*, x_1^*, s^*, f_i(x_b^*; r^*)))$.

Then, \mathcal{B} runs \mathcal{A}_2 using the input (c^*, state) to get its output b' . Finally, \mathcal{B}_2 outputs 1 if $b' = b$, and otherwise, it outputs 0.

Note that when $R(\cdot)$ corresponds to a pseudorandom function, then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(4,i)}$, and when $R(\cdot)$ corresponds to a truly random function, then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(5,i)}$. Therefore,

$$\text{Adv}_{\text{PRF}, \mathcal{B}^{(4,i) \rightarrow (5,i)}}(\lambda) = \left| \Pr \left[\mathcal{H}^{(4,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(5,i)}(\lambda) = 1 \right] \right|.$$

□

Proof of Claim 4.7. The adversary $\mathcal{B}^{(5,i) \rightarrow (6,i)} = (\mathcal{B}_1, \mathcal{B}_2)$ on input $f \leftarrow \mathcal{F}$ is defined as follows. First, \mathcal{B}_1 chooses a master key $\text{msk} \leftarrow \text{FE.Setup}(1^\lambda)$, T PRF keys $K_1, \dots, K_T \leftarrow \text{PRF.Gen}(1^\lambda)$ and $T-1$ functions $f_1, \dots, f_{i-1}, f_{i+1}, \dots, f_T \leftarrow \mathcal{F}$ independently and uniformly at random. Then, it computes the functional keys $\text{sk}_1, \dots, \text{sk}_T$ for the functions $(\text{Right}_{f_1, K_1}, \dots, \text{Right}_{f_{i-1}, K_{i-1}}, \text{OutputZ}, \text{Left}_{f_{i+1}, K_{i+1}}, \dots, \text{Left}_{f_T, K_T})$. Next, \mathcal{B}_1 emulates the execution of \mathcal{A}_1 on input $(f_1, \dots, f_{i-1}, f, f_{i+1}, \dots, f_T, \text{sk}_1, \dots, \text{sk}_T)$ by simulating the encryption oracle $\text{Enc}(\text{msk}, \cdot)$ as follows: When \mathcal{A}_1 requests an encryption of $x \in \mathcal{X}_\lambda$, \mathcal{B}_2 samples $s \in \{0, 1\}^\lambda$ and a random string r , computes $\text{FE.Enc}(\text{msk}, (x, x, s, f(x; r)))$, and returns the output to \mathcal{A}_1 . When \mathcal{A}_1 outputs its challenge messages (x_0^*, x_1^*) , \mathcal{B}_2 outputs (x_b^*, x_1^*) , where $b \in \{0, 1\}$ is chosen uniformly at random.

Then, \mathcal{B}_2 on input y (which is a uniform sample either from $f(x_b^*)$ or from $f(x_1^*)$) samples $s^* \in \{0, 1\}^\lambda$ uniformly at random, computes $c^* = \text{FE.Enc}(\text{msk}, (x_b^*, x_1^*, s^*, y))$, and runs \mathcal{A}_2 using the input c^* to get its output b' . Finally, \mathcal{B}_2 outputs 1 if $b' = b$, and otherwise, it outputs 0.

Note that when y is sampled according to $f(x_b^*)$, then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(5,i)}$. Similarly, when y is sampled according to $f(x_1^*)$, then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(6,i)}$. Therefore,

$$\text{Adv}_{\mathcal{F}, \mathcal{B}^{(5,i) \rightarrow (6,i)}}^{\text{naADM}}(\lambda) = \left| \Pr \left[\mathcal{H}^{(5,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(6,i)}(\lambda) = 1 \right] \right|.$$

□

Appendix 3: Proofs of Claims 4.12–4.19

Proof of Claim 4.12. The adversary $\mathcal{B}^{(0) \rightarrow (1)} = \mathcal{B}$ is defined as follows. First, \mathcal{B} emulates the execution of \mathcal{A}_1 on input (1^λ) by simulating the encryption oracle and the key generation oracle as follows: When \mathcal{A}_1 requests an encryption of $x \in \mathcal{X}_\lambda$, \mathcal{B} samples $s \in \{0, 1\}^\lambda$, queries the encryption oracle $\text{Enc}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair $((x, \perp, s, \perp), (x, \perp, s, \perp))$, and returns the output to \mathcal{A}_1 . When \mathcal{A}_1 requests a functional key for $f \in \mathcal{F}$, \mathcal{B} samples a PRF key $K_1 \leftarrow \text{PRF.Gen}(1^\lambda)$, queries the key generation oracle $\text{KG}(\text{msk}, \text{Left}_{f, K})$, and returns the output to \mathcal{A}_1 . Finally, \mathcal{A}_1 outputs the challenge $(x_0^*, x_1^*, \text{state})$.

Next, \mathcal{B} chooses a random bit b , samples $s^* \in \{0, 1\}^\lambda$, and queries the encryption oracle with the pair $((x_b^*, \perp, s^*, \perp), (x_b^*, x_1^*, s^*, \perp))$ to get the ciphertext c^* . Then, \mathcal{B} runs \mathcal{A}_2 using the input (c^*, state) to get its output b' . Finally, \mathcal{B} outputs 1 if $b' = b$, and otherwise, it outputs 0.

Note that when $\sigma = 0$ (the mode of the encryption oracle $\text{Enc}_\sigma(\text{msk}, \cdot, \cdot)$), then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(0)}$, and when $\sigma = 1$, then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(1)}$. Therefore,

$$\left| \Pr \left[\mathcal{H}^{(0)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(1)}(\lambda) = 1 \right] \right| = \text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(0) \rightarrow (1)}, T}^{\text{MP}}(\lambda).$$

□

Proof of Claim 4.13. The adversary $\mathcal{B}^{(1) \rightarrow (2,1)} = \mathcal{B}$ is defined as follows. First, \mathcal{B} emulates the execution of \mathcal{A}_1 on input (1^λ) by simulating the encryption oracle and the key generation oracle as follows: When \mathcal{A}_1 requests an encryption of $x \in \mathcal{X}_\lambda$, \mathcal{B} samples $s \in \{0, 1\}^\lambda$, queries the encryption oracle $\text{Enc}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair $((x, \perp, s, \perp), (x, \perp, s, \perp))$, and returns the output to \mathcal{A}_1 . When \mathcal{A}_1 requests a functional key for $f \in \mathcal{F}$, \mathcal{B} samples a PRF key $K \leftarrow \text{PRF.Gen}(1^\lambda)$, queries the key generation oracle $\text{KG}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair $(\text{Left}_{f,K}, \text{Left}_{f,K})$, and returns the output to \mathcal{A}_1 . Finally, \mathcal{A}_1 outputs the challenge $(x_0^*, x_1^*, \text{state})$.

Next, \mathcal{B} chooses a random bit b , samples $s^* \in \{0, 1\}^\lambda$, and queries the encryption oracle with the pair $((x_b^*, \perp, s^*, \perp), (x_b^*, x_1^*, s^*, \perp))$ to get the ciphertext c^* . We assume that $s^* \neq s$ for all sampled s 's and lose an additive negligible factor. Then, \mathcal{B} emulates the execution of \mathcal{A}_2 on input (c^*, state) by simulation the encryption oracle in the same way and simulating the key generation oracle as follows: When \mathcal{A}_2 requests for a functional key for $f \in \mathcal{F}$, \mathcal{B} samples $K \leftarrow \text{PRF.Gen}(1^\lambda)$, computes the key K' by puncturing K at s^* , sets $y = f(x_b^*; \text{PRF.Eval}_K(s^*))$, and queries the key generation oracle $\text{KG}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair $(\text{Left}_{f,K}, \text{PuncOutputY}_{f,K',y,s^*})$. Finally, when \mathcal{A}_2 outputs b' , \mathcal{B} outputs 1 if $b' = b$, and otherwise, it outputs 0.

Note that when $\sigma = 0$ (the mode of the encryption oracle $\text{Enc}_\sigma(\text{msk}, \cdot, \cdot)$ and key generation oracle $\text{KG}_\sigma(\text{msk}, \cdot, \cdot)$), then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(1)}$, and when $\sigma = 1$, then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(2,1)}$. Therefore,

$$\left| \Pr \left[\mathcal{H}^{(1)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(2,1)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(1) \rightarrow (2,1)}, T}^{\text{FP}}(\lambda) + \text{neg}(\lambda).$$

□

Proof of Claim 4.14. The adversary $\mathcal{B}^{(2,i) \rightarrow (2,i+1)} = (\mathcal{B}_1, \mathcal{B}_2)$ is defined as follows. \mathcal{B}_1 samples a random string $s^* \in \{0, 1\}^\lambda$ and outputs the set $\{s^*\}$ as the punctured set and the point s^* as the state.

\mathcal{B}_2 gets as input a punctured PRF key $K' \triangleq K_{\{s^*\}}$ at the point s^* , a value y (which is either $\text{PRF}_K(s^*)$ or a random string), and the point s^* as the state information. Next, \mathcal{B}_2 chooses a master key $\text{msk} \leftarrow \text{FE.Setup}(1^\lambda)$ and emulates the execution of \mathcal{A}_1 on input 1^λ by simulating the encryption oracle and the key generation oracle as fol-

lows: When \mathcal{A}_1 requests an encryption of $x \in \mathcal{X}_\lambda$, \mathcal{B}_2 samples $s \in \{0, 1\}^\lambda$, computes $\text{FE.Enc}(\text{msk}, (x, \perp, s, \perp))$, and returns the output to \mathcal{A}_1 . When \mathcal{A}_1 requests a functional key for the function $f \in \mathcal{F}$, \mathcal{B}_2 samples a PRF key $K \leftarrow \text{PRF.Gen}(1^\lambda)$, computes $\text{FE.KG}(\text{msk}, \text{Left}_{f,K})$, and returns the output to \mathcal{A}_1 . Finally, \mathcal{A}_1 outputs the challenge $(x_0^*, x_1^*, \text{state})$.

Then, \mathcal{B}_2 chooses a random bit b , computes $c^* \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, x_1^*, s^*, \perp))$ and emulates the execution of \mathcal{A}_2 on input (c^*, state) by simulating the encryption oracle as before and simulating the key generation oracle as follows: When \mathcal{A}_2 requests the j th functional key for $f_j \in \mathcal{F}$, if $j < i$ then \mathcal{B}_2 samples a PRF key $K_j \leftarrow \text{PRF.Gen}(1^\lambda)$, obtains K'_j by puncturing K_j at s^* , samples $y \leftarrow f(x_b^*)$, computes $\text{FE.KG}(\text{msk}, \text{PuncOutputY}_{f_j, K'_j, y, s^*})$, and returns the output to \mathcal{A}_2 . If $j = i$ then \mathcal{B}_2 computes $\text{FE.KG}(\text{msk}, \text{PuncOutputY}_{f_j, K'_j, y, s^*})$, and returns the output to \mathcal{A}_2 . If $j > i$ then \mathcal{B}_2 samples a PRF key $K_j \leftarrow \text{PRF.Gen}(1^\lambda)$, obtains K'_j by puncturing K_j at s^* , samples $y = f(x_b^*; \text{PRF.Eval}_{K_j}(s^*))$, computes $\text{FE.KG}(\text{msk}, \text{PuncOutputY}_{f_j, K'_j, y, s^*})$, and returns the output to \mathcal{A}_2 . Finally, when \mathcal{A}_2 outputs the bit b' , \mathcal{B}_2 outputs 1 if $b' = b$, and otherwise, it outputs 0.

Note that when y is obtained from as a PRF evaluation then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(2,i+1)}$, and when y is obtained from as a random string then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(2,i)}$. Therefore,

$$\left| \Pr \left[\mathcal{H}^{(2,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(2,i+1)}(\lambda) = 1 \right] \right| = \text{Adv}_{\text{puPRF}, \mathcal{B}^{(2,i) \rightarrow (2,i+1)}}(\lambda).$$

□

Proof of Claim 4.15. The adversary $\mathcal{B}^{(3,i) \rightarrow (3,i+1)} = (\mathcal{B}_1, \mathcal{B}_2)$ is defined as follows. First, \mathcal{B}_1 chooses a master key $\text{msk} \leftarrow \text{FE.Setup}(1^\lambda)$ and emulates the execution of \mathcal{A}_1 on input 1^λ by simulating the encryption oracle and the key generation oracle as follows: When \mathcal{A}_1 requests an encryption of $x \in \mathcal{X}_\lambda$, \mathcal{B}_1 samples $s \in \{0, 1\}^\lambda$, computes $\text{FE.Enc}(\text{msk}, (x, \perp, s, \perp))$ and returns the output to \mathcal{A}_1 . When \mathcal{A}_1 requests a functional key for the function $f \in \mathcal{F}$, \mathcal{B}_1 samples a PRF key $K \leftarrow \text{PRF.Gen}(1^\lambda)$, computes $\text{FE.KG}(\text{msk}, \text{Left}_{f,K})$, and returns the output to \mathcal{A}_1 . When, \mathcal{A}_1 outputs the challenge $(x_0^*, x_1^*, \text{state})$, \mathcal{B}_1 chooses a random bit b , computes $c^* \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, x_1^*, s^*, \perp))$ and emulates the execution of \mathcal{A}_2 on input (c^*, state) by simulating the encryption oracle as before and simulating the key generation oracle for the first $i - 1$ times as follows: When \mathcal{A}_2 requests a functional key for $f \in \mathcal{F}$, \mathcal{B}_1 samples a PRF key $K \leftarrow \text{PRF.Gen}(1^\lambda)$, obtains K' by puncturing K at s^* , samples $y \leftarrow f(x_1^*)$, computes $\text{FE.KG}(\text{msk}, \text{PuncOutputY}_{f, K', y, s^*})$, and returns the output to \mathcal{A}_2 . When \mathcal{A}_2 requests the i th functional key $f \in \mathcal{F}$ then \mathcal{B}_1 chooses a random bit b , outputs (f, x_b^*, x_1^*) and its entire memory and internal randomness as the state state (without answering the last key generation query of \mathcal{A}_2).

Next, \mathcal{B}_2 runs on input (y, state) , continues the execution of \mathcal{A}_2 , samples a PRF key $K \leftarrow \text{PRF.Gen}(1^\lambda)$, obtains K' by puncturing K at s^* , computes $\text{FE.KG}(\text{msk}, \text{PuncOutputY}_{f, K', y, s^*})$, and returns the output to \mathcal{A}_2 . When \mathcal{A}_2 requests a functional key for the function $f \in \mathcal{F}$, \mathcal{B}_2 samples a PRF key $K \leftarrow \text{PRF.Gen}(1^\lambda)$,

obtains K' by puncturing K at s^* , samples $y = f(x_b^*; \text{PRF.Eval}_K(s^*))$, computes $\text{FE.KG}(\text{msk}, \text{PuncOutputY}_{f, K', y, s^*})$, and returns the output to \mathcal{A}_2 . Finally, when \mathcal{A}_2 outputs the bit b' , \mathcal{B}_2 outputs 1 if $b' = b$, and otherwise, it outputs 0.

Note that when y is sampled from $f(x_b^*)$, then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(3, i+1)}$, and when y is sampled from $f(x_1^*)$, then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(3, i)}$. Therefore,

$$\left| \Pr \left[\mathcal{H}^{(3, i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(3, i+1)}(\lambda) = 1 \right] \right| = \text{Adv}_{\mathcal{F}, \mathcal{B}^{(3, i) \rightarrow (3, i+1)}}^{\text{aADM}} \leq \Delta(\lambda).$$

□

Proof of Claim 4.16. The adversary $\mathcal{B}^{(4, i) \rightarrow (5, i)} = \mathcal{B}$ is defined as follows. First, \mathcal{B} samples T_1 PRF keys $K_1, \dots, K_{T_1} \leftarrow \text{PRF.Gen}(1^\lambda)$. Then, \mathcal{B} emulates the execution of \mathcal{A}_1 on input (1^λ) by simulating the encryption oracle and the key generation oracle as follows: When \mathcal{A}_1 requests an encryption of $x \in \mathcal{X}_\lambda$, \mathcal{B} samples $s \in \{0, 1\}^\lambda$, queries the encryption oracle $\text{Enc}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair $((x, \perp, s, \perp), (x, \perp, s, \perp))$, and returns the output to \mathcal{A}_1 . When \mathcal{A}_1 requests a functional key for the function $f \in \mathcal{F}$ for the j th time, if $j \leq i - 1$, then \mathcal{B} queries the key generation oracle $\text{KG}(\text{msk}, \text{Right}_{f, K_j})$ and returns the output to \mathcal{A}_1 , and otherwise, \mathcal{B} queries the key generation oracle with $\text{KG}(\text{msk}, \text{Left}_{f, K_j})$ and returns the output to \mathcal{A}_1 . Finally, \mathcal{A}_1 outputs the challenge $(x_0^*, x_1^*, \text{state})$.

Next, \mathcal{B} chooses a random bit b , samples $s^* \in \{0, 1\}^\lambda$, computes $z^* = f_i(x_b^*; \text{PRF.Eval}_{K_i}(s^*))$, and queries the encryption oracle with the pair $((x_b^*, x_1^*, s^*, \perp), (x_b^*, x_1^*, s^*, z^*))$ to get the ciphertext c^* . Then, \mathcal{B} emulates the execution of \mathcal{A}_2 on input (c^*, state) by simulating the key generation oracle as follows: When \mathcal{A}_2 requests a functional key for the function $f \in \mathcal{F}$, \mathcal{B} samples $s^* \in \{0, 1\}^\lambda$ uniformly at random, samples $K \leftarrow \text{PRF.Gen}(1^\lambda)$, computes the key K' which is the key K punctured at the point s^* , queries the key generation oracle $\text{KG}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair $(\text{PuncOutputZ}_{f_i, K', s^*}, \text{PuncOutputZ}_{f_i, K', s^*})$ and returns the output to \mathcal{A}_1 . Finally, when \mathcal{A}_2 outputs the bit b' , \mathcal{B} outputs 1 if $b' = b$, and otherwise, it outputs 0.

Note that when $\sigma = 0$ (the mode of the encryption oracle $\text{Enc}_\sigma(\text{msk}, \cdot, \cdot)$), then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(4, i)}$, and when $\sigma = 1$, then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(5, i)}$. Therefore,

$$\left| \Pr \left[\mathcal{H}^{(4, i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(5, i)}(\lambda) = 1 \right] \right| = \text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(4, i) \rightarrow (5, i)}, T}^{\text{MP}}(\lambda).$$

□

Proof of Claim 4.17. The adversary $\mathcal{B}^{(5, i) \rightarrow (6, i)} = \mathcal{B}$ is defined as follows. First, \mathcal{B} samples T_1 PRF keys $K_1, \dots, K_{T_1} \leftarrow \text{PRF.Gen}(1^\lambda)$. Then, \mathcal{B} emulates the execution of \mathcal{A}_1 on input (1^λ) by simulating the encryption oracle and the key generation oracle as follows: When \mathcal{A}_1 requests an encryption of $x \in \mathcal{X}_\lambda$, \mathcal{B} samples $s \in \{0, 1\}^\lambda$, queries the encryption oracle $\text{Enc}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair $((x, \perp, s, \perp), (x, \perp, s, \perp))$, and returns the output to \mathcal{A}_1 . When \mathcal{A}_1 requests a functional key for the function $f \in \mathcal{F}$ for the j th time, if $j < i$, then \mathcal{B} queries the key generation oracle $\text{KG}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair

(Right_{f,K_j} , Right_{f,K_j}) and returns the output to \mathcal{A}_1 . If $j = i$ then \mathcal{B} samples $s^* \in \{0, 1\}^\lambda$ uniformly at random, samples a PRF key K , obtains a punctured key K' which is the key K punctured at the point s^* , queries the key generation oracle $\text{KG}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair (Right_{f,K_i} , $\text{PuncOutputZ}_{f_i,K'_i,s^*}$), and returns the output to \mathcal{A}_1 . If $j > i$, then \mathcal{B} queries the key generation oracle $\text{KG}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair (Left_{f,K_j} , Left_{f,K_j}) and returns the output to \mathcal{A}_1 . Finally, \mathcal{A}_1 outputs the challenge $(x_0^*, x_1^*, \text{state})$.

Next, \mathcal{B} chooses a random bit b , samples $s^* \in \{0, 1\}^\lambda$, computes $z^* = f_i(x_b^*; \text{PRF.Eval}_{K_i}(s^*))$ and queries the encryption oracle with the pair $((x_b^*, x_1^*, s^*, z^*), (x_b^*, x_1^*, s^*, z^*))$ to get the ciphertext c^* . We assume that $s^* \neq s$ for all sampled s 's and lose an additive negligible factor. Then, \mathcal{B} emulates the execution of \mathcal{A}_2 on input (c^*, state) by simulating the key generation oracle as follows: When \mathcal{A}_2 requests a functional key for the function $f \in \mathcal{F}$, \mathcal{B} samples $s^* \in \{0, 1\}^\lambda$ uniformly at random, samples $K \leftarrow \text{PRF.Gen}(1^\lambda)$, computes the key K' which is the key K punctured at the point s^* , queries the key generation oracle $\text{KG}_\sigma(\text{msk}, \cdot, \cdot)$ with the pair ($\text{PuncOutputZ}_{f_i,K',s^*}$, $\text{PuncOutputZ}_{f_i,K',s^*}$), and returns the output to \mathcal{A}_1 . Finally, when \mathcal{A}_2 outputs the bit b' , \mathcal{B} outputs 1 if $b' = b$, and otherwise, it outputs 0.

Note that when $\sigma = 0$ (the mode of the encryption oracle $\text{Enc}_\sigma(\text{msk}, \cdot, \cdot)$), then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(5,i)}$, and when $\sigma = 1$, then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(6,i)}$. Therefore,

$$\left| \Pr \left[\mathcal{H}^{(5,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(6,i)}(\lambda) = 1 \right] \right| \leq \text{Adv}_{\text{FE}, \mathcal{F}', \mathcal{B}^{(5,i) \rightarrow (6,i)}, T}^{\text{FP}}(\lambda) + \text{neg}(\lambda).$$

□

Proof of Claim 4.18. The adversary $\mathcal{B}^{(6,i) \rightarrow (7,i)} = (\mathcal{B}_1, \mathcal{B}_2)$ is defined as follows. \mathcal{B}_1 samples a random string $s^* \in \{0, 1\}^\lambda$ and outputs the set $\{s^*\}$ as the punctured set and the point s^* as the state.

Next, \mathcal{B}_2 gets as input a punctured PRF key $K' \triangleq K_{\{s^*\}}$ at the point s^* , a value y (which is either $\text{PRF}_K(s^*)$ or a random string), and the point s^* as the state information. Next, \mathcal{B}_2 chooses a master key $\text{msk} \leftarrow \text{FE.Setup}(1^\lambda)$ and emulates the execution of \mathcal{A}_1 on input 1^λ by simulating the encryption oracle and the key generation oracle as follows: When \mathcal{A}_1 requests an encryption of $x \in \mathcal{X}_\lambda$, \mathcal{B}_2 samples $s \in \{0, 1\}^\lambda$, computes $\text{FE.Enc}(\text{msk}, (x, \perp, s, \perp))$ and returns the output to \mathcal{A}_1 . When \mathcal{A}_1 requests the j th functional key for $f_j \in \mathcal{F}$, \mathcal{B}_2 samples a PRF key $K_j \leftarrow \text{PRF.Gen}(1^\lambda)$, computes $\text{FE.KG}(\text{msk}, \text{Right}_{f_j,K_j})$ if $j < i$, computes $\text{FE.KG}(\text{msk}, \text{PuncOutputZ}_{f_j,K'_i,s^*})$ if $j = i$ and computes $\text{FE.KG}(\text{msk}, \text{Left}_{f_j,K_j})$ if $j > i$, and returns the output to \mathcal{A}_1 . Finally, \mathcal{A}_1 outputs the challenge $(x_0^*, x_1^*, \text{state})$.

Then, \mathcal{B}_2 chooses a random bit b , computes $c^* \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, x_1^*, s^*, f_i(x_b^*, y)))$, and emulates the execution of \mathcal{A}_2 on input (c^*, state) by simulating the encryption oracle as before and simulating the key generation oracle as follows: When \mathcal{A}_2 requests a functional key for $f \in \mathcal{F}$, \mathcal{B}_2 computes $\text{FE.KG}(\text{msk}, \text{PuncOutputY}_{f,K',f(x_1^*),s^*})$ and returns the outputs to \mathcal{A}_2 . Finally, when \mathcal{A}_2 outputs the bit b' , \mathcal{B}_2 outputs 1 if $b' = b$, and otherwise, it outputs 0.

Note that when y is obtained from as a PRF evaluation, then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(6,i)}$, and when y is obtained from as a random string, then

\mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(7,i)}$. Therefore,

$$\left| \Pr \left[\mathcal{H}^{(6,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(7,i)}(\lambda) = 1 \right] \right| = \text{Adv}_{\text{puPRF}, \mathcal{B}^{(6,i) \rightarrow (7,i)}}(\lambda).$$

□

Proof of Claim 4.19. The adversary $\mathcal{B}^{(7,i) \rightarrow (8,i)} = (\mathcal{B}_1, \mathcal{B}_2)$ is defined as follows. First, \mathcal{B}_1 chooses a master key $\text{msk} \leftarrow \text{FE.Setup}(1^\lambda)$ and emulates the execution of \mathcal{A}_1 on input 1^λ by simulating the encryption oracle and the key generation oracle as follows: When \mathcal{A}_1 requests an encryption of $x \in \mathcal{X}_\lambda$, \mathcal{B}_1 samples $s \in \{0, 1\}^\lambda$, computes $\text{FE.Enc}(\text{msk}, (x, \perp, s, \perp))$, and returns the output to \mathcal{A}_1 . When \mathcal{A}_1 requests the j th functional key for $f_j \in \mathcal{F}$, \mathcal{B}_2 samples a PRF key $K_j \leftarrow \text{PRF.Gen}(1^\lambda)$, samples $s^* \leftarrow \{0, 1\}^\lambda$, computes $\text{FE.KG}(\text{msk}, \text{Right}_{f_j, K_j})$ if $j < i$, computes $\text{FE.KG}(\text{msk}, \text{PuncOutputZ}_{f_j, K', s^*})$ if $j = i$ and computes $\text{FE.KG}(\text{msk}, \text{Left}_{f_j, K_j})$ if $j > i$, and returns the output to \mathcal{A}_1 . When \mathcal{A}_1 outputs the challenge $(x_0^*, x_1^*, \text{state})$, \mathcal{B}_1 chooses a random bit b , and outputs (f_i, x_b^*, x_1^*) and its entire memory and internal randomness as the state information.

Next, \mathcal{B}_2 runs on input y (which is either a uniform sample from $f(x_b^*)$ or from $f(x_1^*)$), computes $c^* \leftarrow \text{FE.Enc}(\text{msk}, (x_b^*, x_1^*, s^*, y))$, emulates the execution of \mathcal{A}_2 on input (c^*, state) by simulating the encryption algorithm as before and simulating the key generation oracle as follows: When \mathcal{A}_2 requests a functional key for $f \in \mathcal{F}$, \mathcal{B}_2 computes $\text{FE.KG}(\text{msk}, \text{PuncOutputY}_{f, K', f(x_1^*), s^*})$ and returns the outputs to \mathcal{A}_2 . Finally, when \mathcal{A}_2 outputs the bit b' , \mathcal{B}_2 outputs 1 if $b' = b$, and otherwise, it outputs 0.

Note that when y is sampled from $f(x_b^*)$, then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(7,i)}$, and when y is sampled from $f(x_1^*)$, then \mathcal{A} 's view is identical to its view in the experiment $\mathcal{H}^{(8,i)}$. Therefore,

$$\left| \Pr \left[\mathcal{H}^{(7,i)}(\lambda) = 1 \right] - \Pr \left[\mathcal{H}^{(8,i)}(\lambda) = 1 \right] \right| = \text{Adv}_{\mathcal{F}, \mathcal{B}^{(7,i) \rightarrow (8,i)}}^{\text{aADM}} \leq \Delta(\lambda).$$

□

References

- [1] S. Agrawal, S. Agrawal, S. Badrinarayanan, A. Kumarasubramanian, M. Prabhakaran, A. Sahai, Function private functional encryption and property preserving encryption: New definitions and positive results. *Cryptology ePrint Archive, Report 2013/744* (2013)
- [2] J. Alwen, M. Barbosa, P. Farshim, R. Gennaro, S.D. Gordon, S. Tessaro, D.A. Wilson, On the relationship between functional encryption, obfuscation, and fully homomorphic encryption, in *Proceedings of the 14th International Conference on Cryptography and Coding – IMACC*, pp. 65–84 (2013)
- [3] P. Ananth, D. Boneh, S. Garg, A. Sahai, M. Zhandry, Differing-inputs obfuscation and applications. *Cryptology ePrint Archive, Report 2013/689* (2013)
- [4] P. Ananth, Z. Brakerski, G. Segev, V. Vaikuntanathan, From selective to adaptive security in functional encryption, in *Advances in Cryptology – CRYPTO'15*, pp. 657–677 (2015)

- [5] S. Agrawal, S. Gorbunov, V. Vaikuntanathan, H. Wee, Functional encryption: New perspectives and lower bounds, in *Advances in Cryptology – CRYPTO’13*, pp. 500–518 (2013)
- [6] E. Boyle, K. Chung, R. Pass, On extractability obfuscation, in *Proceedings of the 11th Theory of Cryptography Conference*, pp. 52–73, (2014)
- [7] D. Boneh, M.K. Franklin, Identity-based encryption from the Weil pairing. *SIAM J. Comput.***32**(3), 586–615 (2003). Preliminary version in *Advances in Cryptology – CRYPTO ’01*, pp. 213–229, 2001
- [8] B. Barak, O. Goldreich, R. Impagliazzo, S. Rudich, A. Sahai, S.P. Vadhan, K. Yang, On the (im)possibility of obfuscating programs. *J. ACM* 59(2), 6 (2012).
- [9] E. Boyle, S. Goldwasser, I. Ivan, Functional signatures and pseudorandom functions, in *Proceedings of the 17th International Conference on Practice and Theory in Public-Key Cryptography*, pp. 501–519 (2014)
- [10] Z. Brakerski, I. Komargodski, G. Segev, Multi-input functional encryption in the private-key setting: Stronger security from weaker assumptions. *Cryptology ePrint Archive, Report 2015/158* (2015)
- [11] M. Bellare, A. O’Neill, Semantically-secure functional encryption: Possibility results, impossibility results and the quest for a general definition, in *Proceedings of the 12th International Conference on Cryptology and Network Security*, pp. 218–234 (2013)
- [12] D. Boneh, A. Raghunathan, G. Segev, Function-private identity-based encryption: Hiding the function in functional encryption, in *Advances in Cryptology – CRYPTO’13*, pp. 461–478 (2013)
- [13] D. Boneh, A. Raghunathan, G. Segev, Function-private subspace-membership encryption and its applications, in *Advances in Cryptology – ASIACRYPT’13*, pp. 255–275 (2013)
- [14] Z. Brakerski, G. Segev, Function-private functional encryption in the private-key setting, in *Proceedings of the 12th Theory of Cryptography Conference*, pp. 306–324 (2015)
- [15] D. Boneh, A. Sahai, B. Waters, Functional encryption: Definitions and challenges, in *Proceedings of the 8th Theory of Cryptography Conference*, pp. 253–273 (2011)
- [16] D. Boneh, B. Waters, Constrained pseudorandom functions and their applications, in *Advances in Cryptology - ASIACRYPT’13*, pp. 280–300 (2013)
- [17] C. Cocks, An identity based encryption scheme based on quadratic residues, in *Proceedings of the 8th IMA International Conference on Cryptography and Coding*, pp. 360–363 (2001)
- [18] A. De Caro, V. Iovino, A. Jain, A. O’Neill, O. Paneth, G. Persiano, On the achievability of simulation-based security for functional encryption, in *Advances in Cryptology - CRYPTO’13*, pp. 519–535 (2013)
- [19] S. Goldwasser, S.D. Gordon, V. Goyal, A. Jain, J. Katz, F.-H. Liu, A. Sahai, E. Shi, H.-S. Zhou, Multi-input functional encryption, in *Advances in Cryptology – EUROCRYPT’14*, pp. 578–602 (2014)
- [20] S. Garg, C. Gentry, S. Halevi, M. Raykova, A. Sahai, B. Waters, Candidate indistinguishability obfuscation and functional encryption for all circuits, in *Proceedings of the 54th Annual IEEE Symposium on Foundations of Computer Science*, pp. 40–49 (2013)
- [21] S. Garg, C. Gentry, S. Halevi, and M. Zhandry, Fully secure functional encryption without obfuscation. *Cryptology ePrint Archive, Report 2014/666* (2014). To appear in TCC 2016A
- [22] O. Goldreich, S. Goldwasser, S. Micali, How to construct random functions. *J. ACM* 33(4), 792–807 (1986).
- [23] V. Goyal, A. Jain, V. Koppula, A. Sahai, Functional encryption for randomized functionalities, in *Proceedings of the 12th Theory of Cryptography Conference*, pp. 325–351 (2015)
- [24] S. Goldwasser, Y. Kalai, R. A. Popa, V. Vaikuntanathan, N. Zeldovich, Reusable garbled circuits and succinct functional encryption, in *Proceedings of the 45th Annual ACM Symposium on Theory of Computing*, pp. 555–564 (2013)
- [25] S. Gorbunov, V. Vaikuntanathan, H. Wee, Functional encryption with bounded collusions via multi-party computation. In *Advances in Cryptology – CRYPTO’12*, pp. 162–179 (2012)
- [26] A. Kiayias, S. Papadopoulos, N. Triandopoulos, T. Zacharias, Delegatable pseudorandom functions and applications, in *Proceedings of the 20th Annual ACM Conference on Computer and Communications Security*, pp. 669–684 (2013)
- [27] A. O’Neill, Definitional issues in functional encryption. *Cryptology ePrint Archive, Report 2010/556* (2010)
- [28] A. Shamir, Identity-based cryptosystems and signature schemes, in *Advances in Cryptology – CRYPTO’84*, pp. 47–53 (1984)
- [29] E. Shen, E. Shi, B. Waters, Predicate privacy in encryption systems, in *Proceedings of the 6th Theory of Cryptography Conference*, pp. 457–473 (2009)

- [30] A. Sahai, B. Waters, Slides on functional encryption. <http://www.cs.utexas.edu/~bwaters/presentations/files/functional.ppt> (2008)
- [31] A. Sahai, B. Waters, How to use indistinguishability obfuscation: deniable encryption, and more, in *Proceedings of the 46th Annual ACM Symposium on Theory of Computing*, pp. 475–484 (2014)
- [32] B. Waters, A punctured programming approach to adaptively secure functional encryption, in *Advances in Cryptology – CRYPTO’15*, pp. 678–697 (2015)