

Erratum to: The need for secondary resurfacing is affected by trochlear height in total knee arthroplasty

Lucas Werth¹ · Mo Saffarini² · Felix Amsler³ · Ashraf Abdelkafy⁴ · Martin Clauss¹ · Michael T. Hirschmann¹

Published online: 19 October 2016

© European Society of Sports Traumatology, Knee Surgery, Arthroscopy (ESSKA) 2016

Erratum to: Knee Surg Sports Traumatol Arthrosc DOI 10.1007/s00167-016-4319-3

Unfortunately, one of the co-author names (Martin Clauss) has been inadvertently omitted in the original publication.

The correct author group is given below:

Lucas Werth, Mo Saffarini, Felix Amsler, Ashraf Abdelkafy, Martin Clauss, Michael T. Hirschmann.

The online version of the original article can be found under doi:[10.1007/s00167-016-4319-3](https://doi.org/10.1007/s00167-016-4319-3).

✉ Michael T. Hirschmann
michael.hirschmann@ksbl.ch
<http://www.kneedoctor.ch>

¹ Department of Orthopaedic Surgery and Traumatology, Kantonsspital Baselland (Bruderholz, Liestal, Laufen), 4101 Bruderholz, Switzerland

² Accelerate Innovation Management SA, Geneva, Switzerland

³ Amsler Consulting, 4059 Basel, Switzerland

⁴ Faculty of Medicine, Suez Canal University, Ismailia 41522, Egypt