



Correction to: Kinematic alignment fails to achieve balancing in 50% of varus knees and resects more bone compared to functional alignment

Jobe Shatrov^{1,2} · Cécile Batailler^{1,3} · Elliot Sappey-Marinier¹ · Stanislas Gunst^{1,3} · Elvire Servien^{1,3} · Sebastien Lustig^{1,3}

Published online: 3 October 2022

© The Author(s) under exclusive licence to European Society of Sports Traumatology, Knee Surgery, Arthroscopy (ESSKA) 2022

Correction to:

Knee Surgery, Sports Traumatology, Arthroscopy
(2022) 30:2991–2999
<https://doi.org/10.1007/s00167-022-07073-5>

Authors would like to correct the errors in Table 2.

The original article has been corrected.

The original article can be found online at <https://doi.org/10.1007/s00167-022-07073-5>.

✉ Jobe Shatrov
jobeshatrov1@gmail.com

Cécile Batailler
cecile.batailler@chu-lyon.fr

Elliot Sappey-Marinier
esappey@gmail.com

Stanislas Gunst
stanislas.gunst@chu-lyon.fr

Elvire Servien
elvire.servien@chu-lyon.fr

Sebastien Lustig
sebastien.lustig@chu-lyon.fr

¹ Orthopaedics Surgery and Sports Medicine Department, FIFA Medical Center of Excellence, Croix-Rousse Hospital, Lyon University Hospital, Lyon, France

² Sydney Orthopaedic Research Institute at Landmark Orthopaedics, St. Leonards, Sydney, Australia

³ Univ Lyon, Claude Bernard Lyon 1 University, IFSTTAR, LBMC UMR_T9406, 69622 Lyon, France

Table 2 Bone resection depths for kinematic versus functional alignment in the varus morphotype (n = 102)

Region	Group	Mean bone resection (mm)	Std. deviation	Paired differences	95% Confidence interval of the difference		P
					Mean difference (mm)	Lower	
Distal femoral medial resection	KA	9.1	0.8				
	FA	7.5	1.4	1.6	1.3	1.9	> 0.0001
Distal femoral lateral resection	KA	8.6	1.1				
	FA	6.7	1.9	2.0	1.6	2.3	> 0.0001
Posteromedial femoral resection	KA	9.2	0.5				
	FA	9.5	1.2	− 0.3	− 0.5	0.0	0.023
Posterolateral femoral resection	KA	8.6	1.1				
	FA	8.0	1.6	0.6	0.3	0.9	0.005
Proximal medial tibial resection	KA	7.7	0.8				
	FA	6.8	1.7	0.9	0.5	1.3	> 0.0001
Proximal lateral tibial resection	KA	8.0	0.8				
	FA	6.9	1.8	1.1	0.7	1.5	> 0.0001
Total medial resection in extension	KA	16.4	2.7				
	FA	15.5	1.8	0.9	0.2	1.6	0.013
Total lateral resection in extension	KA	16.6	1.2				
	FA	14.3	2.2	2.3	1.8	2.8	> 0.0001
Total medial resection in flexion	KA	16.9	0.8				
	FA	15.2	2.1	1.7	1.2	2.1	> 0.0001
Total lateral resection in flexion	KA	16.6	1.2				
	FA	14.1	2.5	2.5	1.9	3.0	> 0.0001

FA functional alignment, KA kinematic alignment

*Paired *t* test $P > 0.05$ = significance

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.