

ERRATUM

Erratum to: Inhibition of the Innate Immune Receptors for Foreign DNA Sensing Improves Transfection Efficiency of Gene Electrotransfer in Melanoma B16F10 Cells

Masa Bosnjak¹ · Urska Kamensek¹ · Gregor Sersa¹ · Danijela Stolf¹ · Jaka Lavrencak² · Maja Cemazar^{1,3}

Published online: 3 May 2017
© Springer Science+Business Media New York 2017

Erratum to: J Membrane Biol DOI 10.1007/s00232-017-9948-z

The original version of this article unfortunately contained an omission in the acknowledgements section. The acknowledgement to the National Institute of Health, USA (Project RO1 CA196796) was inadvertently missed out. The corrected acknowledgement section is given below:

Acknowledgements: The authors acknowledge the financial support from the state budget by the Slovenian

Research Agency (Program No. P3-0003) and the National Institute of Health, USA (Project RO1 CA196796). The research was conducted in the scope of LEA EBAM (French-Slovenian European Associated Laboratory: Pulsed Electric Fields Applications in Biology and Medicine) and is a result of networking efforts within COST TD1104 Action. We would like to thank Mira Lavric (Institute of Oncology Ljubljana, Ljubljana, Slovenia) for all the valuable work she contributed to this research.

The online version of the original article can be found under doi:[10.1007/s00232-017-9948-z](https://doi.org/10.1007/s00232-017-9948-z).

✉ Maja Cemazar
mccemazar@onko-i.si

¹ Department of Experimental Oncology, Institute of Oncology Ljubljana, Zaloska 2, 1000 Ljubljana, Slovenia

² Department of Cytopathology, Institute of Oncology Ljubljana, Zaloska 2, 1000 Ljubljana, Slovenia

³ Faculty of Health Sciences, University of Primorska, Polje 42, 6310 Izola, Slovenia