

## Erratum to: The Controllability of the Gurtin-Pipkin Equation: A Cosine Operator Approach

Luciano Pandolfi

Published online: 20 September 2011  
© Springer Science+Business Media, LLC 2011

### Erratum to: Appl Math Optim (2005) 52: 143–165 DOI 10.1007/s00245-005-0819-0

Lemma 18 states that  $A^{-1}[\mathcal{R}_\infty]^\perp \subseteq [\mathcal{R}_\infty]^\perp$ . Its proof is based on Lemma 17 which is not correct since an integral in the (sketched) computations does not cancel out. A proof of Lemma 18 which does not use Lemma 17 is as follows.

Using formula (7), the Laplace transform of  $\theta(t)$  with  $\theta(0) = 0$  is

$$\hat{\theta}(\lambda) = -A \left( \frac{\lambda}{\hat{b}(\lambda)} I - A \right)^{-1} D\hat{u}(\lambda). \quad (1)$$

Let  $u(t) = u_0 e^{-t}$ . For every  $\lambda$  (in a right half-plane) and  $\xi \perp R_\infty$  we have

$$0 = -\langle \xi, \hat{\theta}(\lambda) \rangle = \frac{1}{1 + \bar{\lambda}} \left\langle \xi, A \left( \frac{\lambda}{\hat{b}(\lambda)} I - A \right)^{-1} D u_0 \right\rangle, \quad \forall u_0 \in U.$$

The assumptions on  $b(t)$  imply that this equality can be extended by continuity to  $\lambda = 0$  and for  $\lambda = 0$  we have  $\langle \xi, D u_0 \rangle = 0$  for every  $u_0 \in U$ . Hence, if  $\xi \perp R_\infty$  then  $\xi \perp \text{im} D$ .

Now we use (1). We use  $A = A^*$  and we get

$$-\langle A^{-1} \xi, \hat{\theta}(\lambda) \rangle = -\langle \xi, A^{-1} \hat{\theta}(\lambda) \rangle = \left\langle \xi, A \left\{ A^{-1} \left( \frac{\lambda}{\hat{b}(\lambda)} I - A \right)^{-1} \right\} D \hat{u}(\lambda) \right\rangle$$

The online version of the original article can be found under doi:10.1007/s00245-005-0819-0.

L. Pandolfi (✉)

Dipartimento di Matematica, Politecnico di Torino, Corso Duca degli Abruzzi 24, 10129 Torino, Italy  
e-mail: luciano.pandolfi@polito.it

$$= \left[ \frac{\hat{b}(\lambda)}{\lambda} \right] \left\{ \langle \xi, D\hat{u}(\lambda) \rangle + \left\langle \xi, A \left( \frac{\lambda}{\hat{b}(\lambda)} I - A \right)^{-1} D\hat{u}(\lambda) \right\rangle \right\}$$

When  $\xi \perp R_\infty$ , the first addendum is zero since we proved  $\xi \perp \text{im } D$ . The second addendum is  $\langle \xi, \hat{\theta}(\lambda) \rangle = 0$ . So,  $\langle A^{-1}\xi, \hat{\theta}(\lambda) \rangle = 0$ , i.e.  $\langle A^{-1}\xi, \theta(t) \rangle = 0$  for every  $t$  and every control  $u(t)$ , as wanted.