

Erratum to: Diagnostic Ultrasound Features and Outcome of Restrictive Foramen Ovale in Fetuses With Structurally Normal Hearts

Orhan Uzun · Kadir Babaoglu · Yusuf I. Ayhan · Marsham Moselhi ·
Fran Rushworth · Sue Morris · Bryan Beattie · Jarmilla Wiener ·
Michael J. Lewis

Published online: 20 May 2014
© Springer Science+Business Media New York 2014

Erratum to: *Pediatr Cardiol*
DOI 10.1007/s00246-014-0879-5

The original version of this article unfortunately contained few mistakes. The errors are corrected as given below:

1. In the abstract, the numbers of deaths were typed incorrectly as "...7 infants died." The correct number should have been "...two infants died."
2. In Table 2, the range and Mean \pm SD parameters of the isthmus-to-ductus ratio were erroneously typed as:

Aortic isthmus	Patients	%	Range	Mean \pm SD
Isthmus-to-ductus ratio <0.74	17	74	1.02–2.8	1.69 \pm 0.38

Correct parameters should have been:

Aortic isthmus	Patients	%	Range	Mean \pm SD
Isthmus-to-ductus ratio <0.74	17	74	0.46–1.0	0.63 \pm 0.13

The online version of the original article can be found under doi:[10.1007/s00246-014-0879-5](https://doi.org/10.1007/s00246-014-0879-5).

O. Uzun (✉)
Department of Paediatric Cardiology, University Hospital of
Wales, Cardiff CF14 4XW, Wales, UK

K. Babaoglu
Department of Paediatric Cardiology, Kocaeli University
Medical Faculty, Izmit, Turkey

Y. I. Ayhan
Department of Paediatric Cardiology, Goztepe Hospital,
Medeniyet University, Istanbul, Turkey

M. Moselhi
Department of Obstetrics and Gynaecology, Singleton Hospital,
Swansea, Wales, UK

F. Rushworth
Department of Obstetrics and Gynaecology, Princess of Wales
Hospital, Bridgend, Wales, UK

S. Morris
Department of Radiology, University Hospital of Wales, Cardiff,
Wales, UK

B. Beattie · J. Wiener
Department of Obstetrics and Gynaecology, University Hospital
of Wales, Cardiff, Wales, UK

M. J. Lewis
College of Engineering, Swansea University, Swansea, Wales,
UK