

CORRECTION

Correction to: ^{18}F -NaF PET/CT: EANM procedure guidelines for bone imaging

M. Beheshti¹ · F. M. Mottaghy^{2,3} · F. Paycha⁴ · F. F. F. Behrendt² ·
T. Van den Wyngaert⁵ · I. Fogelman⁶ · K. Strobel⁷ · M. Celli⁸ · S. Fanti⁸ ·
F. Giammarile⁹ · B. Krause¹⁰ · W. Langsteger¹

Published online: 13 November 2017
© Springer-Verlag GmbH Germany, part of Springer Nature 2017

Correction to: Eur J Nucl Med Mol Imaging, 2015 Oct, 42(11):1767-77
<https://doi.org/10.1007/s00259-015-3138-y>

The original version of this article unfortunately contained an error. The name and affiliation of “Frédéric Paycha” needs to be corrected. Given in this article is the correct author name and affiliation.

The online version of this article can be found at <https://doi.org/10.1007/s00259-015-3138-y>

✉ M. Beheshti
mohsen.beheshti@bhs.at

¹ PET - CT Center LINZ, Department of Nuclear Medicine & Endocrinology, St Vincent's Hospital, Seilerstaette 4, A-4020 Linz, Austria

² Department of Nuclear Medicine, University Hospital Aachen, RWTH Aachen University, Aachen, Germany

³ Department of Nuclear Medicine, Maastricht University Medical Center, Maastricht, The Netherlands

⁴ Department of Nuclear Medicine, Hôpital Lariboisière, Assistance Publique-Hôpitaux de Paris, Paris, France

⁵ Department of Nuclear Medicine, Antwerp University Hospital, Edegem, Belgium

⁶ Department of Nuclear Medicine, Guy's Campus, King' College, London, UK

⁷ Department of Radiology and Nuclear Medicine, Lucerne Cantonal Hospital, Lucerne, Switzerland

⁸ Department of Nuclear Medicine, PET Unit, Policlinico S. Orsola-Malpighi, Bologna, Italy

⁹ Department of Nuclear Medicine, Centre Hospitalier Universitaire de Lyon, Lyon, France

¹⁰ Department of Nuclear Medicine, University Hospital Rostock, Rostock, Germany