



Correction to: A multiparametric analysis based on DCE-MRI to improve the accuracy of parotid tumor discrimination

Zhifeng Xu¹ · Shaoyan Zheng² · Aizhen Pan¹ · Xiaofang Cheng³ · Mingyong Gao¹

Published online: 4 February 2020

© Springer-Verlag GmbH Germany, part of Springer Nature 2020

Correction to: European Journal of Nuclear Medicine and Molecular Imaging (2019) 46:2228–2234.
<https://doi.org/10.1007/s00259-019-04447-9>

Figure captions of Figures 2, 3, and 4 were incorrect in the original version of this article. Correct captions are presented here:

Fig. 2 PA in the left parotid. **a** Axial T1WI showing isointense nodules. **b** Axial T2WI showing mixed hyperintense and isointense nodules. **c** DCE-T1WI showing nonhomogeneous enhanced nodules. **d** Type A TIC

Fig. 3 Warthin's tumor in the right parotid gland. **a** Axial T1WI tumor showing an isointense signals. **b** Axial T2WI the nodule showing slightly hyperintense and isointense signals. **c** Nodule showing slight homogeneous enhancement on DCE T1WI. **d** Type B TIC

Fig. 4 Lymphoepithelial carcinoma in the left parotid gland. **a** Axials T1WI showing isointense nodules. **b** Axial T2WI of nodule showing slight hyperintense and isointense areas. **c** DCE-T1WI showing a slight homogeneous enhancement. **d** Type C TIC

This article is part of the Topical Collection on Erratum.

The online version of the original article can be found at <https://doi.org/10.1007/s00259-019-04447-9>

✉ Zhifeng Xu
xuzf83@126.com

¹ Department of Radiology, The First People's Hospital of Foshan, Foshan, Guangdong, China

² Department of MR, Shantou Central Hospital, Shantou, Guangdong, China

³ Department of Radiology, Affiliated Brain Hospital of Guangzhou Medical University (Guangzhou Huiai Hospital), Guangzhou, People's Republic of China