

Erratum to: The use of the ^{13}C -dextromethorphan breath test for phenotyping CYP2D6 in breast cancer patients using tamoxifen: association with *CYP2D6* genotype and serum endoxifen levels

F. L. Opdam · V. O. Dezentje · J. den Hartigh · A. S. Modak · R. Vree ·
E. Batman · C. H. Smorenburg · J. W. R. Nortier · H. Gelderblom ·
H.-J. Guchelaar

Published online: 12 January 2013
© Springer-Verlag Berlin Heidelberg 2013

Erratum to: Cancer Chemother Pharmacol DOI 10.1007/s00280-012-2034-4

The following author's (R. Vree, E. Batman and C. H. Smorenburg) affiliations were published incompletely in the original version of the article. The correct affiliations are given below:

R. Vree
Department of Surgery, Diaconessenhuis, Leiden,
The Netherlands

E. Batman
Department of Internal Medicine, Diaconessenhuis,
Leiden, The Netherlands

C. H. Smorenburg
Department of Internal Medicine, Medical Center
of Alkmaar, Alkmaar, The Netherlands

The online version of the original article can be found under
doi:[10.1007/s00280-012-2034-4](https://doi.org/10.1007/s00280-012-2034-4).

F. L. Opdam (✉) · V. O. Dezentje · J. W. R. Nortier ·
H. Gelderblom
Department of Clinical Oncology,
K-1, Leiden University Medical Center,
P.O. box 9600, 2300 RC Leiden, The Netherlands
e-mail: f.l.opdam@lumc.nl

F. L. Opdam · V. O. Dezentje · J. den Hartigh · H.-J. Guchelaar
Department of Clinical Pharmacy and Toxicology,
Leiden University Medical Center, Leiden, The Netherlands

A. S. Modak
Cambridge Isotope Laboratories Inc., Andover,
Massachusetts, USA

R. Vree
Department of Surgery, Diaconessenhuis,
Leiden, The Netherlands

E. Batman
Department of Internal Medicine, Diaconessenhuis,
Leiden, The Netherlands

C. H. Smorenburg
Department of Internal Medicine, Medical Center of Alkmaar,
Alkmaar, The Netherlands