

Erratum to: Effects of calmodulin on expression of lignin-modifying enzymes in *Pleurotus ostreatus*

Takashi Suetomi · Takaiku Sakamoto · Yoshitaka Tokunaga · Toru Kameyama · Yoichi Honda · Hisatoshi Kamitsuji · Isamu Kameshita · Kousuke Izumitsu · Kazumi Suzuki · Toshikazu Irie

Published online: 9 January 2015
© Springer-Verlag Berlin Heidelberg 2015

Erratum to: Curr Genet

DOI 10.1007/s00294-014-0460-z

The original publication of this article unfortunately contained an error in Fig. 9. The scale of y-axis of the graphs in Fig. 9 must be reduced to about one-half or one-fifth of their present values. Corrected Fig. 9 is given below.

The online version of the original article can be found under doi:[10.1007/s00294-014-0460-z](https://doi.org/10.1007/s00294-014-0460-z).

T. Suetomi · T. Sakamoto · Y. Tokunaga · T. Kameyama ·
K. Izumitsu · K. Suzuki · T. Irie (✉)
School of Environmental Science, University of Shiga Prefecture,
2500 Hassaka-cho, Hikone, Shiga 522-8533, Japan
e-mail: tirie@ses.usp.ac.jp

Y. Honda
Graduate School of Agriculture, Kyoto University,
Kitashirakawa Oiwake-cho, Sakyo-ku, Kyoto 606-8502, Japan

H. Kamitsuji
Gifu Prefectural Research Institute for Forests,
1128-1 Sodai, Mino, Gifu 501-3714, Japan

I. Kameshita
Faculty of Agriculture, Kagawa University,
2393 Ikenobe, Miki, Kagawa 761-0795, Japan




Fig. 9 Time courses of absolute Lac isozyme gene transcript levels. The mycelia were cultured in GP liquid medium containing 0.27 mM MnSO₄. The culture filtrates were used for enzyme assay. Total RNA was extracted from the mycelia and used to measure isozyme gene

transcript levels with real-time RT-PCR. The experiment was repeated four times. Error bars indicate mean \pm SD for four biological repetitions. Mean values not sharing a common letter are significantly different among strains ($P < 0.05$)