

## Erratum to: Contribution of allochthonous resources to breeding in a high-arctic avian predator

Jean-Rémi Julien · Pierre Legagneux ·  
Gilles Gauthier · R. I. Guy Morrison ·  
Jean-François Therrien · Joël Bêty

Published online: 4 July 2014  
© Springer-Verlag Berlin Heidelberg 2014

**Erratum to: Polar Biol (2014) 37:193–203**  
**DOI 10.1007/s00300-013-1423-4**

The bar showing details for ‘Low’ under ‘Anthropogenic’ in Fig. 3a was missing in the original publication. The complete Fig. 3 is shown below.

---

The online version of the original article can be found under  
doi:[10.1007/s00300-013-1423-4](https://doi.org/10.1007/s00300-013-1423-4).

---


J.-R. Julien · G. Gauthier · J.-F. Therrien  
Département de biologie and Centre d'études nordiques,  
Pavillon Vachon, Université Laval Québec, 1045 avenue de la  
Médecine, Québec City, QC G1V 0A6, Canada

P. Legagneux (✉) · J. Bêty  
Département de biologie and Centre d'études nordiques,  
Université du Québec à Rimouski, 300 Allée des Ursulines,  
Rimouski, QC G5L 3A1, Canada  
e-mail: [legagneux@gmail.com](mailto:legagneux@gmail.com)

R. I. Guy Morrison  
Canadian Wildlife Service, National Wildlife Research Centre,  
Carleton University, 1125 Colonel By Drive (Raven Road),  
Ottawa, ON K1A 0H3, Canada

*Present Address:*

J.-F. Therrien  
Hawk Mountain Sanctuary, 410 Summer Valley Road,  
Orwigsburg, PA 17961, USA



**Fig. 3** Diet reconstruction using SIAR mixing models based on plasma isotopic signatures of long-tailed skuas at Alert in years of high (2003) and low (2008) lemming abundance. In *upper part*, **a** birds caught at the sewage outfall stream (30 May to 23 June; 2003  $n = 10$  and 2008  $n = 27$ ). In *lower part*, **b** birds caught at their nests (3–11 July 2003  $n = 7$  and 2008  $n = 10$ ; marine subsidies were excluded from this specific analysis, see “Materials and methods” section for details). Median (*white dot*), 50, 75, and 95 % credible intervals (*dark gray*, *light gray*, and *white boxes*, respectively) of the probability distributions of food proportions in diet are presented