

## Erratum to: Spatial and seasonal reef calcification in corals and calcareous crusts in the central Red Sea

Anna Roik<sup>1</sup> · Cornelia Roder<sup>1</sup> · Till Röthig<sup>1</sup> · Christian R. Voolstra<sup>1</sup>

Published online: 11 March 2016  
© Springer-Verlag Berlin Heidelberg 2016

### Erratum to: Coral Reefs DOI 10.1007/s00338-015-1383-y

Figure 5 from our study published as a Report in Coral Reefs: 1–13 (2015), DOI: [10.1007/s00338-015-1383-y](https://doi.org/10.1007/s00338-015-1383-y) contains one error:

In Fig. 5, the y-axes labels in row 1–3 ( $G \% \text{ day}^{-1}$ ) are shifted by two decimals and need to be corrected from [0, 40, 80, 120] to [0, 0.4, 0.8, 1.2].

This correction does not change the results or conclusions of the study.

---

The online version of the original article can be found under doi:[10.1007/s00338-015-1383-y](https://doi.org/10.1007/s00338-015-1383-y).

---

✉ Christian R. Voolstra  
Christian.voolstra@kaust.edu.sa

<sup>1</sup> Red Sea Research Center, King Abdullah University of Science and Technology (KAUST), Building 2, Level 2, Thuwal, Kingdom of Saudi Arabia

**Fig. 5** Spatio-seasonal patterns of reef calcification for corals and calcareous crusts (CCs). Plots are separated according to reef location (*columns*) with further subdivision for seasons on the *x*-axis. The *first three rows* show seasonal coral calcification rates as percent accretion per day [ $G_{\text{Coral}}$  ( $\% \text{ d}^{-1}$ )] with *each row* showing one coral genus (POR, *Porites*; ACR, *Acropora*; POC, *Pocillopora*). Calcification for pocilloporid corals was not measured in nearshore reef sites. The *fourth row shows* CC calcification rates as dry weight accretion per surface area per day [ $G_{\text{CC}}$  ( $\text{mg cm}^{-2} \text{ d}^{-1}$ )]. Filled circle means, error bars standard deviation; color code: gray exposed, black sheltered

