## CORRECTION



## Correction to: Pre-existing cerebrovascular disease and poor outcomes of COVID-19 hospitalized patients: a meta-analysis

Urvish Patel · Preeti Malik · Dhaivat Shah · Achint Patel · Mandip Dhamoon · Vishal Jani ·

Published online: 5 September 2020 © Springer-Verlag GmbH Germany, part of Springer Nature 2020

## Correction to: Journal of Neurology https://doi.org/10.1007/s00415-020-10141-w

The original version of this article unfortunately contained a mistake. The correct information is given below.

Third sentence of the section "Meta-analysis" should read as

Meta-analysis of all nine studies showed that COVID-19 patient with pre-existing CeVD had higher odds of poor outcomes compared to better outcomes with a pooled OR of 2.67 (95% CI 1.75–4.06;  $p \le 0.00001$ ), with minimal heterogeneity between studies ( $I^2 = 12\%$ ; Tau<sup>2</sup> = 0.05; Chi<sup>2</sup> = 9.10) (Fig. 2).

The original article can be found online at https://doi.org/10.1007/s00415-020-10141-w.

☑ Preeti Malik pmalik.ma@gmail.com

- Department of Public Health, Icahn School of Medicine at Mount Sinai, 1 Gustave L. Levy Pl, New York, NY 10029, USA
- Department of Neurology, Icahn School of Medicine at Mount Sinai, New York, NY, USA
- Department of Neurology, Creighton University School of Medicine, Omaha, NE, USA

