

Erratum to: A biological tissue adhesive and dissolvent system for intraocular tumor plaque radiotherapy: an in vivo animal model experiment

Ofira Zloto¹ · Dror Alezra² · Oded Sagiv¹ · Michael Belkin¹ ·
Vicktoria Vishnevskia Dai¹ · Iris Moroz¹ · Gahl Greenberg³ · Elad Ben-Artzi¹ ·
Ido Didi Fabian^{1,4}

Published online: 29 August 2015
© Springer-Verlag Berlin Heidelberg 2015

Erratum to: Graefes Arch Clin Exp Ophthalmol (2015)
DOI 10.1007/s00417-015-3082-3

Reason: Missing acknowledgement

Acknowledgement: This study was supported by a grant from the Claire and Amedee Maratier Institute for the Study of Blindness and Visual Disorders, Sackler Faculty of Medicine, Tel-Aviv University.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00417-015-3082-3>.

✉ Ido Didi Fabian
didifabian@gmail.com

- ¹ Goldschleger Eye Institute, Sheba Medical Center, Sackler Faculty of Medicine, Tel Aviv University, Tel Aviv, Israel
- ² Department of Radiation Oncology, Sheba Medical Center, Sackler Faculty of Medicine, Tel Aviv University, Tel Aviv, Israel
- ³ Department of Diagnostic Imaging, Sheba Medical Center, Sackler Faculty of Medicine, Tel Aviv University, Tel Aviv, Israel
- ⁴ Dr. Pinchas Borenstein Talpiot Medical Leadership Program 2012, Tel Hashomer, Israel