



Correction to: Correction by the skin-to-chest wall distance in near-infrared spectroscopy and assessment of breast cancer responses to neoadjuvant chemotherapy

Yuko Asano¹ · Nobuko Yoshizawa² · Yukio Ueda³ · Kenji Yoshimoto³ · Tetsuya Mimura³ · Etsuko Ohmae³ · Hiroko Wada³ · Shigeto Ueda⁴ · Toshiaki Saeki⁴ · Hiroyuki Ogura¹ · Norihiko Shiiya¹ · Harumi Sakahara²

Published online: 14 December 2022
© The Optical Society of Japan 2022

Correction to: Optical Review (2019) 26:111–117
<https://doi.org/10.1007/s10043-018-0486-4>

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

In the original publication, equations in Sects. 2.3 and 2.4 were published incorrectly. The corrected equations are given in this Correction.

$$\Delta tHb = (\text{post-therapy } tHb - \text{baseline } tHb) / \text{baseline } tHb \times 100 (\%).$$

$$\Delta tHb_{\text{net}} = (\text{post-therapy } tHb_{\text{net}} - \text{baseline } tHb_{\text{net}}) / \text{baseline } tHb_{\text{net}} \times 100 (\%).$$

$$\Delta SUV_{\text{max}} = (\text{post-therapy } SUV_{\text{max}} - \text{baseline } SUV_{\text{max}}) / \text{baseline } SUV_{\text{max}} \times 100 (\%).$$

The original publication has been corrected.

The original article can be found online at <https://doi.org/10.1007/s10043-018-0486-4>.

✉ Nobuko Yoshizawa
nonchan@hama-med.ac.jp

¹ First Department of Surgery, Hamamatsu University School of Medicine, 1-20-1 Handayama, Higashiku, Hamamatsu, Shizuoka 431-3192, Japan

² Department of Diagnostic Radiology and Nuclear Medicine, Hamamatsu University School of Medicine, 1-20-1 Handayama, Higashiku, Hamamatsu, Shizuoka 431-3192, Japan

³ Central Research Laboratory, Hamamatsu Photonics K.K., 5000 Hirakuchi, Hamakitaku, Hamamatsu, Shizuoka 434-8601, Japan

⁴ Department of Breast Oncology, Saitama Medical University International Medical Center, 1397-1 Yamane, Hidaka, Saitama 350-1298, Japan