

Erratum to: An abstract model for branching and its application to mixed integer programming

Pierre Le Bodic^{1,2}  · George Nemhauser²

Published online: 7 February 2017

© Springer-Verlag Berlin Heidelberg and Mathematical Optimization Society 2017

Erratum to: Math. Program., Ser. A DOI 10.1007/s10107-016-1101-8

In the original version of the article, the format of Table 1 was incorrect. The original article has been revised to provide the correct table, which is also shown below (Table 1):

Table 1 Ratios for some variables, truncated to 5 significant digits

(a) Variables that satisfy $l + r = 16$

Variable	(6, 10)	(5, 11)	(4, 12)	(3, 13)	(2, 14)	(1, 15)
φ	1.0926	1.0955	1.1002	1.107	1.1204	1.1468

(b) Variables that satisfy $l \times r = 60$

Variable	(6, 10)	(5, 12)	(4, 15)	(3, 20)	(2, 30)	(1, 60)
φ	1.0926	1.0907	1.0873	1.0813	1.0709	1.0515

The online version of the original article can be found under doi:[10.1007/s10107-016-1101-8](https://doi.org/10.1007/s10107-016-1101-8).

✉ Pierre Le Bodic
pierre.lebodid@monash.edu

¹ Present Address: Faculty of Information Technology, Monash University, Clayton, Australia

² Georgia Institute of Technology, Atlanta, GA, USA