

Erratum to: Intraguild dietary overlap and its possible relationship to the coexistence of mesocarnivores in intensive agricultural habitats

Luigi Remonti · Alessandro Balestrieri ·
Aritz Ruiz-González · Benjamín J. Gómez-Moliner ·
Enrica Capelli · Claudio Prigioni

Published online: 30 August 2012
© The Society of Population Ecology and Springer 2012

Erratum to: Popul Ecol
DOI 10.1007/s10144-012-0326-5

In the original publication of the article, the word “Garbage” in Tables 1 and 2 has been erroneously published in bold.

Please find below the corrected version of Tables 1 and 2.

The online version of the original article can be found under doi:[10.1007/s10144-012-0326-5](https://doi.org/10.1007/s10144-012-0326-5).

L. Remonti (✉) · A. Balestrieri · E. Capelli · C. Prigioni
Department of Earth and Environmental Sciences,
University of Pavia, Via Taramelli 24, 27100 Pavia, Italy
e-mail: luigi.remonti@gmail.com

A. Balestrieri
e-mail: alebbs@libero.it

E. Capelli
e-mail: capelli@unipv.it

C. Prigioni
e-mail: prigioni@unipv.it

A. Ruiz-González · B. J. Gómez-Moliner
Department of Zoology and Animal Cell Biology,
University of the Basque Country, UPV/EHU;
C/Paseo de la Universidad 7, 01006 Vitoria-Gasteiz, Spain
e-mail: aritz.ruiz@ehu.es

B. J. Gómez-Moliner
e-mail: benjamin.gomez@ehu.es

A. Ruiz-González · B. J. Gómez-Moliner
Systematics, Biogeography and Population Dynamics Research
Group, CIEA “Lucio Lascaray”, Centre for Research and
Advanced Studies, UPV/EHU; Avda Miguel de Unamuno, 3,
01006 Vitoria-Gasteiz, Spain

Table 1 Results of the analysis of stone marten *Martes foina* and red fox2 *Vulpes vulpes* faeces from the study sites of Camino and Coniolo, northern Italy

Food item	Stone marten		Red fox2	
	%FO	%mV	%FO	%mV
Undetermined vegetal matter	1.1	1.1	0	0
Fruits	63.7	56.1	70.5	59.7
American pokeweed <i>Phytolacca americana</i>	0	0	0	0
Black mulberry <i>Morus nigra</i>	0	0	0	0
Berries <i>Rubus</i> sp.	1.1	1.1	1.3	0.4
Wild cherry <i>Prunus</i> sp.	37.4	32.1	60.3	50.4
Domestic cherry <i>Prunus avium</i>	12.1	11.3	0	0
Plums <i>Prunus domestica</i>	2.2	2.2	1.3	0.6
Pear <i>Pyrus</i> sp.	0	0	0	0
Black elder <i>Sambucus nigra</i>	0	0	0	0
Common grape vine <i>Vitis vinifera</i>	0	0	0	0
Common fig <i>Ficus carica</i>	6.6	5.7	6.4	5.3
Undetermined fruit	1.1	0.5	3.8	1.9
Insects	15.4	7.9	35.9	15.4
Lepidoptera larvae	0	0	0	0
Coleoptera larvae	2.2	2.2	0	0
Hymenoptera	0	0	5.1	1.5
Orthoptera	1.1	0.1	0	0
Coleoptera	12.1	5.6	30.8	14.0
Undetermined insect	0	0	0	0
Birds	15.4	13.6	6.4	2.9
Anseriformes	0	0	0	0
Galliformes	0	0	0	0
Passeriformes	14.3	12.9	6.4	2.9
Columbiformes	1.1	0.8	0	0
Rallidae	0	0	0	0
Undetermined bird	0	0	0	0
Mammals	24.2	20.4	24.4	18.8
Small mammals	13.2	10.3	16.7	11.9
Common shrew <i>Sorex araneus</i>	0	0	0	0
Fat dormouse <i>Myoxus glis</i>	0	0	0	0
Common dormouse <i>M. avellanarius</i>	0	0	1.3	0.8
Bank vole <i>Myodes glareolus</i>	3.3	2.3	7.7	5.1
Savi's pine vole <i>Microtus savii</i>	0	0	0	0
Water vole <i>Arvicola terrestris</i>	0	0	0	0
Rat <i>Rattus</i> sp.	3.3	3.3	5.1	5.1
Wood mouse <i>Apodemus</i> sp.	3.3	2.5	0	0
House mouse <i>Mus domesticus</i>	0	0	1.3	0.4
Undetermined rodent	3.3	2.2	1.3	0.5
Medium-sized mammals	9.9	9.0	9.0	6.9
Eastern cottontail <i>Sylvilagus floridanus</i>	7.7	6.9	9.0	6.9
Brown hare <i>Lepus europaeus</i>	1.1	1.1	0	0
Undetermined lagomorph	1.1	1.0	0	0

Table 1 continued

Food item	Stone marten		Red fox2	
	%FO	%mV	%FO	%mV
Marten <i>Martes</i> sp.	0	0	0	0
Large mammals	1.1	1.1	0	0
Coypu <i>Myocastor coypus</i>	1.1	1.1	0	0
Dog <i>Canis domesticus</i>	0	0	0	0
Wild boar <i>Sus scrofa</i>	0	0	0	0
Garbage	0	0	2.6	2.6

Data were available only for the warm season

In bold the food items excluded from the calculation of niche breadth and overlap

Table 2 Results of the analysis of pine marten *Martes martes* and red fox1 *Vulpes vulpes* faeces from the study sites of Valenza and San Massimo, northern Italy

Food item	Pine marten				Red fox1			
	Warm season		Cold season		Warm season		Cold season	
	%FO	%mV	%FO	%mV	%FO	%mV	%FO	%mV
Undetermined vegetal matter	4.8	3.5	4.4	3.7	1.8	1.8	0	0
Fruits	58.7	47.1	8.7	4.0	35.1	26.1	10.5	3.9
American pokeweed <i>Phytolacca americana</i>	1.6	0.3	0	0	0	0	7.0	1.8
Black mulberry <i>Morus nigra</i>	9.5	6.7	0	0	0	0	0	0
Berries <i>Rubus</i> sp.	19.0	15.7	0	0	14.0	8.2	1.8	1.8
Wild cherry <i>Prunus</i> sp.	22.2	14.9	0	0	5.3	2.5	0	0
Domestic cherry <i>Prunus avium</i>	0	0	0	0	0	0	0	0
Plums <i>Prunus domestica</i>	0	0	0	0	1.8	1.8	0	0
Pear <i>Pyrus</i> sp.	6.3	4.1	0	0	7.0	3.9	0	0
Black elder <i>Sambucus nigra</i>	0	0	0	0	3.5	1.9	1.8	0.2
Common grape vine <i>Vitis vinifera</i>	0	0	2.2	0.3	3.5	1.2	0	0
Common fig <i>Ficus carica</i>	4.8	3.7	2.2	1.1	8.8	6.3	0	0
Undetermined fruit	1.6	1.6	4.4	2.6	1.8	0.4	1.8	0.2
Insects	6.3	4.0	4.6	0.9	26.3	11.1	15.8	7.9
Lepidoptera larvae	0	0	0	0	0	0	0	0
Coleoptera larvae	3.2	1.7	0	0	1.8	1.1	10.5	5.8
Hymenoptera	0	0	2.2	0.7	3.5	0.4	0	0
Orthoptera	0	0	2.2	0.2	5.3	1.2	0	0
Coleoptera	3.2	2.4	0	0	21.1	8.2	7.0	2.1
Undetermined insect	0	0	0	0	1.8	0.4	0	0
Birds	17.5	10.7	30.4	22.1	24.6	15.4	29.8	17.4
Anseriformes	0	0	0	0	3.5	1.4	0	0
Galliformes	0	0	4.4	3.0	5.3	4.0	3.5	3.5
Passeriformes	15.9	9.6	13.0	7.2	8.8	5.3	15.8	8.2
Columbiformes	1.6	1.1	10.9	9.8	5.3	3.9	7.0	3.7
Rallidae	0	0	0	0	0	0	3.5	1.9
Undetermined bird	0	0	2.2	2.2	1.8	0.7	0	0
Mammals	41.3	34.7	76.1	67.2	52.6	43.6	78.9	65.3
Small mammals	17.5	13.5	47.8	42.4	21.1	13.4	52.6	41.1
Common shrew <i>Sorex araneus</i>	0	0	2.2	0.9	1.8	0.4	0	0
Fat dormouse <i>Myoxus glis</i>	4.8	3.0	4.3	2.8	1.8	1.8	0	0
Common dormouse <i>M. avellanarius</i>	1.6	1.6	0	0	0	0	0	0
Bank vole <i>Myodes glareolus</i>	6.3	3.2	32.6	30.9	7.0	4.6	5.3	4.0
Savi's pine vole <i>Microtus savii</i>	6.3	4.0	2.2	2.2	0	0	0	0
Water vole <i>Arvicola terrestris</i>	4.8	4.8	0	0	5.3	4.7	10.5	8.4
Rat <i>Rattus</i> sp.	0	0	0	0	0	0	8.8	8.2
Wood mouse <i>Apodemus</i> sp.	0	0	2.2	2.2	3.5	1.4	17.5	12.1
House mouse <i>Mus domesticus</i>	0	0	8.7	6.5	0	0	0	0
Undetermined rodent	0	0	0	0	1.8	0.5	10.5	8.2
Medium-sized mammals	20.6	18.2	19.6	17.0	26.3	22.3	24.6	20
Eastern cottontail <i>Sylvilagus floridanus</i>	9.5	9.3	10.9	8.7	10.5	9.6	1.8	1.8
Brown hare <i>Lepus europaeus</i>	7.9	6.2	8.7	8.3	12.3	9.1	26.3	20.2
Undetermined lagomorph	3.2	2.7	0	0	0	0	0	0
Marten <i>Martes</i> sp.	0	0	0	0	3.5	3.5	0	0

Table 2 continued

Food item	Pine marten				Red fox1			
	Warm season		Cold season		Warm season		Cold season	
	%FO	%mV	%FO	%mV	%FO	%mV	%FO	%mV
Large mammals	0	0	6.5	5.4	8.8	8.2	8.8	7.9
Coypu <i>Myocastor coypus</i>	0	0	8.7	7.0	7.0	6.5	7.0	6.1
Dog <i>Canis domesticus</i>	0	0	0	0	0	0	0	0
Wild boar <i>Sus scrofa</i>	0	0	0	0	1.8	1.8	1.8	1.8
Garbage	0	0	0	0	1.8	1.8	0	0

In bold, the food items excluded from the calculation of niche breadth and overlap