

Erratum to: Chiral Separation of 4-Iminoflavan Derivatives on Several Polysaccharide-Based Chiral Stationary Phases by HPLC

Ismahan Rahou · Nasser Belboukhari ·
Khaled Sekkoum · Abdelkarim Cheriti ·
Hassan Y. Aboul-Enein

Published online: 16 September 2014
© Springer-Verlag Berlin Heidelberg 2014

Erratum to: Chromatographia (2014) 77:1195–1201
DOI 10.1007/s10337-014-2714-9

In the original publication of the article the following mistakes occurred.

1. The line “Under polar organic”,—1st column, 2nd line below Fig. 5—should read as “Under polar organic phase mode, several columns, including Chiralcel[®]OD, Chiralcel[®]OD-H and Chiralcel[®]IB, showed reasonable high enantioselectivity.”
2. The line “Among the polysaccharide-based”,—2nd column, 2nd line below Fig. 5—should read as “Among the polysaccharide-based CSPs tested, the benzoate and phenylcarbamate derivatives of cellulose and amylose CSPs demonstrated promising separations under normal phase conditions as shown in Table 1.”

The online version of the original article can be found under
doi:[10.1007/s10337-014-2714-9](https://doi.org/10.1007/s10337-014-2714-9).

I. Rahou · N. Belboukhari · K. Sekkoum
Bioactive Molecules and Chiral Separation Laboratory, Faculty
of Science and Technology, University of Bechar, Bechar, Algeria

A. Cheriti
Phytochemistry and Organic Synthesis Laboratory, Faculty
of Science and Technology, University of Bechar, Bechar, Algeria

H. Y. Aboul-Enein (✉)
Pharmaceutical and Medicinal Chemistry Department,
Pharmaceutical and Drug Industries Research Division,
National Research Center, Dokki, Cairo, Egypt
e-mail: haboulenein@yahoo.com