

Elucidation of the mechanisms underlying the angiogenic effects of ginsenoside Rg₁ *in vivo* and *in vitro*

Patrick Y. K. Yue · Daisy Y. L. Wong ·
W. Y. Ha · M. C. Fung · N. K. Mak ·
H. W. Yeung · H. W. Leung · Kelvin Chan ·
L. Liu · T. P. D. Fan · Ricky N. S. Wong

Published online: 7 December 2006
© Springer Science+Business Media B.V. 2006

Erratum to: Angiogenesis

DOI 10.1007/s10456-005-9000-2

The author would like to correct the mistake found in the legend of Figure 7

(1) the “(A), (B), (C), (D), (E), (F), and (G)” should be amended to “(i), (ii), (iii), (iv), (v), (vi), and (vii)”, respectively;

(2) in the 2nd line, the “steroid receptor (SR)” should be amended to “glucocorticoid receptor (GR)” and all the “(SR)” should be “(GR)” and

(3) in the 3rd line, “(RE)” should be “(GRE)”.

The online version of the original article can be found at
<http://dx.doi.org/10.1007/s10456-005-9000-2>

P. Y. K. Yue · D. Y. L. Wong · W. Y. Ha · H. W. Yeung ·
H. W. Leung · K. Chan · L. Liu · R. N. S. Wong
Hung Lai Ching Laboratory of Biomedical Science,
Research and Development Division, School of Chinese
Medicine, Hong Kong Baptist University, Kowloon Tong,
Hong Kong

M. C. Fung
Department of Biology, Science Faculty, Chinese University
of Hong Kong, Shatin, Hong Kong

N. K. Mak · R. N. S. Wong (✉)
Department of Biology, Hong Kong Baptist University,
Room SCT1017, Science Building, Kowloon Tong,
Kowloon, Hong Kong
e-mail: rns-wong@hkbu.edu.hk

T. P. D. Fan
Angiogenesis & TCM Laboratory, Department of
Pharmacology, University of Cambridge, Cambridge, UK