

Erratum to: Prevalence of Psychotropic Drug Use in Adults with Intellectual Disability: Positive and Negative Findings from a Large Scale Study

John A. Tsiouris · Soh-Yule Kim · W. Ted Brown ·
Jill Pettinger · Ira L. Cohen

Published online: 24 August 2012
© Springer Science+Business Media, LLC 2012

Erratum to: J Autism Dev Disord DOI 10.1007/s10803-012-1617-6

Please note the following corrections to this article:

In the abstract (line 6):
“Six percent received typical, 6 % received typical, while 39 % received atypical antipsychotics.”
Instead should say:
“Six percent received typical, while 39 % received atypical antipsychotics.”
In Table 8, under the column heading “3”, all of the “<” signs should not be there.

The numbers:

(<0.3)

(<0.2)

(<0.2)

(<0.1)

(<0.3)

Instead should say:

(0.3)

(0.2)

(0.2)

(0.1)

(0.3)

The online version of the original article can be found under
doi:[10.1007/s10803-012-1617-6](https://doi.org/10.1007/s10803-012-1617-6).

J. A. Tsiouris
George A. Jervis Clinic, New York State Institute for Basic
Research in Developmental Disabilities, 1050 Forest Hill Rd.,
Staten Island, NY 10314, USA

S.-Y. Kim · I. L. Cohen (✉)
Department of Psychology, New York State Institute for Basic
Research in Developmental Disabilities, 1050 Forest Hill Rd.,
Staten Island, NY 10314, USA
e-mail: ira.cohen@opwdd.ny.gov

W. T. Brown
Department of Human Genetics, New York State Institute
for Basic Research in Developmental Disabilities,
1050 Forest Hill Rd., Staten Island, NY 10314, USA

J. Pettinger
OPWDD Statewide Services, Albany, NY, USA