

## Erratum to: Impact of hybrid procedure on P wave duration for atrial fibrillation ablation

Narendra Kumar · Pietro Bonizzi · Laurent Pison ·  
Kevin Phan · Theo Lankveld · Bart Maesen · Mark La Meir ·  
Sandro Gelsomino · Jos Maessen · Harry Crijns

Published online: 18 February 2015  
© Springer Science+Business Media New York 2015

**Erratum to: J Interv Card Electrophysiol (2015)**  
**DOI 10.1007/s10840-014-9969-9**

The original version of this article unfortunately contained a mistake, Bart Maesen was spelled incorrectly.

---

The online version of the original article can be found at <http://dx.doi.org/10.1007/s10840-014-9969-9>.

---

N. Kumar (✉) · L. Pison · H. Crijns  
Department of Cardiology, Maastricht University Medical Centre  
and Cardiovascular Research Institute Maastricht (CARIM), P.  
Debyelaan 25, PO Box 5800, 6202AZ Maastricht, The Netherlands  
e-mail: [dmnarendra007kr@gmail.com](mailto:dmnarendra007kr@gmail.com)

B. Maesen · M. La Meir · S. Gelsomino · J. Maessen  
Department of Cardiac Surgery, Maastricht University Medical  
Centre and Cardiovascular Research Institute Maastricht (CARIM),  
Maastricht, The Netherlands

T. Lankveld  
Department of Physiology, Maastricht University Medical Centre  
and Cardiovascular Research Institute Maastricht (CARIM),  
Maastricht, The Netherlands

P. Bonizzi  
Department of Knowledge Engineering, Maastricht University,  
Maastricht, The Netherlands

K. Phan  
Macquarie University and Westmead Hospital, Sydney Medical  
School, University of Sydney, Sydney, Australia

S. Gelsomino  
Department of Heart and Vessels, Careggi Hospital, Via Delle Oblate  
1, 50134 Florence, Italy