CORRECTION




Correction: Patient safety incidents in dentomaxillofacial imaging: reported adverse events from Hospital District Helsinki and Uusimaa and the City of Helsinki during 2012–2017

Published online: 2 September 2023 © The Author(s) 2023

Correction: Oral Radiology (2022) 39:164–172 https://doi.org/10.1007/s11282-022-00616-z

In this article the wrong figure appeared as Fig. 5; the figure should have appeared as shown below.



The original article has been corrected.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit https://creativecommons.org/licenses/by/4.0/.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at https://doi.org/10.1007/ $\,$ s11282-022-00616-z.

- Marianne Suuronen marianne.suuronen@hus.fi
- Department of Dentomaxillofacial Radiology, HUS Medical Imaging Center, Helsinki University Hospital and University of Helsinki, Haartmaninkatu 4, 00290 Helsinki, Finland
- Department of Radiology, HUS Medical Imaging Center, Helsinki University Hospital and University of Helsinki, Helsinki, Finland
- ³ HUS Diagnostic Services, Helsinki University Hospital and University of Helsinki, Helsinki, Finland

