CrossMark

ERRATUM

Erratum to: Reducing the Floor Effect in the SF-6D: A Feasibility Study

Lara N. Ferreira ^{1,3} · Pedro L. Ferreira ^{2,3} · Luis N. Pereira ^{1,4} · Donna Rowen ⁵

Published online: 13 November 2015

© Springer Science+Business Media Dordrecht and The International Society for Quality-of-Life Studies (ISOOLS) 2015

Erratum to: Applied Research Quality Life (2012) 7:193–208 DOI 10.1007/s11482-011-9149-3

The article has been funded by FEDER through the COMPETE Programme and by national funds through the Foundation for Science and Technology (Fundação para a Ciência e Tecnologia) project PTDC/SAU-EPI/115151/2009. This disclaimer should have been included at the time of publication.

The online version of the original article can be found at http://dx.doi.org/10.1007/s11482-011-9149-3.

∠ Lara N. Ferreira Lnferrei@ualg.pt

School of Health and Related Research, University of Sheffield, Regent Court, 30 Regent Street, Sheffield S1 4DA, UK



School of Management, Hospitality and Tourism, University of the Algarve, Campus da Penha, 8005-139 Faro, Portugal

² Faculty of Economics, University of Coimbra, Av. Dias da Silva, 165, 3004-512 Coimbra, Portugal

³ Centre for Health Studies & Research, University of Coimbra, Coimbra, Portugal

Research Centre for Spatial and Organizational Dynamics, University of the Algarve, Faro, Portugal