

## Erratum to: Efficacy and safety of an early Solitaire stent retrieval technique for acute ischemic stroke

Byung Hoon Lee · Yoon Joon Hwang ·  
Keun-Sik Hong · Yong-Jin Cho

Published online: 6 August 2013  
© Japan Radiological Society 2013

**Erratum to: Jpn J Radiol**  
**DOI 10.1007/s11604-013-0227-3**

Unfortunately, errors appeared in Table 1 of the above-mentioned article. In the column headed “Flow restoration (TICI) after 1st stent deployment”, the 1st, 3rd, and 4th TICI scores are incorrectly shown as “O” (alphabetic), “2c”, and “3c”. Instead, they should be “0” (numeric), “2b”, and “2b”, respectively.

---

The online version of the original article can be found under  
doi:[10.1007/s11604-013-0227-3](https://doi.org/10.1007/s11604-013-0227-3).

---

B. H. Lee (✉) · Y. J. Hwang  
Department of Radiology, Ilsan Paik Hospital, Inje University  
School of Medicine, 2240 Daehwa-dong, Ilsanseo-gu,  
Goyang-si, Gyeonggi-do 411-706, Korea  
e-mail: hoonbeer@hanmail.net

K.-S. Hong · Y.-J. Cho  
Department of Neurology, Ilsan Paik Hospital, Inje University  
School of Medicine, 2240 Daehwa-dong, Ilsanseo-gu,  
Goyang-si, Gyeonggi-do 411-706, Korea