

ERRATA

Genetic Testing Before Anticoagulation? A Systematic Review of Pharmacogenetic Dosing of Warfarin

Kirsten Neudoerffer Kangelaris, MD^{1,2}, Stephen Bent, MD^{1,4}, Robert L. Nussbaum, MD³, David A. Garcia, MD⁵, and Jeffrey A. Tice, MD¹

¹Division of General Internal Medicine, University of California, San Francisco, CA, USA; ²Division of Hospital Medicine, University of California, San Francisco, CA, USA; ³Division of Medical Genetics, University of California, San Francisco, CA, USA; ⁴Division of General Internal Medicine, Veterans Affairs Medical Center, San Francisco, CA, USA; ⁵Department of Medicine, University of New Mexico, Albuquerque, NM, USA.

J Gen Intern Med 24(12):1358

DOI: 10.1007/s11606-009-1081-y

© Society of General Internal Medicine 2009

In the Review, “Genetic Testing Before Anticoagulation? A Systematic Review of Pharmacogenetic Dosing of Warfarin” by Kirsten Neudoerffer Kangelaris, Steve Bent, Robert L. Nussbaum, David A. Garcia and Jeffrey A. Tice (*JGIM*. 2009 May; 24(5):656–64), we made a typographical error in units of hemoglobin specified for the definition of major bleeding. We stated that “a fall in hemoglobin greater than or equal to 2 mg/dL” was one criterion for major bleed. The correct definition is greater than or equal to 2 g/dL. This error did not effect our results or conclusions.

Corresponding Author: Kirsten Kangelaris, MD; University of California, San Francisco, Department of Internal Medicine, 533 Parnassus Ave, Box 0131, San Francisco, CA 94143-0131 (e-mail: kkangelaris@medicine.ucsf.edu).

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11606-009-0949-1>

Published online September 16, 2009