

Erratum to: Dissolution Behavior of Indium in CaO-SiO₂-Al₂O₃ Slag

KYU YEOL KO and JOO HYUN PARK

DOI: 10.1007/s11663-014-0247-0

© The Minerals, Metals & Materials Society and ASM International 2014

**Erratum to: METALLURGICAL AND MATERIALS TRANSACTIONS B, vol. 42B, 2011, no. 6, pp. 1224–1230
DOI 10.1007/s11663-011-9566-6**

THERE is an error in Figure 5. The abscissa for temperature scale should be corrected as follows.

Therefore, the following should be corrected.

- (1) Sentence after Eq. [10]; The enthalpy changes calculated from Figure 5 and Eq. [10] for each system were -193.7 and -125.3 kJ/mol, respectively, indicating that the dissolution was an exothermic reaction.
- (2) Sentence after Eq. [12]; The value of ΔH_d^0 is estimated to be approximately -160.5 and -92.1 kJ/mol, respectively, for the high (70 mass pct) silica and the moderate (33 mass pct) silica concentrations.




Fig. 5—Effect of temperature on the solubility of indium in the CaO-SiO₂-Al₂O₃ melts.

KYU YEOL KO, formerly Graduate Student with the School of Materials Science and Engineering, University of Ulsan, Ulsan 680-749, Korea, is now Research Engineer with the Metals and Materials Research Department, LS-Nikko Copper, Ulsan 689-892, Korea. JOO HYUN PARK, Professor, formerly with the School of Materials Science and Engineering, University of Ulsan, is now with the Department of Materials Engineering, Hanyang University, Ansan 426-791, Korea. Contact e-mail: basicity@hanyang.ac.kr

The online version of the original article can be found under doi: [10.1007/s11663-011-9566-6](https://doi.org/10.1007/s11663-011-9566-6).

Article published online December 6, 2014.