



Erratum to: Usefulness of Clinical Signs and Diagnostic Tests for Suspected Leaks in Bariatric Surgery

I. Arteaga-González · A. Martín-Malagón · J. Martín-Pérez ·
A. Carrillo-Pallarés

Published online: 13 March 2015
© Springer Science+Business Media New York 2015

Erratum to: Obes Surg
DOI 10.1007/s11695-015-1589-7

There are errors in the Results section of the Abstract. The last sentence of the section should read as follows:

In patients with a clinical suspicion of leakage ($n=19$), 7.7 % of abdominal CT scans returned false negatives versus 28.6 % for oral methylene blue and 22.2 % for upper gastrointestinal (UGI) Gastrografin swallow.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s11695-015-1589-7>.

I. Arteaga-González · A. Martín-Malagón · J. Martín-Pérez ·
A. Carrillo-Pallarés
Department of Surgery, University Hospital of Canarias (HUC),
Santa Cruz de Tenerife, Spain

I. Arteaga-González
e-mail: ivanhuc@hispavista.com

A. Martín-Malagón
e-mail: ammalagon@hotmail.com

A. Carrillo-Pallarés
e-mail: acarrillo.md@gmail.com

J. Martín-Pérez (✉)
Secretaría del Departamento de Cirugía (7a planta), Hospital
Universitario de Canarias, C/ Ofra, s/n. La Cuesta, La Laguna,
Tenerife 38320, Spain
e-mail: yessi6501@gmail.com