



Correction to: Ecophysiology of the Olympia Oyster, *Ostrea lurida*, and Pacific Oyster, *Crassostrea gigas*

Matthew W. Gray¹ · Chris J. Langdon¹

Published online: 20 September 2018
© Coastal and Estuarine Research Federation 2018

Correction to: Estuaries and Coasts (2018) 41:521–535
<https://doi.org/10.1007/s12237-017-0273-7>

In the original article there is an error on page 522 in the third paragraph of the Methods section. There is an erroneous 0 in the TWW coefficient in allometric equation for *O. lurida*. The corrected text is as follows:

Unless explicitly mentioned, DTW of experimental oysters was estimated using the species-specific allometric relationship between DTW and total wet weight (TWW), which were determined in preliminary analysis (*O. lurida*: $DTW = 0.044TWW - 0.043$, $R^2 = 0.93$, $F_{1,32} = 78.80$, p value <0.0001 ; *C. gigas*: $DTW = 0.039TWW - 0.06$, $R^2 = 0.89$, $F_{1,29} = 225.97$, p value <0.0001).

The online version of the original article can be found at <https://doi.org/10.1007/s12237-017-0273-7>

✉ Matthew W. Gray
matthewwgray@gmail.com

¹ Coastal Oregon Marine Experimental Station, Oregon State University, Newport, OR 97365, USA