

ERRATUM

Erratum to: Multicenter, Randomized, Investigator-Masked Study Comparing Brimonidine Tartrate 0.1% and Timolol Maleate 0.5% as Adjunctive Therapies to Prostaglandin Analogues in Normal-Tension Glaucoma

Shiro Mizoue · Koji Nitta · Motohiro Shirakashi · Akiyoshi Nitta · Shigeki Yamabayashi ·
Tairo Kimura · Toshihiko Ueda · Ryuji Takeda · Shun Matsumoto · Keiji Yoshikawa

Published online: August 30, 2017
© Springer Healthcare Ltd. 2017

Erratum to: Adv Ther (2017) 34:1438–1448
DOI 10.1007/s12325-017-0552-5

In the original publication, Fig. 3 legend was incorrectly published as “Time course of pulse rates after add-on brimonidine or timolol. $**P < 0.001$, vs baseline IOP; $^{\dagger}p < 0.01$, $^{\dagger\dagger}p < 0.001$, vs timolol group 1”. The correct legend should read as “Time course of pulse rates after add-on brimonidine or timolol. $**P < 0.001$, vs baseline pulse rates; $^{\dagger}p < 0.01$, $^{\dagger\dagger}p < 0.001$, vs timolol group 1”.

The online version of the original article can be found under doi:[10.1007/s12325-017-0552-5](https://doi.org/10.1007/s12325-017-0552-5).

S. Mizoue (✉)
Department of Ophthalmology, Ehime University
Graduate School of Medicine, Ehime, Japan
e-mail: mizoue@m.ehime-u.ac.jp

K. Nitta
Department of Ophthalmology, Fukui-ken Saiseikai
Hospital, Fukui, Japan

M. Shirakashi
Kido Eye Clinic, Niigata, Japan

A. Nitta
Nitta Ophthalmological Clinic, Gunma, Japan

S. Yamabayashi
Yamabayashi Eye Clinic, Aichi, Japan

T. Kimura
Ueno Eye Clinic, Tokyo, Japan

T. Ueda
Nihonmatsu Eye Hospital, Tokyo, Japan

R. Takeda
Faculty of Agriculture, Kindai University, Nara,
Japan

R. Takeda
Faculty of Health Science for Welfare, Kansai
University of Welfare Sciences, Osaka, Japan

S. Matsumoto
Department of Ophthalmology, Tokyo Teishin
Hospital, Tokyo, Japan

K. Yoshikawa
Yoshikawa Eye Clinic, Tokyo, Japan