

Erratum to: Evaluation of ECG-gated [^{11}C]acetate PET for measuring left ventricular volumes, mass, and myocardial external efficiency

Nils Henrik Hansson, MD,^a Lars Tolbod, PhD,^b Hendrik Johannes Harms, PhD,^b Henrik Wiggers, MD, DMSc,^a Won Yong Kim, MD, DMSc,^{a,c} Esben Hansen, MSc,^{c,d} Tomas Zaremba, MD, PhD,^a Jørgen Frøkiær, MD, DMSc,^b Steen Jakobsen, PhD,^b and Jens Sørensen, MD, DMSc^b

^a Department of Cardiology, Aarhus University Hospital, Aarhus C, Denmark

^b Department of Nuclear Medicine & PET-Centre, Aarhus University Hospital, Aarhus C, Denmark

^c MR Research Centre, Aarhus University Hospital, Aarhus C, Denmark

^d Danish Diabetes Academy, Odense, Denmark

doi:10.1007/s12350-016-0537-9

ERRATUM TO: J NUCL CARDIOL DOI 10.1007/S12350-015-0331-0

The first name of the third author is incomplete in the published article. “Johannes Harms” should be “Hendrik Johannes Harms”. The complete first name is “Hendrik Johannes” as shown in this erratum.

The online version of the original article can be found under doi:
[10.1007/s12350-015-0331-0](https://doi.org/10.1007/s12350-015-0331-0).

Reprint requests: Nils Henrik Hansson, MD, Department of Cardiology, Aarhus University Hospital, Aarhus C, Denmark; nilhan@rm.dk

J Nucl Cardiol 2016;23:1232.
1071-3581/\$34.00

Copyright © 2016 American Society of Nuclear Cardiology.