

Erratum to: Effect of Bayesian-penalized likelihood reconstruction on [¹³N]-NH₃ rest perfusion quantification

Jim O' Doherty, PhD, CSci,^a Daniel R. McGowan, PhD, CSci,^{b,c} Carla Abreu, MSc,^a and Sally Barrington, MBBS, MSc, FRCP, FRCR, MD^a

^a PET Imaging Centre, Division of Imaging Sciences and Biomedical Engineering, King's College London, King's Health Partners, St. Thomas' Hospital, London, United Kingdom

^b Department of Oncology, University of Oxford, Oxford, United Kingdom

^c Radiation Physics and Protection, Churchill Hospital, Oxford University Hospitals NHS Foundation Trust, Oxford, United Kingdom

doi:10.1007/s12350-017-0892-1

ERRATUM TO: J NUCL CARDIOL 24(1):282-90 DOI 10.1007/S12350-016-0554-8

This article, which was not published as open access, is Wellcome Trust funded, which means that it has to be open access due to open access mandate. Thus the copyright line needs to be corrected as shown in this erratum. The original article was corrected.

The online version of the original article can be found under doi:[10.1007/s12350-016-0554-8](https://doi.org/10.1007/s12350-016-0554-8).

Reprint requests: Jim O' Doherty, PhD, CSci, PET Imaging Centre, Division of Imaging Sciences and Biomedical Engineering, King's College London, King's Health Partners, St. Thomas' Hospital, 1st Floor, Lambeth Wing, London SE1 7EH, United Kingdom; jim.odoherty@kcl.ac.uk

J Nucl Cardiol 2017;24:1457.

1071-3581/\$34.00

Copyright © 2017 The Author(s). This article is an open access publication