



Author Correction: Reliability and feasibility of gait initiation centre-of-pressure excursions using a Wii® Balance Board in older adults at risk of falling

James Lee¹ · Graham Webb² · Adam P. Shortland^{2,3} · Rebecca Edwards⁴ · Charlotte Wilce⁴ · Gareth D. Jones^{4,5}

Published online: 12 May 2018

© Springer International Publishing AG, part of Springer Nature 2018

Author Correction:

Aging Clinical and Experimental Research

<https://doi.org/10.1007/s40520-018-0945-6>

In the original publication, the article title was incorrectly published as ‘Reliability and feasibility of gait initiation centre-of-pressure excursions using a Wii® Balance Board

in older adults at risk of falling’. The correct title should read as ‘Reliability and feasibility of gait initiation centre-of-pressure excursions using a Wii® Balance Board in older adults at risk of falling’.

The original article has been corrected.

The original article can be found online at <https://doi.org/10.1007/s40520-018-0945-6>.

✉ Gareth D. Jones
gareth.jones@gstt.nhs.uk

- ¹ Faculty of Life Sciences and Medicine, Academic Department of Physiotherapy, Guy’s Campus, King’s College London, London SE1 1UL, UK
- ² One Small Step Gait Laboratory, Guy’s Hospital, Guy’s & St Thomas’ Foundation NHS Trust, London SE1 7EH, UK
- ³ Division of Imaging Science and Biomedical Engineering, King’s College, London SE1 9RT, UK
- ⁴ Physiotherapy Department, 3rd Floor Lambeth Wing, St Thomas’ Hospital, Westminster Bridge Road, Guy’s & St Thomas’ NHS Foundation Trust, London SE1 7EH, UK
- ⁵ Faculty of Life Sciences & Medicine, Centre for Human & Applied Physiological Sciences (CHAPS), Guy’s Campus, King’s College London, London SE1 1UL, UK