



Correction to: Racial Implicit Associations in Psychiatric Diagnosis, Treatment, and Compliance Expectations

Amalia Londono Tobon¹ · José M. Flores¹ · Jerome H. Taylor² · Isaac Johnson¹ · Angeli Landeros-Weisenberger¹ · Okoduwa Aboiralor¹ · Victor J. Avila-Quintero¹ · Michael H. Bloch¹

Published online: 5 April 2021
© Academic Psychiatry 2021

Correction to: Acad Psychiatry

<https://doi.org/10.1007/s40596-020-01370-2>

In the original article there is an error in the labels of Table 1, where some of the titles of the columns were transposed. The corrected version of Table 1 is shown below.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at <https://doi.org/10.1007/s40596-020-01370-2>

✉ Amalia Londono Tobon
amalia.londonotobon@yale.edu

¹ Yale University School of Medicine, New Haven, CT, USA

² Children's Hospital of Philadelphia & University of Pennsylvania School of Medicine, Philadelphia, PA, USA

Table 1 Participant demographics and IAT D scores by race/ethnicity

	Total Sample <i>n</i> = 294	White <i>n</i> = 151	Asian or Pacific Islander <i>n</i> = 35	African American or Black <i>n</i> = 47	Hispanic ethnicity, any race <i>n</i> = 37	Native American, Mixed or other <i>n</i> = 23	<i>P</i>
Demographics (predictor variables)							
Age							
Median (IQR)	30.00 (26.00, 37.00)	29.00 (26.00, 37.00)	27.00 (25.00, 30.00)	38.00 (33.00, 54.00)	30.00 (27.00, 34.00)	28.50 (25.00, 32.00)	< 0.001
Mean (SD)	33.50 (10.46)	33.01 (9.71)	28.46 (6.37)	42.65 (13.97)	30.84 (5.75)	30.14 (6.59)	< 0.001
Gender							
Male (%)	105 (35.7%)	57 (37.7%)	11 (31.4%)	14 (29.8%)	16 (43.2%)	7 (30.4%)	0.70
Female (%)	185 (62.9%)	93 (61.6%)	24 (68.6%)	32 (68.1%)	21 (56.8%)	15 (65.2%)	
Level of training							
Medical students (%)	122 (41.5%)	69 (45.7%)	21 (60.0%)	7 (14.9%)	14 (37.8%)	11 (47.8%)	< 0.001
Psychiatry residents (%)	62 (21.1%)	33 (21.9%)	9 (25.7%)	4 (8.5%)	11 (29.7%)	5 (21.7%)	
Psychiatry Fellows (%)	73 (24.8%)	35 (23.2%)	3 (8.6%)	18 (38.3%)	11 (29.7%)	5 (21.7%)	
Board-Cert Psychiatrist (%)	36 (12.2%)	14 (9.3%)	2 (5.7%)	17 (36.2%)	1 (2.7%)	2 (8.7%)	
Outcome variables							
Task 1 (diagnosis)							
D score median (IQR)	0.24 (− 0.01, 0.52)	0.33 (0.08, 0.60)	0.19 (0.02, 0.45)	0.03 (− 0.20, 0.33)	0.25 (0.09, 0.52)	0.05 (− 0.24, 0.28)	< 0.001
D score mean (SD)	0.25 (0.38)	0.34 (0.38)	0.20 (0.36)	0.07 (0.38)	0.32 (0.32)	0.01 (0.33)	< 0.001
D score ≥ 0.35 (%)	115 (39.1%)	71 (47.0%)	12 (34.3%)	11 (23.4%)	17 (45.9%)	4 (17.4%)	0.006
D score ≤ − 0.35 (%)	17 (5.8%)	5 (3.3%)	2 (5.7%)	7 (14.9%)	0 (0.0%)	3 (13.0%)	0.01
Task 2 (compliance)							
D score median (IQR)	0.25 (− 0.06, 0.47)	0.34 (0.10, 0.55)	0.23 (− 0.09, 0.36)	0.05 (− 0.27, 0.25)	0.22 (− 0.05, 0.41)	0.10 (− 0.14, 0.35)	< 0.001
D score mean (SD)	0.21 (0.39)	0.32 (0.39)	0.20 (0.29)	0.01 (0.39)	0.19 (0.31)	0.04 (0.44)	< 0.001
D score ≥ 0.35 (%)	95 (32.3%)	60 (39.7%)	10 (28.6%)	9 (19.1%)	11 (29.7%)	5 (21.7%)	0.012
D score ≤ − 0.35 (%)	21 (7.1%)	8 (5.3%)	0 (0.0%)	7 (14.9%)	1 (2.7%)	5 (21.7%)	0.006
Task 3 (medications)							
D score median (IQR)	0.26 (0.07, 0.50)	0.30 (0.14, 0.56)	0.21 (− 0.03, 0.38)	0.16 (− 0.08, 0.30)	0.40 (0.14, 0.52)	0.09 (− 0.28, 0.30)	< 0.001
D score mean (SD)	0.27 (0.33)	0.34 (0.32)	0.18 (0.33)	0.14 (0.26)	0.36 (0.33)	0.09 (0.39)	< 0.001
D score ≥ 0.35 (%)	91 (31.0%)	56 (37.1%)	8 (22.9%)	6 (12.8%)	17 (45.9%)	4 (17.4%)	< 0.001
D score ≤ − 0.35 (%)	7 (2.4%)	2 (1.3%)	1 (2.9%)	1 (2.1%)	1 (2.7%)	2 (8.7%)	0.34