



Correction to: Parameters Affecting the Precipitation of Al Phases from Aluminate Solutions of the Pedersen Process: The Effect of Carbonate Content

Danai Marinos¹ · Michail Vafeias¹ · Dimitris Sparis¹ · Dimitris Kotsanis¹ · Efthymios Balomenos^{1,2} · Dimitris Panias¹

Published online: 17 August 2021
© The Minerals, Metals & Materials Society 2021

Correction to: Journal of Sustainable Metallurgy
<https://doi.org/10.1007/s40831-021-00403-w>

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

As a result of an error during the publication process, the graphic for Fig. 2b in this article as originally published was incorrect. The correct graphic is presented below.

The original article has been corrected




Fig. 2 a Aluminum speciation diagram of PLS, **b** Solubility product constant (k_{sp}) of aluminum hydroxide ($\text{Al}(\text{OH})_3$) and dawsonite $\text{NaAlCO}_3(\text{OH})_2$ versus temperature. [where a=aqueous, a- aqueous anion, a+ aqueous cation]

The original article can be found online at <https://doi.org/10.1007/s40831-021-00403-w>.

✉ Danai Marinos
dmarinou@metal.ntua.gr

¹ School of Mining and Metallurgical Engineering, National Technical University of Athens, 9 Iroon Polytechniou str., Athens, Greece

² Metallurgy Business Unit, Mytilinaios S.A., Agios Nikolaos, Voiotia, Greece