

ERRATUM Open Access

## Erratum: What is the impact of primary care model type on specialist referral rates? A cross-sectional study

Clare Liddy<sup>1,2\*</sup>, Jatinderpreet Singh<sup>1</sup>, Ryan Kelly<sup>1</sup>, Simone Dahrouge<sup>1,2,3</sup>, Monica Taljaard<sup>4,5</sup> and Jamie Younger<sup>3</sup>

## **Erratum**

After publication of this research article [1], we noted an error in Table 2. The values reported under Patient Age had been erroneously inverted, meaning age range "0-21" displayed the value for "57+" and vice versa, and "22-40" displayed the value for "41-56" and vice-versa. This error has been corrected (please see the revised version of Table 2 below). We apologise for any inconvenience.

## **Author details**

<sup>1</sup>C.T. Lamont Primary Health Care Research Centre, Bruyère Research Institute, 43 Bruyère St. Room 369Y, Ottawa, ON, Canada. <sup>2</sup>Department of Family Medicine, University of Ottawa, Ottawa, ON, Canada. <sup>3</sup>Institute for Clinical Evaluative Sciences, Ottawa, ON, Canada. <sup>4</sup>Clinical Epidemiology Program, Ottawa Hospital Research Institute, Ottawa, ON, Canada. <sup>5</sup>Department of Epidemiology and Community Medicine, University of Ottawa, Ottawa, ON, Canada.

Received: 11 February 2015 Accepted: 26 February 2015 Published online: 24 May 2015

## Reference

 Liddy C, Singh J, Kelly R, Dahrouge S, Taljaard M, Younger J. What is the impact of primary care model type on specialist referral rates? A cross-sectional study. BMC Fam Pract. 2014;15:22.

<sup>&</sup>lt;sup>2</sup>Department of Family Medicine, University of Ottawa, Ottawa, ON, Canada Full list of author information is available at the end of the article



<sup>\*</sup> Correspondence: CLiddy@bruyere.org

<sup>&</sup>lt;sup>1</sup>C.T. Lamont Primary Health Care Research Centre, Bruyère Research Institute, 43 Bruyère St. Room 369Y, Ottawa, ON, Canada

Table 2 Patient and provider adjusted rate ratios (RR) from the multivariable regression model

Independent variable	Levels	Rate Ratio (RR)	95% Confidence interval for RR	P-Value
Primary Care Model	CAP-I	0.965	0.943-0.987	0.0021
	FFS	0.940	0.917-0.963	<.0001
	CAP-NI	1.000	-	
Patient characteristics				
Health Status (ADG)	3 (Very Sick)	8.464	8.358-8.571	<.0001
	2	5.846	5.787-5.906	<.0001
	1	3.020	2.996-3.043	<.0001
	0 (healthy)	1.000	-	
Income Quintile	5 (High)	1.041	1.038-1.044	<.0001
	4	1.041	1.038-1.044	<.0001
	3	1.031	1.028-1.034	<.0001
	2	1.020	1.018-1.023	<.0001
	1 (low)	1.000	-	
Rurality	Rural	0.935	0.925-0.945	<.0001
	Non-major urban centre	0.990	0.984-0.995	0.0001
	Major urban centre	1.000	1.000	
Patient Age	57+	3.591	3.558-3.623	<.0001
	41-56	2.986	2.962-3.011	<.0001
	22-40	1.895	1.883-1.908	<.0001
	0-21	1.000	-	
Patient Sex	Female vs. male	1.172	1.169-1.175	<.0001
Physician Characteristics				
Physician Sex	Female vs. male	1.145	1.124-1.165	<.0001
Year of Graduation		1.003	1.002-1.004	<.0001
Foreign Trained	Foreign vs. local	0.926	0.906-0.946	<.0001
Time in Model		1.001	1.001-1.001	<.0001