

ERRATUM Open Access

Erratum: Relationship between MRI derived right ventricular mass and left ventricular involvement in patients with anderson-fabry disease

Ming-Yen Ng^{1,2*}, Qin Li^{1,3}, Anna Calleja³, Djeven P Deva^{1,4}, Andrew M Crean^{1,3}, Christiane Gruner³, Robert M Iwanochko³ and Paaladinesh Thavendiranathan¹

Following publication of this abstract [1] it was noted by the authors that an incorrect version of Figure 1 had been inadvertently uploaded with the manuscript. The correct version Figure 1 is available below.

In addition it was found that the author list was incorrectly ordered, this has been corrected in the author list above.

Author details

¹Radiology, University of Toronto, Toronto, ON, Canada. ²Radiology, The University of Hong Kong, Hong Kong, Hong Kong, Gradiology, University of Toronto, Toronto, ON, Canada. ⁴Radiology, St. Michael's Hospital, Toronto, ON, Canada.

Received: 23 March 2015 Accepted: 23 March 2015 Published online: 29 May 2015

Reference

 Li Q, Ng MY, Calleja A, Deva DP, Crean AM, Gruner C, et al. Relationship between MRI derived right ventricular mass and left ventricular involvement in patients with anderson-fabry disease. J Cardiovasc Magn Reson. 2015;17(Suppl 1):275.




Figure 1 Assessment of RV volume, function, and mass using short axis SSFP cine images (CMR42). The RV septal band was included in the assessment of the RV mass.

²Radiology, The University of Hong Kong, Hong Kong, Hong Kong



^{*} Correspondence: myng2@hku.hk

¹Radiology, University of Toronto, Toronto, ON, Canada