

CORRECTION

Open Access



# Correction to: Accuracy of surface strain measurements from transmission electron microscopy images of nanoparticles

Jacob Madsen<sup>1\*</sup> , Pei Liu<sup>2</sup>, Jakob B. Wagner<sup>2</sup>, Thomas W. Hansen<sup>2</sup> and Jakob Schiøtz<sup>1</sup>

## Correction to: *Adv Struct Chem Imag* (2017) 3:14

<https://doi.org/10.1186/s40679-017-0047-0>

Unfortunately, after publication of this article [1], it was noticed that the name of the fifth author was incorrectly displayed as Jakob Schiøz. The correct name is Jakob Schiøtz and can be seen in the corrected author list above. The original article has also been updated to correct this error.

### Author details

<sup>1</sup> Department of Physics, Technical University of Denmark, Fysikvej, Building 311, 2800 Kongens Lyngby, Denmark. <sup>2</sup> Center for Electron Nanoscopy, Technical University of Denmark, Fysikvej, Building 311, 2800 Kongens Lyngby, Denmark.

The original article can be found online at <https://doi.org/10.1186/s40679-017-0047-0>.

## Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Received: 26 October 2017 Accepted: 2 November 2017

Published online: 07 November 2017

## Reference

1. Madsen, J., Liu, P., Wagner, J.B., Hansen, T.W., Schiøtz, J.: Accuracy of surface strain measurements from transmission electron microscopy images of nanoparticles. *Adv Struct Chem Imag.* **3**, 14 (2017). <https://doi.org/10.1186/s40679-017-0047-0>

\*Correspondence: [jamad@fysik.dtu.dk](mailto:jamad@fysik.dtu.dk)

<sup>1</sup> Department of Physics, Technical University of Denmark, Fysikvej, Building 311, 2800 Kongens Lyngby, Denmark

Full list of author information is available at the end of the article