Chapter 11

Hope in Health Care: A Synthesis of Review Studies

Erik Olsman

Abstract The objectives of this study were (1) to provide an overview of review studies on hope in health care, and to describe (2) conceptualizations of hope, (3) antecedents and consequences of hope, and (4) ethical topics related to hope. Electronic databases were searched and 73 review studies were selected and thematically analyzed. Hope was conceptualized as (a) an expectation: appraisal of a future outcome, (b) resilience: endurance of adversity, and (c) a desire: expression of meaning. Opposite concepts to hope were fear/anxiety, hopelessness, despair, and depression. Inspiring relationships, particularly relationships with peers, were an important factor that increased hope in patients. Losses, like the loss of health or (inspiring) relationships, had a negative impact on hope. Also, hope had effects on motivation for change and making decisions. The ethics of hope was addressed in palliative care, where health care providers wanted to maintain patients' hope while being honest or realistic. In conclusion, this chapter offers an overview of hope in health care and offers conceptual clarification, including ethical issues related to hope. Future studies should broaden the ethics of hope by including other values than realism and they should include the hope of health care providers.

11.1 Introduction

Hope is of vital importance for societies because it is part of the vision of society. This vision may be an ecological one, or a vision of a just society, in which equality and respect for human rights will reign (Bloch 1968; Freire 1994; Moltmann 2005). At an individual level, writers have also emphasized the importance of hope, such as the crucial role of hope in enduring and surviving hardship (Frankl 2014). Christian writers have held hope in high esteem, as illustrated in Paul's triad "faith, hope, and love," whereas the ancient Greeks held mixed or negative views on hope (Elliott

E. Olsman (✉)

Section of Spiritual Care & Chaplaincy Studies, Department of Practices, Protestant Theological University, Groningen, The Netherlands

e-mail: h.j.olsman@pthu.nl

2005, pp. 5–6; Nussbaum 1992, pp. 150, 461). Philosophers and other scholars have described some characteristics of hope: “(1) futurity—a future dimension of what is hoped for, (2) possibility—the outcome is possible but not certain (neither zero nor one), (3) desirability—what is hoped for is seen as good in some respect, and (4) agency—hoping agents engage in activities to reach their hope” (Olsman 2015, p. 8; see also, Averill et al. 1990, pp. 9–35; Martin 2014; Nunn 2005, pp. 63–77; Walker 2006, pp. 40–71).

Still, we should note that these characteristics cannot solve all conceptual problems. For example, some people with an incurable disease hope for a cure, and this calls into question the possibility of hope because the outcome of this hope will be zero. Other people hope that something bad will happen to a family member whom they hate, and this undermines the desirability of hope. Furthermore, hope may be conceptualized differently in various contexts, such as different health care contexts (Herrestad et al. 2014). An overview of the role of hope in these health care contexts, including conceptualizations of hope, has not been provided. The objectives of this study were (1) to provide an overview of review studies on hope in health care and to describe (2) conceptualizations of hope, (3) antecedents and consequences of hope, and (4) ethical topics related to hope. The findings will also aid reflection on the role of spirituality in health care, since hope is a central topic in spiritual care (Capps 2001; Gijlsberts et al. 2019; Lester 1995; Olsman 2020).

11.2 Methods

A synthesis of review studies on hope in health care was conducted. Electronic databases were searched by a clinical librarian on March 21, 2019: PubMed (medicine), Embase (medicine), Emcare (nursing), and PsychINFO (psychology/psychiatry). The following search terms, and derivatives thereof, were used: (hope OR hopefulness) AND (review OR synthesis OR meta-analysis). Review studies were included when the Abstract explicitly mentioned hope as one of the findings, and when they described hope within the context of health care. The following were excluded:

- studies on hopelessness, or
- studies on hope in health (not on health care or illness), or
- studies that were publications other than journal papers, or
- studies with a title and abstract written in a language other than Dutch, English, German, French, or Spanish, or
- studies that had searched only one database, or
- studies that were not review, meta-synthesis or meta-analysis study

The search led to 101 references in PubMed, 219 in Embase, 161 in Emcare, and 57 in PsycINFO. In total, 538 references were found, of which 144 were duplicates. The titles and abstracts of the 394 remaining references were screened first. Of the 394 references, 166 were excluded because they did not describe hope in health care,

and 108 studies described the topic under investigation but were excluded because they were not review studies. The remaining 120 studies were then screened on full-text. Of these studies, 21 had not systematically searched in two or more databases, 11 were untraceable, whereas eight references were not conducted within the context of health care. Four references did not describe, or barely described, hope in health care, one was not written in one of the chosen languages, one was not a journal paper, and one was a study protocol and not the review study itself. Hence, based on the screening of the full-texts ($n = 120$), 47 references were excluded.

This meant that 73 references were included in this study. The characteristics of the studies selected, such as objective and their health care context, were described. The research objectives of our study were used to analyze the findings of these studies thematically, utilizing Microsoft Excel. A column was created for each objective: to describe conceptualizations of hope, antecedents and consequences of hope, and ethical topics related to hope. Then, each column was analyzed, looking for similarities and differences between the various review studies.

11.3 Results

11.3.1 *Included Studies*

Seventy-three review studies were selected, published between 1997 and 2019, and are listed in Appendix Table 11.1, at the end of this chapter. For the sake of brevity, only author, year of publication, and objective of the review study are presented in this Appendix. The health care contexts of these studies were: mental health care ($n = 16$), oncology ($n = 12$), neurology ($n = 10$), palliative care ($n = 9$), pediatrics ($n = 7$), geriatrics/elderly care ($n = 4$), chronic health care ($n = 3$), other ($n = 12$).

11.3.2 *Conceptualizations*

Hope was found to be a multidimensional construct that might change over time (Duggleby et al. 2010; Kylmä and Vehviläinen-Julkunen 1997; Wayland et al. 2016). A frequently mentioned distinction was the difference between the doing and being of hope. The doing referred to the action or process of hoping for something in the future. The (relational) being of hope was a state of living with hope (Bright et al. 2011; Kylmä et al. 2009; Lohne 2001). I found three conceptualizations, in which these dimensions become tangible.

Hope was (1) an expectation, that was a positive, yet realistic, appraisal of an uncertain future outcome, like the hope of chronic heart failure patients that their condition would not worsen, or hope for transplants in children and adolescents with cystic fibrosis (Caboral et al. 2012; Connell et al. 2012; Duggleby et al. 2010, 2012;

Jamieson et al. 2014; Leamy et al. 2011; Olsman et al. 2014; Schrank et al. 2008; Tutton et al. 2009; Wiles et al. 2008).

Hope as (2) resilience meant that hope was the strength or a (coping) strategy to endure adversity, for example in the family members who hope for the return of a missing person or when this was no longer possible, for the return to life as it was before the loss (Chi 2007; Clarke et al. 2016; Ebenau et al. 2017; Griggs and Walker 2016; Kharrat et al. 2018; Olsman et al. 2014; Oyesanya and Ward 2016; Parslow et al. 2017; Prip et al. 2018; Schiavon et al. 2017; Similuk et al. 2016; Stewart and Yuen 2011; Tong et al. 2015; Wayland et al. 2016; Weaver et al. 2016). Within the context of mental illness, hope was a positive factor associated with recovery, empowerment, and stigma (resistance) (Deering and Williams 2018; Firmin et al. 2016; Kylmä et al. 2006; Leamy et al. 2011; Livingston and Boyd 2010; Shepherd et al. 2016; van Eck et al. 2018; van Weeghel et al. 2019; Wilson et al. 2018).

Hope as (3) a desire was the expression of something meaningful embedded in (everyday) life, like the desire for recovery or the hope for a life worth living in patients with a neurological disease (Jones et al. 2016; Olsman et al. 2014; Soundy and Condon 2015; Soundy et al. 2014b). Hope was also described as a life value and (significant) associations with quality of life and/or well-being were found (Ebenau et al. 2017; Machado et al. 2017; van Leeuwen et al. 2011; van Mierlo et al. 2014; Singh and Hodgson 2011).

Hope was conceptualized as, or found to be, the opposite of fear/anxiety (Creighton et al. 2017; Germení and Schulz 2014), hopelessness (Laugesen et al. 2016; Mahendran et al. 2016), despair (Clarke et al. 2016; Kylmä and Vehviläinen-Julkunen 1997; Refsgaard and Frederiksen 2013), and depression (Davidson et al. 2007; Olver 2012). In sum, hope was depicted as a multidimensional construct, conceptualized as expectation, resilience, and desire. Fear/anxiety, hopelessness, despair, and depression were its opposites.

11.3.3 *Antecedents*

Many studies described the antecedents of hope. Several psycho-socio-spiritual interventions had a positive effect on hope. The evidence for these interventions has been provided in children exposed to traumatic events in humanitarian settings in low-income countries (Purgato et al. 2018), and in oncology (Bauerreiß et al. 2018; Best et al. 2015; Olver 2012). In mental health care, several review studies suggested that recovery-focused interventions, especially those in which peer providers were involved, enhanced hope (Thomas et al. 2018; van Weeghel et al. 2019).

Hope-inspiring relationships, particularly with peers, were reported most frequently, as contributing to hope, for example, the hope of people who self-harm or people participating in rare disease support groups (Casellas-Grau et al. 2014; Deering and Williams 2018; Delisle et al. 2017; Koehn and Cutcliffe 2007; Li et al. 2018; Lloyd-Evans et al. 2014; Prip et al. 2018; Soundy et al. 2014a; Stenberg et al. 2016; Thomas et al. 2018). A study within the context of palliative care

suggested that “affirmation of patient’s worth” may be one of the underlying factors that supports hope in patients (Kylmä et al. 2009). Other hope-engendering factors were hearing of positive stories (Kharrat et al. 2018; Stenberg et al. 2016), the ability to review one’s own expectations (Laugesen et al. 2016; Refsgaard and Frederiksen 2013), positive character traits (Broadhurst and Harrington 2016), and the use of spirituality in daily life (Agli et al. 2015; Baldacchino and Draper 2001).

Negative effects on hope were less frequently reported. The most frequently mentioned negative antecedents of hope were losses, such as the past losses of people with mental health problems, which affected their hope for the future, suggesting reduced opportunities for recovery (Connell et al. 2012). Hope was negatively affected in neurological patients who could no longer perform certain roles and/or who experienced a loss of control (Soundy et al. 2014a, b; Soundy and Condon 2015). An integrative review found that concurrent losses, such as the loss of health or income, or losing the professional interest of others, and a lack of symptom control all threatened the hope of patients with a life-threatening disease, as well as affecting their significant others (Kylmä et al. 2009). In sum, several psycho-socio-spiritual interventions and inspiring relationships, particularly peer support, engendered patients’ hope, whereas losses had a negative impact on hope.

11.3.4 Consequences

The effects of hope bore a relationship to hope as resilience, since hope helps adversity to be endured, as described above. Nevertheless, the effects of hope cannot be reduced to hope as resilience. In (forensic) mental health care patients, hope was the motivation to change. This meant that hope helped these patients to see a new way of being and generated the belief that one’s life is worth living. In that life, others who maintained hope were also important (Clarke et al. 2016). In the work of Leamy et al. (2011), hope was part of the contemplative phase of the transtheoretical model of change, after which—ideally—preparation, action, and maintenance and growth followed.

Hope affected the decisions of patients with cancer. For example, the hope for the future of patients with advanced cancer was an important drive in their decision to stop or continue anti-cancer therapy (Clarke et al. 2015). Hope for clinical benefit was the most commonly cited reason for clinical trial enrollment of young adults and adolescents with cancer (Forcina et al. 2018). This is in line with an earlier review study on the attitude toward research of patients with advanced cancer (Todd et al. 2009). In sum, hope was a motivation for change and it affected decisions on participation in research and on treatments. Hope in relation to treatments could also lead to ethical issues for health care providers, and this will be described below.

11.3.5 *Ethics*

The main ethical issue in relation to hope in health care was the tension between hope and truth/realism, which was addressed in palliative care. The moral background here is the duty of health care providers, especially physicians, to provide or maintain hope on the one hand, and to tell the truth, on the other. The tension between these two was intensified when patients avoided information about their poor prognosis or about the palliative rather than curative aims of a treatment (Barclay et al. 2011; Clarke et al. 2015; Clayton et al. 2008). Clinicians wanted to avoid “taking away hope” and did not want to alarm patients unnecessarily (Barclay et al. 2011; Clarke et al. 2015).

We found that the dilemma between hope and truth/realism is a dilemma between a realistic and functional perspective on hope. The former means that the basis of patients’ hope should be truthful, which requires clinicians to adjust hope to truth, whereas the functional perspective acknowledges the helpfulness of hope as patients’ way of coping with their disease, requiring clinicians to foster or maintain patients’ hope (Olsman et al. 2014). Still, a focus on (the helpfulness of) hope and maintaining hope may lead to overlooking patients’ other needs (Prip et al. 2018). In addition, clinicians may continue treatments, not only to maintain hope in their patients, but also because they have developed strong relationships with their patients (Clarke et al. 2015). A “solution” offered within the context of advanced cancer was to discuss prognosis and other issues honestly, providing it with understanding and empathy. In so doing, paradoxically, clinicians may foster hope (Clayton et al. 2008; van Gorp et al. 2013).

11.4 Discussion

The objective of this study was to describe hope in health care. As explained above, 73 review studies were included, covering a variety of health care contexts and the findings of these studies were thematically analyzed. This chapter suggests that hope is conceptualized as (1) an expectation: appraisal of a future outcome, (2) resilience: endurance of adversity, and (3) a desire: expression of meaning. Inspiring relationships, in particular relationships with peers, increase hope in patients. Losses, on the other hand, such as loss of health, relationships, or income, have a negative impact on hope. The findings also suggest that a central ethical issue is the tension between hope and truth in palliative care. Physicians want to be honest about poor prognosis and bad news, on one hand, while preventing harm and consequently not wanting to destroy patients’ hope, on the other.

The three conceptualizations of hope can be placed against the philosophical background of Enlightenment, Romanticism, and Utilitarianism/Radical Enlightenment (cf. Taylor 1992). The idea of hope as an expectation can be seen against the background of the Enlightenment, in which reason is used to appraise a future

outcome as realistically as possible. Hope as desire can be seen in relation to Romanticism, emphasizing the subjective experiences, including the meaning of these experiences for the individual. Hope as resilience can be understood against a background of Utilitarianism because of its focus on the consequences of hope, that it helps to endure (and minimize the effects of) adversity. Recognition of these backgrounds is essential because it helps to see that individuals not only conceptualize themselves in various ways (Gergen 2000), but they will also conceptualize their own hope in different ways.

For example, when the clinician tries to adjust hope to realism and the patient wants his desire to get better acknowledged, this may lead to conflict between them that harms their relationship. My suggestion for clinicians is to recognize the value of each conceptualization and address them as options. That would mean acknowledging a palliative care patient's unrealistic hope as a meaningful desire ("What does this hope mean to you?"), after which the clinician may ask, "Would you mind talking to me just once, about how you would feel if what you hope for were not to happen?" (Olsman 2015, pp. 115–120). Such a question also acknowledges the contradiction within patients who desire something unrealistic, while at the same time being aware that it may not come true (Olsman et al. 2015a; Robinson 2012; Sachs et al. 2013). Moreover, when the ethics of hope is limited to a binary contrast between the values of hope and realism/truth, health care providers tend to place themselves on the side of realism, while several studies suggest that health care providers may hold hopes that are unrealistic (Barclay et al. 2011; Buiting et al. 2011; Christakis and Lamont 2000; Clarke et al. 2015).

Therefore, I propose a relational approach to hope, which recognizes that hope plays a role for each individual and in relationships between individuals (Olsman 2015, pp. 115–120). I argue, in addition, that health care providers should build their relationship with patients by focusing on solicitude. Solicitude includes compassion (recognizing the patient's suffering) and empowerment (recognizing the patient's strengths) (Elliott 2013; Olsman et al. 2015b). Such an approach is furthermore important because relationships have the potential to foster hope. The importance of relationships in connection with hope has also been described in spiritual care (Capps 2001). The selected studies, in addition, suggest that peer support, in particular, can have a positive effect on hope, and this draws our attention to forms of peer support, something that deserves future research. One study, for example, suggested that besides its potential risks, peer support through online media has potential benefits, such as empowerment, an increase in hope, and resistance to stigma (Naslund et al. 2016).

The strength of this chapter is that, to the best of my knowledge, it provides a first overview of hope in various health care contexts, based on a systematic search in several databases. As well as providing this overview, it identifies gaps, offering possibilities for future studies. However, a limitation of this chapter is that the findings mainly apply to the so-called "Western" countries, requiring future studies to examine unexplored contexts. Another limitation is that only one author is responsible for the study, and as a consequence, it does not fit the criteria of a systematic review. Last but not least, an ongoing debate in hope research is how the

objects of hope—in those cases where hope *has* an object—color (conceptualizations of) hope. It is, for example, worth exploring in future studies if objects of hope and conceptualizations of hope correspond.

In conclusion, the findings gained through this study have offered insight into hope in health care. This chapter has offered conceptual clarity on hope in health care and outlined the normative backgrounds and implications of these conceptualizations. In so doing, it offers several ways of addressing the (spiritual) topic of hope in clinical practice. I conclude that the ethics of hope needs to be developed in contexts other than palliative care and should be understood in terms wider than the dualism between hope and truth. A further conclusion is that future (synthesis) studies should examine the hope that is held by health care providers because their hope affects their care provision. *My hope* is that this chapter will support health care providers when they want to address the matter of hope during encounters with patients, patients’ family members, and their colleagues.

Acknowledgements The author thanks Jan Schoones, clinical librarian of the Walaeus library (LUMC), for his contribution to the search used in this study.

Appendix

Table 11.1 Objectives of the included studies

First author & Year	Objective ^a
van Weeghel 2019	To map the state of the art of conceptualizing recovery, its promoting and impeding factors, recovery-oriented practice, and the assessment of recovery in mental illness
Bauerreiß 2018	To synthesize the evidence of existential interventions in adult patients with cancer
Deering 2018	To explore the lived experience of what activities might facilitate personal recovery for adults who continue to self-harm
Forcina 2018	To identify perceptions and attitudes toward clinical trials in adolescents and young adults with cancer that influence trial participation
Kharrat 2018	To synthesize and describe parental expectations on how healthcare professionals should interact with them during a peripartum, antenatal consultation for extremely premature infants
Li 2018	To evaluate the efficacy of nursing interventions to increase the level of hope in cancer patients
Orhan 2018	To systematically review the current evidence regarding the racial, ethnic and cultural alterations and differences in pain beliefs, cognitions, and behaviors in patients with chronic musculoskeletal pain
Prip 2018	To summarize the literature of adult patients’ experiences of and need for relationships and communication with healthcare professionals during chemotherapy in the oncology outpatient setting

(continued)

Table 11.1 (continued)

First author & Year	Objective ^a
Purgato 2018	To assess the effectiveness of focused psychosocial support interventions, and to explore which children, exposed to traumatic events in humanitarian settings in low- and middle-income countries, are likely to benefit most
Thomas 2018	To synthesize findings pertaining to the study of person-oriented recovery constructs in mental health care over time and concomitants of change
van Eck 2018	To perform a meta-analysis investigating the relationship between clinical and personal recovery in patients with schizophrenia spectrum disorders
Wilson 2018	To examine the significance of factors associated with parents' treatment selection for their child with autism spectrum disorder
Baek 2017	To examine attributes and verify the definition of the recovery-oriented psychiatric nursing concept, using the hybrid model suggested by Schwartz-Barcott and Kim
Creighton 2017	To synthesize and summarize the studies examining the correlates and predictors of anxiety in older adults living in residential aged care
Deslisle 2017	To map the available evidence on (1) (perceived) benefits of participating in rare disease support groups and (2) barriers and facilitators of establishing and maintaining these groups
Ebenau 2017	To describe which life values play an important role in the lives of elderly people suffering from incurable cancer
Machado 2017	To assess the effectiveness of interventions based on the constructs spirituality, happiness, optimism, and hope concerning the rehabilitation of adults and elderly
Parslow 2017	To synthesize the qualitative studies of children's experiences of chronic fatigue syndrome/maligic encephalomyelitis
Schiavon et al. 2017	To identify what the scientific literature says about the influence of optimism and hope on chronic disease treatment
Broadhurst 2016	To review the qualitative literature and investigate the meaning of hope to patients receiving palliative care and to examine the themes that foster hope in those patients
Clarke 2016	To review and narratively synthesize qualitative literature on forensic mental health patients' perceptions of recovery
Firmin 2016	To better understand how stigma resistance impacts functioning-related domains
Griggs 2016	To describe what is currently known about the role of hope in adolescents with a chronic illness
Jones 2016	To investigate the role of spirituality in facilitating adjustment and resilience after spinal cord injury for the individual with spinal cord injury and their family members
Laugesen 2016	To identify and synthesize the best available evidence on parenting experiences of living with a child with attention-deficit hyperactivity disorder, including their experiences of healthcare and other services
Mahendran 2016	To examine the factors associated with hope and hopelessness in patients with cancer in Asian countries, and the instruments used to measure hope and hopelessness
Oyesanya 2016	To examine and synthesize current literature focusing on women with traumatic brain injury, comorbid with depression, and hope

(continued)

Table 11.1 (continued)

First author & Year	Objective ^a
Shepherd 2016	To develop a model of the personal recovery process for people needing forensic mental health services
Similuk 2016	To conduct a systematic review of the social, psychological, and behavioral literature on primary immune deficiency, provide a critical analysis, and synthesize with the broader literature
Stenberg 2016	To give a comprehensive overview of benefits and challenges from participating in group based patient education programs that are carried out by health care professionals and lay participants, aimed at promoting self-management for people living with chronic illness
Wayland 2016	To explore hope for families of missing people
Weaver 2016	To identify current approaches to palliative care in the pediatric oncology setting to inform development of comprehensive psychosocial care standards for pediatric and adolescent patients with cancer and their families; and to analyze barriers to implementation and enabling factors
Agli 2015	To systematically review the literature examining the effects of religion and spirituality on health outcomes such as cognitive functioning, coping strategies, and quality of life in people with dementia
Best 2015	To identify what interventions are effective in treatment of holistic suffering of cancer patients
Clarke 2015	To systematically review the literature concerning the withdrawal of anticancer drugs towards the end of life within clinical practice, with a particular focus on molecular targeted agents
Soundy 2015	To consider and synthesize common experiences of motor neuron disease and better understand the effects of the illness on the patient's mental well-being and generalized hope
Tong 2015	To describe patient experiences and attitudes to wait-listing for kidney transplantation
Casellas-Grau 2014	To synthesize the evidence about the positive interventions utilized in breast cancer
Germeni 2014	To synthesize published qualitative research to provide insight into patients' motivations for cancer information seeking and avoidance
Jamieson 2014	To describe the experiences and perspectives of children and adolescents with cystic fibrosis to direct care toward areas that patients regard as important
Lloyd-Evans 2014	To systematically review trials of community-based, peer-provided support for people with severe mental illness
Olsman 2014	To describe healthcare professionals' perspectives on palliative care patients' hope found in the literature
Soundy 2014a	To help health-care professionals consider how hope is promoted and challenged during the rehabilitation of patients who have had a stroke or spinal cord injury
Soundy 2014b	To understand the importance of social identity and meaningful activities on well-being of individuals with Parkinson's disease, to identify factors and strategies that influence well-being and hope, and to establish a model that relates to an individual's hope and well-being
van Mierlo 2014	To systematically examine the relationship between psychological factors and health-related quality of life after stroke

(continued)

Table 11.1 (continued)

First author & Year	Objective ^a
Refsgaard 2013	To synthesize interpreted knowledge on the illness-related emotional experiences of patients with incurable lung cancer
van Gurp 2013	To describe communication patterns in palliative care and discussing potential relations between communication patterns and upcoming telecare in the practice of palliative care
Caboral 2012	To explore the construct of hope in elderly adults with chronic heart failure
Connell 2012	To identify the domains of quality of life important to people with mental health problems
Duggleby 2012	To report a meta-synthesis review of qualitative research studies exploring the hope experience of older persons with chronic illness
Olver 2012	To describe the evolution of the definitions of hope in oncology
Barclay 2011	To review the literature concerning conversations about end-of-life care between patients with heart failure and healthcare professionals, with respect to the prevalence of conversations, patients' and practitioners' preferences for their timing and content, and the facilitators and blockers to conversations
Bright 2011	To clarify the concept of hope after stroke and to synthesize the findings to propose a working model of hope
Leamy 2011	To synthesize published descriptions and models of personal recovery in mental illness into an empirically based conceptual framework
Singh 2011	To provide a detailed overview of the literature to make an informed judgment on how teenage cancer services can be effectively delivered
Stewart 2011	To conduct a systematic review of resilience and related concepts in the physically ill to determine factors associated with predicting or promoting resilience
van Leeuwen 2011	To review the literature on relationships between psychological factors and quality of life of persons with spinal cord injury
Duggleby 2010	To describe the hope experience of family caregivers of persons with chronic illness
Livingston 2010	To provide a systematic review and meta-analysis of the extant research regarding the empirical relationship between internalized stigma and a range of sociodemographic, psychosocial, and psychiatric variables for people who live with mental illness
Kylmä 2009	To describe the current status of research on hope in palliative care
Todd 2009	To examine the literature on attitudes of patients with advanced cancer toward research and to define common themes
Tutton 2009	To examine the perceptions of hope in health care with a particular focus on: the nature of hope in nursing, the relationship of hope to other related concepts, the experience of hope in some contexts, and the contribution of nursing
Clayton 2008	To examine studies that have investigated sustaining hope during prognostic and end-of-life issues discussions with terminally ill patients and their families
Schrank 2008	To define hope in psychiatry, review current approaches to assessment, and outline research evidence linking hope with effectiveness
Wiles 2008	To explore how expectations and wants are distinguished in empirical research on hope and illness and the related issues of realistic hope and temporality

(continued)

Table 11.1 (continued)

First author & Year	Objective ^a
Chi 2007	To synthesize the literature, develop generalizations, and identify issues that should be evaluated in regard to hope and patients with cancer
Cutcliffe 2007	To systematically review the literature on hope within interpersonal focused psychiatric/mental health nursing
Davidson 2007	To explore the role of hope in heart disease and the potential utility of this construct in the development of nursing interventions
Koehn 2007	To systematically review the literature on hope within interpersonal focused psychiatric/mental health nursing, with a focus on the method used and the results
Kylmä 2006	To describe the current status of research on hope and schizophrenia
Lohne 2001	To review the literature on the concept of hope related to patients with spinal cord injury and its use in rehabilitation, and to explore the substantive areas of hope in the general and theoretical literature
Baldacchino 2001	To identify those spiritual coping strategies used by the believers and non-believers followed by implications for holistic nursing care
Kylmä 1997	To describe the ontological basis of hope and the epistemological solutions adopted in research on hope by reviewing research article concerned with the subject in the field of nursing science

^aIn most instances the objective is a quotation derived from the abstract

References¹

- Agli, O., Bailly, N., Ferrand, C. (2015). Spirituality and religion in older adults with dementia: a systematic review*. *International Psychogeriatrics*, 27(5), 715–725. <https://doi.org/10.1017/S1041610214001665>
- Averill, J. R., Catlin, G., & Chon, K. K. (1990). *Rules of hope*. Springer.
- Baek, S., & Kim, S. (2017). Recovery-oriented psychiatric nursing in South Korea: A hybrid concept analysis*. *Issues in Mental Health Nursing*, 38(3), 261–271. <https://doi.org/10.1080/01612840.2016.1256457>
- Baldacchino, D., & Draper, P. (2001). Spiritual coping strategies: A review of the nursing research literature*. *Journal of Advanced Nursing*, 34(6), 833–841. <https://doi.org/10.1046/j.1365-2648.2001.01814.x>
- Barclay, S., Momen, N., Case-Upton, S., Kuhn, I., & Smith, E. (2011). End-of-life care conversations with heart failure patients: A systematic literature review and narrative synthesis*. *British Journal of General Practice*, 61(582), e49–62. <https://doi.org/10.3399/bjgp11X549018>
- Bauerreiß, N., Obermaier, S., Özünal, S.E., Baumeister, H. (2018). Effects of existential interventions on spiritual, psychological, and physical well-being in adult patients with cancer: Systematic review and meta-analysis of randomized controlled trials*. *Psycho-Oncology*, 27(11), 2531–2545. <https://doi.org/10.1002/pon4829>
- Best, M., Aldridge, L., Butow, P., Oliver, I. A., Price, M. A., Webster, F. (2015). Treatment of holistic suffering in cancer: A systematic literature review*. *Palliative Medicine*, 29(10), 885–898. <https://doi.org/10.1177/0269216315581538>

¹The selected studies in this review study are marked with an asterisk.

- Bloch, E. (1968). *Das prinzip Hoffnung. In Drei Bänden. Erster Band. Kapitel 1-32* (2nd ed.). Suhrkamp Verlag.
- Bright, F. A. S., Kayes, N. M., McCann, C. M., & McPherson, K. M. (2011). Understanding hope after stroke: A systematic review of the literature using concept analysis*. *Topics in Stroke Rehabilitation*, 18(5), 490–508. <https://doi.org/10.1310/tsr1805-490>
- Broadhurst, K., & Harrington, A. (2016). A mixed method thematic review: The importance of hope to the dying patient*. *Journal of Advanced Nursing*, 72(1), 18–32. <https://doi.org/10.1111/jan.12765>
- Buiting, H. M., Rurup, M. L., Wijsbek, H., van Zuylen, L., & den Hartogh, G. (2011). Understanding provision of chemotherapy to patients with end stage cancer: Qualitative interview study. *BMJ Palliative and Supportive Care*, 1(1), 33–41. <https://doi.org/10.1136/bmj.d1933>
- Caboral, M. F., Evangelista, L. S., Whetsell, M. V. (2012). Hope in elderly adults with chronic heart failure*. Concept analysis. *Investigación y Educación Enfermería*, 30(3), 406–411.
- Capps, D. (2001). *Agents of hope: A pastoral psychology*. Wipf & Stock Publishers.
- Casellas-Grau, A., Font, A., & Vives, J. (2014). Positive psychology interventions in breast cancer. A systematic review*. *Psycho-Oncology*, 23(1), 9–19. <https://doi.org/10.1002/pon.3353>
- Chi, G. C. H. L. (2007). The role of hope in patients with cancer*. *Oncology Nursing Forum*, 34(2), 415–424. <https://doi.org/10.1188/07.ONF.415-424>
- Christakis, N. A., & Lamont, E. B. (2000). Extent and determinants of errors in doctors' prognoses in terminally ill patients: Prospective cohort study. *British Medical Journal*, 320 (7233), 469–472. <https://doi.org/10.1136/bmj.320.7233.469>
- Clarke, G., Johnston, S., Corrie, P., Kuhn, I., & Barclay, S. (2015). Withdrawal of anticancer therapy in advanced disease: A systematic literature review*. *BMC Cancer*, 15, 892. <https://doi.org/10.1186/s12885-015-1862-0>
- Clarke, C., Lombard, D., Sambrook, S., & Kerr, K. (2016). What does recovery mean to a forensic mental health patient? A systematic review and narrative synthesis of the qualitative literature*. *The Journal of Forensic Psychiatry & Psychology*, 27(1), 38–54. <https://doi.org/10.1080/14789949.2015.1102311>
- Clayton, J. M., Hancock, K., Parker, S., Butow, P. N., Walder, S., Carrick, S., Currow, D., Ghersi, D., Glare, P., Hagerty, R., Olver, I. A., & Tattersall, H. N. (2008). Sustaining hope when communicating with terminally ill patients and their families: A systematic review*. *Psycho-Oncology*, 17(7), 641–659. <https://doi.org/10.1002/pon.1288>
- Connell, J., Brazier, J., O'Cathain, A., Lloyd-Jones, M., & Paisley, S. (2012). Quality of life of people with mental health problems: A synthesis of qualitative research*. *Health and Quality of Life Outcomes*, 10, 138. <https://doi.org/10.1186/1477-7525-10-138>
- Creighton, A. S., Davison, T. E., & Kissane, D. W. (2017). The correlates of anxiety among older adults in nursing homes and other residential aged care facilities: A systematic review*. *International Journal of Geriatric Psychiatry*, 32(2), 141–154. <https://doi.org/10.1002/gps.4604>
- Cutcliffe, J. R., & Koehn, C. V. (2007). Hope and interpersonal psychiatric/mental health nursing: A systematic review of the literature – part two*. *Journal of Psychiatric and Mental Health Nursing*, 14(2), 141–147. <https://doi.org/10.1111/j.1365-2850.2007.01055.x>
- Davidson, P. M., Dracup, K., Phillips, J., & Padilla, G. (2007). Preparing for the worst while hoping for the best. The relevance of hope in the heart failure illness trajectory*. *Journal of Cardiovascular Nursing*, 22(3), 159–165. <https://doi.org/10.1097/01.JCN.0000267821.74084.72>
- Deering, K., & Williams, J. (2018). What activities might facilitate personal recovery for adults who continue to self-harm? A meta-synthesis employing the connectedness/hope and optimism/identity/meaning/empowerment framework*. *International Journal of Mental Health Nursing*, 27(2), 483–497. <https://doi.org/10.1111/inm.12387>
- Delisle, V. C., Gumuchian, S. T., Rice, D. B., Levis, A. W., Kloda, L. A., Körner, A., & Thoms B. D. (2017). Perceived benefits and factors that influence the ability to establish and maintain patient support groups in rare diseases: A scoping review*. *Patient*, 10(3), 283–293. <https://doi.org/10.1007/s40271-016-0213-9>

- Duggleby, W., Hicks, D., Nikolaichuk, C., Holtslander, L., Williams, A., Chambers, T., Eby, J. (2012). Hope, older adults, and chronic illness: A metasynthesis of qualitative research*. *Journal of Advanced Nursing*, 68(6), 1211–1223. <https://doi.org/10.1111/j.1365-2648.2011.05919.x>
- Duggleby, W., Holtslander, L., Kylmä, J., Duncan, V., Hammond, C., & Williams, A. (2010). Metasynthesis of the hope experience of family caregivers of persons with chronic illness*. *Qualitative Health Research*, 20(2), 148–158. <https://doi.org/10.1177/1049732309358329>
- Ebenau, A., van Gorp, J., & Hasselaar, J. (2017). Life values of elderly people suffering from incurable cancer: A literature review*. *Patient Education and Counseling*, 100(10), 1778–1786. <https://doi.org/10.1016/j.pec.2017.05.027>
- Elliott, J. A. (2013). Hope-lore and the compassionate clinician. *Journal of Pain and Symptom Management*, 45(3), 628–634. <https://doi.org/10.1016/j.jpainsymman.2012.10.233>
- Elliott, J. (2005). What have we done with hope? A brief history. In J. Elliott (Ed.), *Interdisciplinary perspectives on hope* (pp. 3–45). Cambridge University Press.
- Firmin, R. L., Luther, L., Lysaker, P. H., Minor, K. S., & Salyers, M. P. (2016). Stigma resistance is positively associated with psychiatric and psychosocial outcomes: A meta-analysis*. *Schizophrenia Research*, 175(1–3), 118–128. <https://doi.org/10.1016/j.schres.2016.03.008>
- Forcina, V., Vakeesan, B., Paulo, C., Mitchell, L., Bell, J. A. H., Tam, S., Wang, K., Gupta, A. A., & Lewin, J. (2018). Perceptions and attitudes toward clinical trials in adolescent and young adults with cancer: A systematic review*. *Adolescent Health, Medicine and Therapeutics*, 9, 87–94. <https://doi.org/10.2147/AHMT.S163121>
- Frankl, V. (2014). . . . *Trotzdem ja zum leben sagen. Ein psychologe erlebt das konzentrationslager* (6th ed.). Kösel.
- Freire, P. (1994). *Pedagogy of hope. Reliving pedagogy of the oppressed*. Continuum.
- Germení, E., & Schulz, P. J. (2014). Information seeking and avoidance throughout the cancer patient journey: two sides of the same coin? A synthesis of qualitative studies*. *Psycho-Oncology*, 23(12), 1373–1381. <https://doi.org/10.1002/pon.3575>
- Gergen, K. J. (2000). *The saturated self. Dilemmas of identity in contemporary life* (2nd ed.). Basic Books.
- Gijssberts, M. J. H. E., Liefbroer, A. I., Otten, R., & Olsman, E. (2019). Spiritual care in palliative care: A systematic review of the recent European literature. *Medical Sciences*, 7(2), 25. <https://doi.org/10.3390/medsci7020025>
- Griggs, S., & Walker, R. K. (2016). The role of hope for adolescents with a chronic illness: An integrative review*. *Journal of Pediatric Nursing*, 31(4), 404–421. <https://doi.org/10.1016/j.pedn.2016.02.011>
- Herrestad, H., Biong, S., McCormack, B., Borg, M., Karlsson, B. (2014). A pragmatist approach to the hope discourse in health care research. *Nursing Philosophy*, 15(3), 211–220. <https://doi.org/10.1111/nup.12053>
- Jamieson, N., Fitzgerald, D., Singh-Grewal, D., Hanson, C. S., Craig, J. C., & Tong, A. (2014). Children's experiences of cystic fibrosis: A systematic review of qualitative studies*. *Pediatrics*, 133(6), e1683–e1697. <https://doi.org/10.1542/peds.2014-0009>
- Jones, K., Simpson, G. K., Briggs, L., & Dorsett, P. (2016). Does spirituality facilitate adjustment and resilience among individuals and families after spinal cord injury?*. *Disability and Rehabilitation*, 38(10), 921–935. <https://doi.org/10.3109/09638288.2015.1066884>
- Kharrat, A., Moore, G. P., Beckett, S., Nicholls, S. G., Sampson, M., & Daboval, T. (2018). Antenatal consultations at extreme prematurity: A systematic review of parent communication needs*. *The Journal of Pediatrics*, 196, 109–115. <https://doi.org/10.1016/j.jpeds.2017.10.0.67>
- Koehn, C. V., & Cutcliffe, J. R. (2007). Hope and interpersonal psychiatric/mental health nursing: A systematic review of the literature – part one*. *Journal of Psychiatric and Mental Health Nursing*, 14(2), 134–140. <https://doi.org/10.1111/j.1365-2850.2007.01054.x>
- Kylmä, J., Duggleby, W., Cooper, D., & Molander, G. (2009). Hope in palliative care: An integrative review*. *Palliative and Supportive Care*, 7(3), 365–377. <https://doi.org/10.1017/S1478951509990307>

- Kylmä, J., Juvakka, T., Nikkonen, M., Korhonen, T., & Isohanni, M. (2006). Hope and schizophrenia: An integrative review*. *Journal of Psychiatric and Mental Health Nursing*, 13(6), 651–664. <https://doi.org/10.1111/j.1365-2850.2006.01012.x>
- Kylmä, J., & Vehviläinen-Julkunen, K. (1997). Hope in nursing research: A meta-analysis of the ontological and epistemological foundations of research on hope*. *Journal of Advanced Nursing*, 25(2), 364–371. <https://doi.org/10.1046/j.1365-2648.1997.1997025364.x>
- Laugesen, B., Lauritsen, M. B., Jørgensen, R., Sørensen, E. E., Rasmussen, P., & Grønkjær, M. (2016). Living with a child with attention deficit hyperactivity disorder: A systematic review*. *International Journal of Evidence-Based Healthcare*, 14(4). <https://doi.org/10.1097/XEB.0000000000000079>
- Leamy, M., Bird, V., le Boutillier, C., Williams, J., & Slade, M. (2011). Conceptual framework for personal recovery in mental health: Systematic review and narrative synthesis*. *The British Journal of Psychiatry*, 199(6), 445–452. <https://doi.org/10.1192/bjp.bp.110.083733>
- Lester (1995). *Hope in pastoral care and counseling*. Westminster John Knox Press.
- Li, P., Guo, Y. J., Tang, Q., Yang, L. (2018). Effectiveness of nursing intervention for increasing hope in patients with cancer: A meta-analysis*. *Revista Latino-Americana de Enfermagem*, 26, e2937. <https://doi.org/10.1590/1518-8345.1920.2937>
- Livingston, J. D., & Boyd, J. E. (2010). Correlates and consequences of internalized stigma for people living with mental illness: A systematic review and meta-analysis*. *Social Science & Medicine*, 71(12), 2150–2161. <https://doi.org/10.1016/j.socscimed.2010.09.030>
- Lloyd-Evans, B., Mayo-Wilson, E., Harrison, B., Istead, H., Brown, E., Pilling, S., Johnson, S., & Kendall, T. (2014). A systematic review and meta-analysis of randomized controlled trials of peer support for people with severe mental illness*. *BMC Psychiatry*, 14, 39. <https://doi.org/10.1186/1471-244X-14-39>
- Lohne, V. (2001). Hope in patients with spinal cord injury: A literature review related to nursing*. *Journal of Neuroscience Nursing*, 33(6), 317–325. <https://doi.org/10.1097/01376517-200112000-00006>
- Machado, F. A., Gurgel, L. G., & Reppold, C. T. (2017). Intervenções em Psicologia Positiva na reabilitação de adultos e idosos: Revisão da literatura*. *Estudos de Psicologia*, 34(1), 119–130. <https://doi.org/10.1590/1982-02752017000100012>
- Mahendran, R., Chua, S. M., Lim, H. A., Yee, I. J., Tan, J. Y. S., Kua, E. H., & Griva, K. (2016). Biopsychosocial correlates of hope in Asian patients with cancer: A systematic review*. *BMJ Open*, 6(10), e012087. <https://doi.org/10.1136/bmjopen-2016-012087>
- Martin, A. M. (2014). *How we hope. A moral psychology*. Princeton University Press.
- Moltmann, J. (2005). *Theologie der Hoffnung. Untersuchungen zur Begründung und zu den Konsequenzen einer Christlichen Eschatologie* (14th ed.). Gütersloher Verlagshaus.
- Naslund, J. A., Aschbrenner, K. A., Marsch, L. A., & Bartels, S. J. (2016). The future of mental health care: Peer-to-peer support and social media. *Epidemiology and Psychiatric Sciences*, 25(2), 113–122.
- Nunn, B. V. (2005). Getting clear what hope is. In J. Elliott (Ed.), *Interdisciplinary perspectives on hope* (pp. 63–77). Cambridge University Press.
- Nussbaum, M. C. (1992). *The fragility of goodness. Luck and ethics in Greek tragedy and philosophy*. Cambridge University Press.
- Olsman, E. (2020). Witnesses of hope in times of despair: chaplains in palliative care. A qualitative study. *Journal of Health Care Chaplaincy*. Epub ahead of print. <https://doi.org/10.1080/08854726.2020.1727602>
- Olsman, E. (2015). *Hope in palliative care. A longitudinal qualitative study* (PhD Thesis). University of Amsterdam.
- Olsman, E., Leget, C., Duggleby, W., & Willems, D. (2015b). A singing choir: Understanding the dynamics of hope, hopelessness, and despair in palliative care patients. A longitudinal qualitative study. *Palliative and Supportive Care*, 13(6), 1643–1650. <https://doi.org/10.1017/S147895151500019X>

- Olsman, E., Willems, D., & Leget, C. (2015a). Solitude: Balancing compassion and empowerment in a relational ethics of hope: An empirical – ethical study in palliative care. *Medicine, Health Care and Philosophy*, 19(1), 11–20. <https://doi.org/10.1007/s11019-015-9642-9>
- Olsman, E., Leget, C., Onwuteaka-Philipsen, B., & Willems, D. (2014). Should palliative care patients' hope be truthful, helpful or valuable? An interpretative synthesis of literature describing healthcare professionals' perspectives on hope of palliative care patients*. *Palliative Medicine*, 28(1), 59–70. <https://doi.org/10.1177/0269216313482172>
- Olver, I. N. (2012). Evolving definitions of hope in oncology*. *Current Opinions in Supportive and Palliative Care*, 6(2), 236–241. <https://doi.org/10.1097/SPC.0b013e3283528d0c>
- Orhan, C., van Looveren, E., Cagnie, B., Mukhtar, N. B., Lenoir, D., & Meeus, M. (2018). Are pain beliefs, cognitions, and behaviors influenced by race, ethnicity, and culture in patients with chronic musculoskeletal pain: A systematic review*. *Pain Physician*, 21(6), 541–558.
- Oyesanya, T. O., & Ward, E. C. (2016). Mental health in women with traumatic brain injury: A systematic review on depression and hope*. *Health Care Women International*, 37(1), 45–74. <https://doi.org/10.1080/07399332.2015.1005307>
- Parslow, R. M., Harris, S., Broughton, J., Alattas, A., Crawley, E., Haywood, K., & Shaw, A. (2017). Children's experiences of chronic fatigue syndrome/myalgic encephalomyelitis (CFS/ME): A systematic review and meta-ethnography of qualitative studies*. *BMJ Open*, 7(1), e012633. <https://doi.org/10.1136/bmjopen-2016-012633>
- Prip, A., Møller, K. A., Nielsen, D. L., Jarden, M., Olsen, M. H., & Danielsen, A. K. (2018). The patient-healthcare professional relationship and communication in the oncology outpatient setting*. *Cancer Nursing*, 41(5), E11–E22. <https://doi.org/10.1097/NCC.0000000000000533>
- Purgato, M., Gross, A. L., Betancourt, T., Bolton, P., Bonetto, C., Gastaldon, C., Gordon, J., O'Callaghan, P., Papola, D., Peltonen, K., Punamaki, R. L., Richards, J., Staples, J. K., Unterhitzenberger, J., van Ommeren, M., de Jong, J., Jordans, M. J. D., Tol, W. A., & Barbu, C. (2018). Focused psychosocial interventions for children in low-resource humanitarian settings: A systematic review and individual participant data meta-analysis*. *The Lancet Global Health*, 6(4), e390–400. [https://doi.org/10.1016/S2214-109X\(18\)30046-9](https://doi.org/10.1016/S2214-109X(18)30046-9)
- Refsgaard, B., & Frederiksen, K. (2013). Illness-related emotional experiences of patients living with incurable lung cancer. A qualitative metasynthesis*. *Cancer Nursing*, 36(3), 221–228. <https://doi.org/10.1097/NCC.0b013e318268f983>
- Robinson, C. A. (2012). "Our best hope is a cure." Hope in the context of advance care planning. *Palliative and Supportive Care*, 10(2), 75–82. <https://doi.org/10.1017/S147895151100068X>
- Sachs, E., Kolva, E., Pessin, H., (2013). On sinking and swimming: The dialectic of hope, hopelessness, and acceptance in terminal cancer. *American Journal of Hospice and Palliative Care*, 30(2), 121–127. <https://doi.org/10.1177/1049909112445371>
- Schiavon, C. C., Marchetti, E., Gurgel, L. G., Busnello, F. M., & Reppold, C. T. (2017). Optimism and hope in chronic disease: A systematic review*. *Frontiers in Psychology*, 7, 2022. <https://doi.org/10.3389/fpsyg.2016.02022>
- Schrank, B., Stanghellini, G., & Slade, M. (2008). Hope in psychiatry: A review of the literature*. *Acta Psychiatrica Scandinavica*, 118(6), 421–433. <https://doi.org/10.1111/j.1600-0447.2008.01271.x>
- Shepherd, A., Doyle, M., Sanders, C., Shaw, J. (2016). Personal recovery within forensic settings – systematic review and meta-synthesis of qualitative methods studies*. *Criminal Behaviour and Mental Health*, 26(1), 59–75. <https://doi.org/10.1002/cbm.1966>
- Similuk, M. N., Wang, A., Lenardo, M. J., & Erby, L. H. (2016). Life with a primary immune deficiency: A systematic synthesis of the literature and proposed research agenda*. *Journal of Clinical Immunology*, 36(2), 123–133. <https://doi.org/10.1007/s10875-016-0241-1>
- Singh, K., & Hodgson, D. (2011). How can the multi-disciplinary team meet the psychological needs of adolescents with cancer? A review of the literature*. *Journal of Radiotherapy in Practice*, 10(1), 55–64. <https://doi.org/10.1017/S1460396910000117>

- Soundy, A., & Condon, N. (2015). Patients experiences of maintaining mental well-being and hope within motor neuron disease: A thematic synthesis*. *Frontiers in Psychology*, 6, 606. <https://doi.org/10.3389/fpsyg.2015.00606>
- Soundy, A., Stubbs, B., Freeman, P., Coffee, P., & Roskell, C. (2014a). Factors influencing patients' hope in stroke and spinal cord injury: A narrative review*. *International Journal of Therapy and Rehabilitation*, 21(5), 210–218. <https://doi.org/10.12968/ijtr.2014.21.5.210>
- Soundy, A., Stubbs, B., & Roskell, C. (2014b). The experience of Parkinson's disease: A systematic review and meta-ethnography*. *The Scientific World Journal*. Epub. <https://doi.org/10.1155/2014/613592>
- Stenberg, U., Haaland-Øverby, M., Frederiksen, K., Westermann, K. F., Kvisvik, T. (2016). A scoping review of the literature on benefits and challenges of participating in patient education programs aimed at promoting self-management for people living with chronic illness*. *Patient Education and Counseling*, 99(11), 1759–1771. <https://doi.org/10.1016/j.pec.2016.07.027>
- Stewart, D. E., & Yuen, T. (2011). A systematic review of resilience in the physically ill*. *Psychosomatics*, 52(3), 199–209. <https://doi.org/10.1016/j.psych.2011.01.036>
- Taylor, C. (1992). *Sources of the self: The making of the modern identity*. Cambridge University Press.
- Thomas, E. C., Despeaux, K. E., Drapalski, A. L., & Bennett, M. (2018). Person-oriented recovery of individuals with serious mental illnesses: A review and meta-analysis of longitudinal findings*. *Psychiatric Services*, 69(3), 259–267. <https://doi.org/10.1176/appi.ps.201700058>
- Todd, A. M. H., Laird, B. J. A., Boyle, D., Boyd, A. C., Colvin, L. A., Fallon, M. T. (2009). A systematic review examining the literature on attitudes of patients with advanced cancer toward research*. *Journal of Pain and Symptom Management*, 37(6), 1078–1085. <https://doi.org/10.1016/j.jpainsymman.2008.07.009>
- Tong, A., Hanson, C. S., Chapman, J. R., Halleck, F., Budde, K., Josephson, M. A., & Craig, J. C. (2015). 'Suspended in a paradox' – patient attitudes to wait-listing for kidney transplantation: Systematic review and thematic synthesis of qualitative studies*. *Transplant International*, 28 (7), 771–787. <https://doi.org/10.1111/tri.12575>
- Tutton, E., Seers, K., Langstaff, D. (2009). An exploration of hope as a concept for nursing*. *Journal of Orthopaedic Nursing*, 13(3), 119–127. <https://doi.org/10.1016/j.joon.2009.07.006>
- van Eck, R. M., Burger, T. J., Vellinga, A., Schirmbeck, F., & de Haan, L. (2018). The relationship between clinical and personal recovery in patients with schizophrenia spectrum disorders: A systematic review and meta-analysis*. *Schizophrenia Bulletin*, 44(3), 631–642. <https://doi.org/10.1093/schbul/sbx088>
- van Gurp, J., Hasselaar, J., van Leeuwen, E., Hoek, P., Vissers, K., & van Selin, M. (2013). Connecting with patients and instilling realism in an era of emerging communication possibilities: A review on palliative care communication heading to telecare practice*. *Patient Education and Counseling*, 93(3), 504–514. <https://doi.org/10.1016/j.pec.2013.07.002>
- van Leeuwen, C. M. C., Kraaijeveld, S., Lindeman, E., & Post, M. W. M. (2011). Associations between psychological factors and quality of life ratings in persons with spinal cord injury: A systematic review*. *Spinal Cord*, 50(3), 174–187. <https://doi.org/10.1038/sc.2011.120>
- van Mierlo, M. L., Schröder, C., van Heugten, C. M., Post, M. W. M., de Kort, P. L. M., & Visser-Meily, J. M. A. (2014). The influence of psychological factors on health-related quality of life after stroke: A systematic review*. *International Journal of Stroke*, 9(3), 341–348. <https://doi.org/10.1111/ijis.12149>
- Walker, M. U. (2006). *Moral repair. Reconstructing moral relations after wrongdoing*. Cambridge University Press.
- Wayland, S., Maple, M., McKay, K., Glasscock, G. (2016). Holding on to hope: A review of the literature exploring missing persons, hope and ambiguous loss*. *Death Studies*, 40(1), 54–60. <https://doi.org/10.1080/07481187.2015.1068245>
- Weaver, M. S., Heinze, K. E., Bell, C. J., Wiener, L., Garee, A. M., Kelly, K. P., Casey, R. L., Watson, A., Hinds, P. S. (2016). Establishing psychosocial palliative care standards for children

- and adolescents with cancer and their families: An integrative review*. *Palliative Medicine*, 30 (3), 212–223. <https://doi.org/10.1177/0269216315583446>
- van Weeghel, J., van Zelst, C., Boertien, D., & Hasson-Ohayon, I. (2019). Conceptualizations, assessments, and implications for personal recovery in mental illness: A scoping review of systematic reviews and meta-analyses*. *Psychiatric Rehabilitation Journal*, 42(2), 169–181. <https://doi.org/10.1037/prj0000356>
- Wiles, R., Cott, C., Gibson, B. E. (2008). Hope, expectations and recovery from illness: A narrative synthesis of qualitative research*. *Journal of Advanced Nursing*, 64(6), 564–573. <https://doi.org/10.1111/j.1365-2648.2008.04815.x>
- Wilson, M., Hamilton, D., Whelan, T., & Pilkington, P. (2018). A systematic review of factors related to parents' treatment decisions for their children with autism spectrum disorders*. *Research in Autism Spectrum Disorders*, 48, 17–35. <https://doi.org/10.1016/j.rasd.2018.01.004>

Erik Olsman (Ph.D.) is Associate Professor of Chaplaincy Studies at the Department of Practical Theology (Practices), Protestant Theological University, Groningen/Amsterdam, the Netherlands. Also, he is an Ethicist in a Dutch Review Committee Euthanasia. He graduated cum laude in Theology and worked as chaplain in palliative care and mental health care. After the defense of his PhD Thesis *Hope in Palliative Care* (2015), he was postdoctoral researcher and senior lecturer in medical ethics at academic hospitals. His work focuses on meaningful communication in tragic situations, which includes topics such as hope, happiness, tragedy and suffering. Good spiritual care for persons who struggle with existential issues is the current goal of his work.

Open Access This chapter is licensed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence and indicate if changes were made.

The images or other third party material in this chapter are included in the chapter's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the chapter's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder.