Gunnera magellanica Lam.

Gunneraceae

Syn.: *G. falklandica* Hook., *G. integrifolia* Blume, *G. plicata* Vahl, *G. reniformis* Gay ex Blume, *Misandra magellanica* (Lam.) J.F. Gmel.

Description: Perennial herbs, 5–15 cm tall, dioecious, rhizomatous and stoloniferous, hirsute, leaves all basal, orbicular to reniform, 2–7 cm across, glabrous above, margins crenate, flowers reddish to yellowish, 5–8 mm long, in dense terminal panicles, drupes bright red, 3–5 mm across.

Distribution: South America (Colombia, Ecuador, Peru, Bolivia, Chile, Argentina, Falkland Isl.).

Habitat: Wet places in páramo, shrublands, damp understory of *Nothofagus* forests.

Jan Ptáček

Root collar with a diameter of 1.5 mm. Rings absent. Analyzed: 1 individual.

Xylem

Transverse section

Vascular bundles circular arranged, concentric, surrounded by an endodermis-like row of cells. Vessel diameter 3–5 µm. Vessel outline angular. Vessels lignified, thin- to thick-walled, solitary. Fibers absent. Parenchyma pervasive. Rays absent within vascular bundles.

Tangential section

Rays absent.

Radial section

Perforation plates simple. Intervessel pits scalariform. Vessel length 60–80 µm.

Bark

Sieve tubes in groups. Fibers absent. Phelllem absent.

Pith

Round.

Features according to IAWA and Crivellaro and Schweingruber 2015

Xylem 2 - 9 - 12 - 13 - 20 - 40.1 - 50.2 - 52.2 - 60.1 - 117