Correction to: Antileishmanial Activity of Lignans, Neolignans, and Other Plant Phenols

Jiří Pospíšil, Daniela Konrádová, and Miroslav Strnad

Correction to:

Chapter “Antileishmanial Activity of Lignans, Neolignans, and Other Plant Phenols” in: A. D. Kinghorn, H. Falk, S. Gibbons, Y. Asakawa, J.-K. Liu, V. M. Dirsch (eds.), *Progress in the Chemistry of Organic Natural Products Vol. 115*, https://doi.org/10.1007/978-3-030-64853-4_3

The original version of the book was inadvertently published with incorrect figures (Fig. 3 and Fig. 14) in Chapter 3. The erratum chapter has been updated with the changes and the correct presentation is given here:

The updated version of this chapter can be found at
https://doi.org/10.1007/978-3-030-64853-4_3

© The Author(s), under exclusive license to Springer Nature Switzerland AG 2021
A. D. Kinghorn, H. Falk, S. Gibbons, Y. Asakawa, J.-K. Liu, V. M. Dirsch (eds.),
Progress in the Chemistry of Organic Natural Products Vol. 115,
https://doi.org/10.1007/978-3-030-64853-4_5

C1

Fig. 3 Shikimate pathway – from chorismic acid to aromatic amino acids and phenylpropanoids [88–90]

Fig. 3 (continued)

Fig. 14 Structurally important phenolic compounds — resveratrol, rutin, catechin, and kaempferol — and their biological activities