Erratum to: A New Approach Based on PCA and CE-SVM for Hepatitis Diagnosis

Naoual Elaboudi and Laila Benhlima

Erratum to:

“A New Approach Based on PCA and CE-SVM for Hepatitis Diagnosis” in: A. El Oualkadi et al. (eds.), *Proceedings of the Mediterranean Conference on Information & Communication Technologies 2015*, Lecture Notes in Electrical Engineering 381, DOI [10.1007/978-3-319-30298-0_10](https://doi.org/10.1007/978-3-319-30298-0_10)

The original version of the Chapter 10 was inadvertently published with incorrect author name “Naoual EL Aboudi” instead of “Naoual Elaboudi”. The erratum chapter and the book have been updated with the changes.

The updated original online version for this chapter can be found at [10.1007/978-3-319-30298-0_10](https://doi.org/10.1007/978-3-319-30298-0_10)

N. Elaboudi (✉) · L. Benhlima
Ecole Mohammadia d'ingénieurs, Mohammed V University, Rabat, Morocco
e-mail: nawal.elaboudi@gmail.com

L. Benhlima
e-mail: benhlima@emi.ac.ma

© Springer International Publishing Switzerland 2016
A. El Oualkadi et al. (eds.), *Proceedings of the Mediterranean Conference on Information & Communication Technologies 2015*, Lecture Notes in Electrical Engineering 381, DOI [10.1007/978-3-319-30298-0_79](https://doi.org/10.1007/978-3-319-30298-0_79)